

# Table of Contents

- 4 Letter from Mayor Bill de Blasio
- 6 Letter from First Lady Chirlane McCray
- 8 Executive Summary

## Section 1

16

Understanding New York City's  
Mental Health Challenge

## Section 2

32

A Foundation for Change:  
6 Guiding Principles and 54  
Targeted Initiatives

## Appendix

94

95 Roadmap Feedback  
Group Participants  
98 Acknowledgments  
100 Endnotes  
105 Maps

## Do You Need Help?

112

Information on Common  
Mental Health Issues

# Letter from Mayor Bill de Blasio



New York City's greatness is founded on a simple promise: you can thrive here, no matter where you come from or where you want to go in life.

But for too many New Yorkers, poor mental health interrupts the realization of that great promise. As City leaders, we are obligated to use every tool and power of government to make sure there is a path to health and happiness for all New Yorkers. For that to be possible, we need a true and effective mental health system.

We take a huge step forward on that journey with the release of *ThriveNYC: A Mental Health Roadmap for All*.

The mental health crisis facing the residents of our city has been decades in the making. Mental health issues have not been treated by the public or private sectors with the same urgency as physical health issues—even as illness and other threats to mental health affect the lives of nearly every family in the five boroughs each year.

Public initiatives to support the mental health of New Yorkers have been underfunded by billions. Commercial insurers have only been required to provide comparable coverage for mental health treatment under all policies since 2010, and they have a long way to go in providing full and fair coverage.

This legacy of scarce resources, and scarcer attention, has prompted a practical and moral obligation for City government to take up this work. We are serious about getting New Yorkers the help they need to overcome the symptoms of mental illness. But we are also determined to prevent mental illness whenever we can, and that means doing everything we can to alleviate the severe stresses that are at the root of many conditions.



So while we strive to make sure every New Yorker in every community has access to a mental health professional, we simultaneously need to keep building and preserving affordable housing in those communities—so more families are freed from worrying every waking moment about whether they'll be able to make rent that month.

As we work to identify and treat new mothers who suffer from postpartum depression, we must simultaneously provide more working parents with protections like Paid Sick Leave, so no one has to choose between their child's health and their job.

And as we build toward a time when all of our schools offer mental health services to their children, we also need to make sure our kids have essential social-emotional supports in pre-kindergarten and after-school programs.

By following the path laid out in this Roadmap, we will change the trajectory of the lives of so many New Yorkers, and help them become better parents, friends, co-workers, and students.

To make this future a reality, we need your help. If your life has been touched by mental illness, please share your story with someone you trust. And if someone you know is going through a tough time, take a moment to hear them out. There are now more and better resources that are easier for New Yorkers to access. A crisis decades in the making won't be resolved overnight, but *ThriveNYC* is the first step in our mission to help our citizens fulfill their potential.

As the First Lady says, there is no health without mental health. Let's get healthy—together.

A handwritten signature in black ink that reads "Bill de Blasio".

Mayor Bill de Blasio

# Letter from First Lady Chirlane McCray



In January 2015, I had the honor of announcing an unprecedented commitment by the City of New York to create a mental health system that works for all New Yorkers. Since then, I have traveled throughout the five boroughs and talked to hundreds of people about their experiences.

I heard many stories of triumph that reminded me of a fundamental truth: Mental illness is treatable. When people have access to the resources they need, they can live their lives to the fullest.

I also heard many stories of suffering, which speaks to another reality: *Every* family has been touched by mental illness. And that certainly includes my own.

A few years ago, our daughter, Chiara, revealed that she was suffering from addiction, depression, and anxiety. I felt everything you'd expect a mother to feel: love, sadness, fear, and a whole lot of uncertainty. But I didn't know where to turn. There was no established series of steps for us to refer to. Bill and I had to trust the recommendations of people we didn't really know, and make some major decisions based on faith alone.

In the end, we found enough of what we were looking for. But even after our crisis subsided, we couldn't forget everything we'd been through. Why had it been so difficult to find the right help? And what can we do for the many New York City families who don't have access to as many resources as we did?

*ThriveNYC: A Mental Health Roadmap for All* begins to answer those questions, and many others. Now, finally, New York City has a plan of action to encourage the mental well-being of all New Yorkers and begin helping those who have been falling through the cracks. I am grateful to everyone who helped make this Roadmap possible, especially our world-class Department of Health and Mental Hygiene; Executive Deputy Commissioner for Mental Hygiene, Dr. Gary Belkin; and Commissioner Dr. Mary T. Bassett.

We will work with our partners to create new programs, make existing programs even better, and make *all* programs easier to access. With each success, as people find solutions, we will move one step closer to changing our mindset around the mind and building a culture that values and supports mental health.

I still remember when people were afraid to say “breast” and “cancer” out loud. I still remember when that disease was only discussed between sisters and girlfriends in stolen whispers. Thankfully, that has changed. Today, breast cancer survivors are proud to tell their stories, because they know the community has their back.

It's time to do the same when it comes to treating mental illness and promoting mental health. The work won't be easy or fast. But if we follow the guideposts laid out in the Roadmap, we can create a city where it's as easy to get help for anxiety as it is to get a flu shot—a city where every New Yorker can live with dignity.

A handwritten signature in black ink, reading "Chirlane McCray". The signature is fluid and cursive, with a long, sweeping underline.

First Lady Chirlane I. McCray

# Executive Summary



One in five.

That's how many adult New Yorkers experience a mental health disorder in any given year.<sup>1</sup> And that's a conservative estimate.

But one in five doesn't begin to capture the devastating impact of mental illness on our city. The consequences of this quiet crisis are everywhere, and affect all of us.

We see it in our schools, where 8% of public high school students report attempting suicide.<sup>2</sup>

We see it in our homeless shelters, where approximately 35% of clients suffer from a serious mental illness.<sup>3</sup>

We see it in our hospitals, which grapple with 70,000 alcohol-related emergency room visits and 1,800 alcohol-related deaths among 18- to 64-year-olds every year.<sup>4</sup> Substance misuse is among the leading contributors to premature death throughout New York City.<sup>5</sup>

We see it in our jails, where over a third of detained people are diagnosed with a mental illness.<sup>6</sup>

We see it among those who are grieving, with one-third of widows and widowers—most of whom are senior citizens—meeting criteria for depression in the first month after the death of their spouse. Half remain clinically depressed a year later.<sup>7</sup>

We see it in our economy, with \$14 billion in estimated annual productivity losses in New York City tied to depression and substance misuse.<sup>8</sup>

And we see it around our dinner tables, in our living rooms, at our places of worship. At any given time, over half a million adult New Yorkers are estimated to have depression, yet less than 40% report receiving care for it.<sup>9</sup>



**“It’s all of us. Whether you’re getting hospitalized in the ER or whether you’re feeling unable to get out of bed because of a particular situation that happened the previous day, it’s all of us. There are no exceptions.”**

— Professor, New York University

**For so long, our city has not done enough to support the emotional well-being of its residents. Too many New Yorkers have not gotten the help they needed for any number of reasons. Perhaps they were afraid to reveal their pain, the help they needed was hard to access, they couldn't find someone who understood their culture, they didn't think it would help, or they simply couldn't afford it. All told, 41% of adult New Yorkers with a serious mental illness (SMI)<sup>10</sup> said they needed treatment at some point in the past year but did not receive it or delayed getting it.<sup>11</sup>**

Clearly, mental illness isn't just disrupting the lives of individual New Yorkers—it is exacting a terrible social, financial, and emotional cost on our city.

What is needed—and what New York City currently lacks—is a major commitment to mental health, one that is backed up by resources that are commensurate to the challenge. Tackling a problem that directly affects 20% of New Yorkers—in addition to all of the people in their lives—requires a population-wide response.

And to be successful, that response must assertively support and promote mental *health* in addition to addressing mental illness. The World Health Organization defines mental health as “a state of well-being in which every individual realizes his or her own potential, can cope with the normal stresses of life, can work productively and fruitfully, and is able to make a contribution to her or his community.”<sup>12</sup> **In other words, our ability to thrive—as human beings and as a city—is closely tied to our mental health.**

At the most basic level, this new commitment is about thinking big and thinking differently. A public health solution must include all the following elements: prevention of illness, promotion of mental health, early detection of problems, and treatment. By themselves, mental health professionals cannot stem the tide of one of our society's most difficult and pervasive health challenges. To achieve lasting success, we must treat not only the individual, but also the conditions in our society that threaten mental health. **We must identify when people are at greater risk and why, while paying close attention to the range of factors—both individual and social—that can either make us more vulnerable or prevent the onset or worsening of mental illness.<sup>13</sup>**

Getting to where we need to go requires a broad campaign that engages every sector of society. Lawmakers must devote political capital and financial resources to the challenge at hand. Government agencies must implement new policies. The media must be engaged in the work of



increasing public awareness and accurately representing mental illness. Health professionals must use techniques that promote mental health and more effectively prevent, as well as treat, illness. And crucially, New Yorkers from every community must play an active role in both shaping and implementing this effort.

As an example, consider New York City's successful effort to curb smoking. For decades, Americans settled for incremental change when it came to the fight against tobacco. In New York City, the decline in adult smoking had stalled. Then, in 2003, the City's landmark Smoke-Free Air Act went into effect, banning smoking in bars and restaurants. This signaled the beginning of a sweeping public health campaign. City officials coordinated an anti-smoking communications strategy that blanketed our airwaves, newspapers, and subway cars. Lawmakers raised federal, state, and local excise taxes. And health officials developed innovative ways to provide New Yorkers with treatment tools, such as inviting people to call 311 and request free nicotine patches. We monitored our progress and stayed on track with help from an annual survey that tracked how many people smoked.

Together, these efforts achieved tremendous results. The adult smoking rate declined by 35% between 2002 and 2014,<sup>14</sup> and the youth smoking rate fell by a stunning 53% from 2001 to 2013.<sup>15</sup> It is estimated that nearly 50,000 adult New Yorkers who quit smoking as a result of tobacco control efforts from 2002-2010 will avoid a premature smoking-related death before the age of 75.<sup>16</sup> These successes were reached decades after learning of the harms of smoking. Public health strategies take time to learn what will lead to population-level improvements in health. The same will be true for making an impact on mental health. This Roadmap identifies the key new directions needed to do so, and a robust but initial set of initiatives to move in that direction.

Smoking is just one example of a successful public health campaign that changed the lives of tens of thousands of New Yorkers; there are many others. Together, we reduced teen pregnancy to record lows.<sup>17</sup> Between 2000 and 2013, we reduced the annual number of mother-to-child HIV transmissions by 92%.<sup>18</sup> And within the last decade, we reduced the number of children with dangerous levels of lead in their blood by 70%.<sup>19</sup>

**We can and should have equally big ambitions and long-term strategies when it comes to mental health.** Together, over years, we can lay the foundation for lifelong emotional health for all children. We can protect new mothers from depression. We can prevent suicides and reduce harmful consequences of substance misuse. We can close gaps in access to mental health services. We can help more people with chronic and disabling mental illness lead active lives. We can provide people who have previously cycled in and out of the system with the comprehensive and

compassionate network of care they need. **We can make it our goal to not only reduce the toll of mental illness, but also promote mental health and protect New Yorkers' resiliency, self-esteem, family strength, and joy.**

Our plan for achieving these goals and many others is described in this Roadmap, which lays out:

- The challenges we face;
- The principles that will guide our effort to meet those challenges;
- A broad array of solutions that build upon our principles; and
- A plan to achieve long-term change.

Our work will be shaped by six guiding principles. They are based on research, the experience of other cities and countries, input from hundreds of local organizations that are working to promote mental health, and individual New Yorkers with experience battling mental illness who bravely shared their stories with us.

We will advance these principles in part through 54 targeted initiatives—representing an investment of \$850 million over four years—that together comprise an entirely new and more holistic approach to mental health in New York City, and set a foundation for taking on this public health challenge in the years ahead.



# Six Guiding Principles



## 1. Change the Culture

Make mental health everybody's business. It's time for New Yorkers to have an open conversation about mental health.

*Key Initiatives:*

- **Mental Health First Aid Training:** We will train 250,000 New Yorkers in Mental Health First Aid, which teaches people how to help friends, family members, and co-workers who may be suffering.
- **Public Awareness Campaign:** We will launch a citywide campaign to change the conversation around mental health and help individuals and communities take action.



## 2. Act Early

Give New Yorkers more tools to weather challenges and capitalize on opportunities by investing in prevention and early intervention.

*Key Initiatives:*

- **Social-Emotional Learning for the Youngest New Yorkers:** The City will embark on an expansion of Social-Emotional Learning (SEL) in early childhood education and care settings. We will increase opportunities for children to realize their potential by building a foundation of social-emotional skills during a critical stage of development.
- **Create a Network of Mental Health Consultants Serving All Schools:** While different schools have different levels of need when it comes to mental health, every school should have access to professional support. Starting immediately, the City will hire 100 School Mental Health Consultants (SMHCs) who will work with every school citywide to ensure that staff and administrators have an outlet to connect students with the highest immediate needs to care.



## 3. Close Treatment Gaps

Provide New Yorkers in every neighborhood—including those at greatest risk—with equal access to care that works for them and their communities, when and where they need it.

*Key Initiatives:*

- **Closing Gaps on Maternal Depression:** New York City is setting a goal to screen and treat all pregnant women and new mothers for pregnancy-related depression. NYC Health + Hospitals and Maimonides Medical

Center have committed to reach and serve each of these women in their care within two years. And beginning this year, NYC Health + Hospitals and Maimonides, along with the Greater New York Hospital Association, will lead a collaboration across other City hospital systems to close this treatment gap.

- **NYC Support:** People throughout New York City often complain about being forced to navigate a confusing and unresponsive mental health and substance use treatment system largely on their own. The City will address this challenge with the creation of NYC Support, which will serve as a point of entry to the City's behavioral health services. New Yorkers will be able to access NYC Support via phone, text messaging, or the web. In addition to robust crisis counseling, NYC Support will provide referrals, help New Yorkers schedule appointments with mental health providers, and follow up with New Yorkers until they find the appropriate care.



## 4. Partner with Communities

Embrace the wisdom and strengths of local communities by collaborating with them to create effective and culturally competent solutions.

### *Key Initiatives:*

- **NYC Mental Health Corps:** We will begin creating a Corps of approximately 400 physicians and recently-graduated Masters and Doctoral-level clinicians to work in substance use programs, mental health clinics, and primary care practices in high-need communities throughout the city. When fully staffed, the Corps will provide approximately 400,000 additional hours of service in the communities where they are needed most, including at primary care settings, which is where most New Yorkers receive their regular medical care. We will work with communities to determine where Corps members can do the most good.
- **Virtual Learning Center for Community-Based Organizations:** The City will develop a free, universally available web-based Learning Center for community organizations. Our initial outreach will focus on faith-based and immigrant-serving organizations. The website will provide a skills training library that offers non-clinicians effective and executable task-shifting, prevention strategies, and information on how to help people access care. It will include videos, guides to test skills, handouts of tips and information summaries, assessments, and links to other resources. The website will also be a forum to facilitate partnerships between community groups and providers.



## 5. Use Data Better

Work with all stakeholders to address gaps, improve programs, and create a truly equitable and responsive mental health system by sharing and using information and data better.

*Key Initiative:*

- **Mental Health Innovation Lab:** We will establish a Lab that will make sure City agencies, treatment providers, and others with a stake in promoting mental health have the most up-to-date and accurate information and tools. The Lab will serve as the research and development arm of our Roadmap effort, with a focus on developing new ways to both collect information and help stakeholders put it to work.



## 6. Strengthen Government's Ability to Lead

Affirm City government's responsibility to coordinate an unprecedented effort to support the mental health of all New Yorkers.

*Key Initiatives:*

- **New Supportive Housing for Vulnerable New Yorkers:** The number of New Yorkers who qualify for supportive housing is almost five times greater than the number of available units. To meet this need, the City is committing to bring on 15,000 apartments for supportive housing over the next 15 years. The new supportive housing will serve a number of vulnerable populations, including homeless families, homeless single veterans, domestic violence survivors, young adults who have recently left foster care or who have been in foster care and are at risk of homelessness, and individuals receiving nursing home care.
- **Mental Health Council:** We will bring together a cross-section of City agencies to coordinate a comprehensive mental health effort. The Council will work closely with hospitals, insurance companies, community-based organizations, our partners at other levels of government, clergy, advocates, and people with lived experience to turn the Roadmap into reality and establish the City as a policy leader.

We hope you will join us in putting this Roadmap into action. Just as every community knows the pain of mental illness, every community has valuable wisdom and resources to contribute. By closing the gaps in our mental health system, we can also help close the gaps that exist within our neighborhoods, our families, and even within ourselves. Together, we can achieve the goals of this Roadmap and build a healthier, happier New York City.

## Section 1

# Understanding New York City's Mental Health Challenge

---

*While statistics alone cannot capture the devastating human costs of mental illness, they drive home the scope of the mental health crisis facing New York City.*



At least one in five adult New Yorkers is **likely to experience a mental health disorder** in any given year.

## Youth Issues

(NYC Public High School Students)

Report attempting suicide



Report feeling sad or hopeless each month<sup>20</sup>



The stigma of mental illness has been found to have serious negative effects on hope and an individual's sense of self-esteem. Stigma also increases the severity of psychiatric symptoms and decreases treatment adherence.<sup>24</sup>

## Depression




**18** Yankee Stadiums could not hold all of the New Yorkers **with a lifetime diagnosis of depression.**

- Approximately 8% of adult New Yorkers experience symptoms of depression each year.<sup>21</sup>
- 12% of NYC mothers exhibit symptoms of depression in the months after giving birth.<sup>22</sup>
- **Major depressive disorder** is the single greatest source of disability in NYC.<sup>23</sup>

## Substance Abuse

Consequences of substance misuse are among the leading causes of premature death in every neighborhood in New York City.

Alcohol use causes (per year)



Unintentional drug overdose deaths outnumber both homicide and motor vehicle fatalities.<sup>25</sup>




Clearly, the mental health crisis is both broad and deep. The first step toward solving it is digging deeper into the data and developing a more complete understanding of the risk factors and root causes that result in certain populations experiencing more—and more serious—mental health challenges.

## Mental illness exacts a devastating social and economic cost on New Yorkers and the communities they call home.

### Disability Adjusted Life-Years

Selected Causes of DALYs, NYC 2013



One metric frequently used to describe the impact of mental illness on society relative to other health problems is Disability Adjusted Life-Years (DALYs), which measures the number of years lost to a given disease as a result of loss of life (YLL) or disability (YLD). Together, these are often referred to as the “disease burden.”

## In other words, DALYs quantify what makes us feel sick and what kills us.

The figure shows that mental illness and substance use disorders are among the leading contributors to the disease burden for New Yorkers, with depressive illness the single largest contributor after heart disease.<sup>26</sup> **If the impact of alcohol use disorders and other substance use disorders are added together (they are separated in this figure), they would be the second leading contributor to overall disease burden in New York City.**


Disability related to mental illness can have significant real-life consequences for New Yorkers. It can lead to job loss, dropping out of school, struggles with parenting, losing one’s housing, having difficulty making and keeping friends, and other challenges.

But DALYs only show a part of the impact. They do not capture the wide variety of related health problems that often afflict people with mental illness, and therefore underestimate the full extent of their suffering. A few additional statistics make this clear:

- In the U.S., the average life expectancy of people with a mental illness is approximately eight years less than people without one.<sup>27</sup> Many people with mental illness or substance use disorders experience a substantial gap in the quality of routine medical care, especially when it comes to general medical and cardiovascular care.<sup>28</sup>
- Experiencing a period of mental illness increases a person’s likelihood of developing a physical illness, including diabetes, hypertension, and high cholesterol.<sup>29,30,31,32</sup>
- Adults in NYC with SMI are three times more likely to smoke, and they are less likely to exercise or eat fruits or vegetables. It is therefore not surprising that they are twice as likely to have two or more chronic medical illnesses when compared to adults without an SMI.<sup>33</sup>
- In the U.S., prolonged depression can more than double the risk of stroke in people over 50 years of age.<sup>34</sup>

## Economic Losses from Mental Health and Substance Use Factors<sup>35</sup>

(NYC-wide annual estimate)



\*Estimates for depression-related criminal justice system costs are unavailable

DALYs also do not capture people who may not have a diagnosable mental *illness*, but who still may suffer from poor mental *health*. To support the mental well-being of all New Yorkers and move the needle on DALYs, we also need to focus on our society itself—which means addressing big issues like racism, income inequality, and disparities in community resources or access to education and opportunity while also providing targeted individual care when needed.

## The economic burden of mental illness

Finally, DALYs do not capture the considerable economic burden mental illness and substance misuse exact on society. In New York City, mental illness and substance misuse together have a tremendous impact on a variety of societal costs, including health care, criminal justice, and lost productivity.<sup>36</sup>

- Alcohol misuse is estimated to cost NYC nearly \$6 billion in citywide economic productivity losses every year, while depression accounts for \$2.4 billion.
- Misuse of illicit and prescription drugs and alcohol in NYC together cost approximately \$3 billion in criminal justice expenditures annually.

As troubling as these numbers are, they reflect only a fraction of the total costs. For instance, measuring the cost of productivity losses to a business may not fully capture the cost of mental illness in the workplace. In a study in London, for example, estimates of lost earnings for individuals with mental illness were double the estimate of economic losses in productivity.<sup>37</sup> In addition, these figures also do not fully account for costs incurred by caregivers, family members, and the community at large.

It is also important to consider the enormous amount of money we spend on overall health care costs. In 2013, more than 630,000 New Yorkers with health insurance (Medicaid, Medicare, or commercial insurance) saw a provider who diagnosed a mental illness. While this group accounted for 8.3% of the population, the cost of their health care—almost \$17 billion—represented approximately 25.6% of total health care expenditures paid by these insurance sources in New York City. This figure does not capture the cost of care for the many New Yorkers who are uninsured.<sup>38,39</sup>

## The Cost of Mental Illness in NYC





## Risks to mental health affect New Yorkers at every stage of their lives

Mental illness or distress can occur at any point during our lives. But there are certain stages that present greater risks to mental health—and also a greater opportunity to intervene with effective support that could provide the tools to achieve long-term mental wellness.

### Early years

The first few years of life play a profound role in a person's ability to manage emotions in a healthy way. Childhood exposure to adverse events—such as domestic violence, neglect, abuse, family financial strain and divorce, or certain community conditions such as unsafe neighborhoods—are all associated with chronic diseases and threats to mental health in adulthood.<sup>40,41</sup>

**These circumstances can also contribute to toxic stress, which is the strong, unrelieved activation of the body's stress management system in the absence of protective support. Toxic stress can change the architecture of the developing brain and have a devastating lifelong impact.<sup>42</sup> For example:**

- Adolescents exposed to childhood adversity, including family malfunctioning, abuse, neglect, violence, and economic adversity, are nearly

**2x as likely to experience the onset of mental disorders,**

and the risk to their mental health grows with additional exposures.<sup>43</sup>

- Even neighborhood violence that a child does not directly experience, such as a nearby homicide, has been shown to reduce cognitive performance.<sup>44</sup>
- Experiencing two or more adverse events during childhood is associated with a two- to eight-fold increase in depression, anxiety, and tobacco and marijuana use.<sup>45</sup>
- Early identification of developmental delays and disabilities in young children through timely screening can reduce the risk for depression, anxiety, and overall psychological distress.<sup>46</sup>

Tragically, far too many young New Yorkers are at risk for poor mental health. A 2011-2012 survey found that approximately 18% of children in New York State between the ages of zero and 17 experienced two or more adverse family experiences in their lifetime, which predicts poor mental health and physical health outcomes later in life.<sup>47</sup> In order to help these children, we need to do a better job of assessing them for mental health risks when they have contact with City agencies or the health system and then connecting them to appropriate resources.

## Lesbian, gay, bisexual, and transgender (LGBT) youth

Gay and lesbian youth in New York City experience nearly twice as much bullying on school property as heterosexual youth, and are more than twice as likely to attempt suicide. LGBT youth of color may also experience compounded stressors related to racism and discrimination.<sup>48</sup>



**“I had a breakdown during my senior year of Dartmouth. I did not pass my last class and was suspended. Then overwhelming disappointment followed by a few hospitalizations and outpatient treatment—I was hearing voices. My treatment helped and I was able to get placement in adult home. I was able to return to college after 18 years. If I’d had help during or before my breakdown, I could have returned to college years sooner.”**

— J., Brooklyn

## Adolescence

Adolescence is period when mental health conditions often first emerge, ranging from substance misuse to psychosis.<sup>49,50</sup>



27%

public high school students reported feeling sad or hopeless


- In a biennial survey of NYC public high schools, more than one in four students reported feeling persistently sad or hopeless in the past year. This is a common predictor of depressive illness.<sup>51</sup>
- In 2013, one in ten NYC public high school students reported being hit, slapped, or physically hurt by someone they were dating or going out with within the past year.<sup>52</sup>
- A young person who is exposed to pervasive violence has a 50% increased risk of having elevated depressive symptoms and anxiety.<sup>53</sup> Each episode of violence (dating violence, bullying, physical fighting, family violence) is associated with an increased risk of that young person also being a perpetrator of violence by anywhere from 35% to 144%.<sup>54</sup>
- An estimated 7,000 emergency room visits each year in NYC involve alcohol use among individuals under 21 years of age.<sup>55</sup>
- 8% of NYC public high school students report attempting suicide.<sup>56</sup> That percentage doubles if a student has been bullied on school grounds, which 18% of students experience.<sup>57</sup>

## Young adulthood

Young adulthood is a time of continuing brain development and the creation of lifelong social networks and habits. It is also often a period when mental illnesses emerge, especially mood, psychotic, and substance use disorders. **According to national studies, three quarters of all mental health and substance use disorders start by age 24.**<sup>58</sup>


**Among 1,000 City University of New York undergraduates who responded to a campus survey<sup>59</sup>:**

Met criteria for **depression**



Only **10%** received help from their college counseling or health center.

Reported **significant anxiety**





**In New York City,  
over 1 in 10 women  
who recently gave birth  
experience symptoms of  
post-partum depression**

## Veterans

New York City is home to 230,000 veterans, nearly a quarter of whom have a probable diagnosis of post-traumatic stress disorder and/or major depression.<sup>69</sup>

## Parenthood

Becoming a parent can be a joyful experience, but it is also associated with a number of mental health risks. While this is true for both fathers and mothers, depression in mothers is more common.<sup>60</sup> A mother's depression affects her own mental and physical health, heightens the child's risk of psychiatric illness, lowers the chances of the child developing emotional strength and resilience, and decreases the child's likelihood of receiving optimal health care.<sup>61</sup>

Despite the important effect of parenting on mental health, we have limited data when it comes to identifying individuals or areas of the city where risk is high. Here is what we do know:

- 12% of NYC mothers exhibit symptoms of depression in the months after giving birth.<sup>62</sup>
- Studies suggest rates of depression after pregnancy among lower-income mothers can be at least double overall rates.<sup>63</sup>
- While a higher risk of depression persists in mothers with young children up to five years of age, more than one-third of these mothers, and the majority of pregnant women, do not get help.<sup>64,65</sup>
- Parent caregivers of children with chronic illness, including intellectual/developmental disabilities, are at greater risk for depression as well.<sup>66</sup>
- Women younger than 19 years old also report experiencing post-partum depression at higher rates than women 20 years old and older.<sup>67</sup>

Acting early with parents also helps us act early for their children. Evidence shows that providing parents with preventive interventions for mental illness reduces the risk of their child developing a mental disorder and psychological symptoms later in life by 40%.<sup>68</sup>

## Adulthood

Adult mental illness often builds upon earlier events, but this period of life can present additional threats to mental health such as the loss of a job, economic vulnerability, and divorce. Overall, bipolar illness, schizophrenia, PTSD, OCD, and other anxiety disorders can also exert their greatest impact in adulthood, contributing to disability and social and economic difficulties and challenging families. Family support is a key promoter of resilience, mental health, and connection to quality care for people suffering from these disorders.<sup>70,71,72</sup> Employment is another crucial factor for self-sufficiency in adults<sup>73,74</sup> and yet individuals experiencing mental illness and intellectual and developmental disabilities are significantly underrepresented in the workforce.<sup>75,76,77</sup>

## Justice-involved New Yorkers

On any given day in New York City jails, as many as 40% of those detained have an identified mental health-related problem, not even including substance misuse or dependence.<sup>78</sup>

## People who are homeless

Approximately 35% of NYC Department of Homeless Services shelter clients have a serious mental illness. This figure is closer to 40% among people who are street homeless.<sup>79</sup>

Adulthood can also be a time of trauma, especially in the form of intimate partner and other violence. Nearly one out of every 50 adult New Yorkers reports that they are physically fearful of their partner.<sup>80</sup> And this is an issue that cuts across every demographic—our Family Justice Centers, which serve victims of domestic violence, have worked with clients from every residential zip code in New York City. It is also important to note that abuse isn't always physical. According to a 2011 study by the Centers for Disease Control, “nearly half of all women and men in the United States have experienced psychological aggression by an intimate partner in their lifetime (48.4% for women and 48.8% for men).” The same study found that more than 20% of individuals who suffered intimate partner abuse also suffered from one or more symptoms of Post-Traumatic Stress Syndrome.<sup>81</sup>

## Late adulthood

Our eldest citizens, especially if they are socially isolated or impaired from diminished overall health, have an escalated risk for depression and suicide.

- The incidence of depression is higher among subpopulations of elders compared to the general population, with rates of major depression occurring in 13.5% of elder home health care recipients.<sup>82</sup>
- As mentioned, in some studies roughly one-third of widows and widowers meet the criteria for depression in the first month after the death of their spouse. Half of these individuals—most of whom are senior citizens—remain clinically depressed a year later.<sup>83</sup>



In the U.S. the suicide rate of older adults (65+) is roughly 50% higher than the general population.



Older white men over 85 commit suicide at four times the rate of the general population.<sup>84</sup>

- Information from the National Household Survey on Drug Use predicted that as baby boomers age, treatment rates for substance use disorders among older adults (50+) may increase by as much as 70%.<sup>85</sup> Many of our communities will need a significant increase in resources to handle this challenge (see map).
- Older parent caregivers of those with intellectual/developmental disabilities may be at a relatively greater risk for psychological stress and other mental health conditions.<sup>86</sup>
- 92 out of every 1,000 older New York City residents were victims of elder abuse in a one year period.<sup>87</sup>

## Mental Health and Substance Use Treatment Service for Seniors: Staten Island

● Services to Seniors (65+older)



## Summary

In order to effectively tailor both our treatment and prevention efforts, we must have a thorough and data-based understanding of how mental illness, substance misuse, and threats to mental health manifest in the various stages of life. We must also recognize that our city is not simply a collection of individual residents with distinct needs; when one person in our family, our neighborhood, our church, or our community suffers, so do the rest of us. We must invest in mental health promotion for the whole city by reducing stressors and traumas—including growing inequality, housing instability, and discrimination—while also equipping individual New Yorkers with the skills and tools to manage daily challenges, and promoting mental health. If we achieve these goals, we will bolster community resilience and social cohesion, and our city will thrive.

## Mental health varies across the city

**We all face threats to our mental health. But these threats are distributed unequally, and are especially present in neighborhoods where historic neglect has resulted from racial discrimination and other longstanding structural inequities.**



**“I have bipolar disorder and am Japanese. Asian cultures have arguably the strongest stigma problems in the world and the general society immediately puts us in the “crazy” category. Many Asians with serious mental illness remain in denial for many years and some never acknowledge so we don’t tend to seek treatment of any kind. As a result, I suffered with the illness for over a decade and attempted suicide in my late teens. But when I finally got sick and tired of being sick and tired, I decided to get help. I took advantage of different kinds of talk therapy and finally after much tweaking of the cocktail of medications found one that worked. One big element of my recovery and wellness is peer support, which helped me to understand that there wasn’t something ‘wrong’ with me personally.”**

— Y., Manhattan

### Poverty

In New York City, the distribution of mental illness varies strongly by income:

- SMI is more than twice as common for adults who live below 200% of the federal poverty level (FPL) compared to those living 200% above it.<sup>88</sup>
- In NYC, most of the young children with reported mental health disorders live in poverty. Of NYC children between the ages of two and twelve whose parents reported their child being diagnosed with at least one of five common mental health disorders, as many as 70% live in poverty.<sup>89</sup>

### Race and ethnicity

The prevalence, diagnosis, and treatment of mental illness can vary widely among racial and ethnic groups. For example:

- In New York City, Latina adolescents feel disproportionately sad or hopeless and are more likely to attempt suicide.<sup>90</sup>
- In the United States, African Americans are less likely than whites to be diagnosed with common mental illnesses like depression and anxiety. But when they *are* diagnosed with a mental illness, African Americans are more likely than whites to experience a persistent and severe illness.<sup>91,92</sup> There are also biases in diagnosis. For example, African Americans are more likely to be given a diagnosis of schizophrenia and other psychotic disorders, and that is true even when they have the same symptoms as whites.<sup>93</sup>

This highlights a significant challenge to understanding the prevalence of mental illness in a given population. Provider biases can affect the diagnosis and treatment of mental illness, and the use of mental illness labels can sometimes be driven by social judgments and prejudice.<sup>94</sup> It is therefore uncertain to what degree data on racial, ethnic, or gender differences in mental health reflects true presence of illness.

We must also look closely at differences within racial groups. While diagnosis rates for depression and anxiety among adult Latinos in recent years are relatively comparable to whites,<sup>95</sup> there are large variations

within Latinos. For example, people of Puerto Rican descent were 54% more likely to have more severe depressive symptoms than people of Mexican descent.<sup>96</sup>

Every New Yorker is shaped by factors such as race, culture, ethnicity, income, and geography in unique and complex ways. Because an individual simultaneously occupies more than one identity, and because of the many social prejudices and obstacles that can accompany each of these identities, a better understanding of how these different experiences and histories shape mental health outcomes—whether as a diagnosable illness, or as other emotional suffering that needs better solutions—is critical to designing effective responses.

## Access to care varies throughout the city


Despite the fact that people of color and those in poverty bear the greatest mental health burden, they are among the least likely to get help.

- African Americans and Asians are less likely to receive counseling/therapy or take medication for their illness than whites, according to a survey of NYC residents.<sup>97</sup>
- Receipt of mental health treatment has been found to be lower for African Americans and Latinos compared to whites.<sup>98</sup>
- National studies suggest that African Americans can be half as likely as whites to receive community-based mental health care, but as much as twice as likely to be hospitalized.<sup>99,100</sup>

The likelihood of someone having a psychiatric hospitalization in New York City varies dramatically by neighborhood and income (see map).

### Psychiatric Hospitalizations per 100,000 Residents

Source: NYS SPARCS, 2013



A public health approach means that we cannot limit ourselves to advocating for access to treatment—we must also examine why certain communities bear such a disproportionate share of the burden.

As the map suggests, people from the city’s lowest income neighborhoods are twice as likely to be hospitalized for mental illness compared to residents from the highest income neighborhoods.<sup>101</sup>







The reasons behind these variations across our neighborhoods reflect more than a need for hospitalization; they also reflect a lack of other options. High rates of psychiatric hospitalization likely reflect the challenges residents of some neighborhoods face, including difficulty accessing preventive services and early care, greater exposure to stressors, and interruptions in health insurance.

Taking a public health approach to mental illness means examining these root causes. In other words, we cannot limit ourselves to treating mental illness—we must also examine the context that results in certain communities bearing such a disproportionate share of the collective burden.

People are not connected to the right care when they need it

Our mental health treatment system is often criticized as not being a “system” at all, for the simple reason that it doesn’t do a good job of reaching people, directing them to effective care, and making sure they actually receive the care they need. As noted, **41% of New York City adults with an SMI said they needed treatment at some point in the past year but did not receive it or delayed getting it.** And when New Yorkers do receive care, it is often inefficient and ineffective.

Medicaid spending on mental health in NYC

|                              | No Mental Health or Substance Use Diagnosis   | Mental Health or Substance Use Diagnosis  | Mental Health and/or Substance Use Diagnosis  |
|------------------------------|---|---|---|
| Cost                         | \$  | \$\$\$  | \$\$\$\$  |
| Days in Hospital (inpatient) |  |  |  |
| ER Visits                    |  |  |  |



Consider Medicaid spending on mental health in New York City (see figure). Medicaid is the source of health insurance for approximately 3 million New Yorkers. In 2013, the overall health costs for people with a mental illness or substance use-related diagnosis were more than three times the cost for people without these diagnoses.

Individuals with any mental illness diagnosis or indication of substance misuse experience three times the number of emergency room visits for physical health care issues, and six times the number of medical inpatient hospital days compared to people without those conditions.<sup>102</sup> These overall patterns hold for other sources of insurance as well.<sup>103</sup> And other data suggests that older patients with symptoms of depression have roughly 50% higher overall health care costs than non-depressed seniors.<sup>104,105</sup>

Although high-cost mental health and medical care services clearly fuel each other, they are generally not well coordinated or well integrated. This serves to further escalate costs. It's not just that hospitalization is expensive—it is also ineffective if not followed by regular, ongoing outpatient treatment in the community. Yet in the first six months of 2014, only about one in three people who completed a psychiatric hospitalization in New York City were successfully linked to follow-up outpatient treatment within 30 days of leaving the hospital.<sup>106</sup>

This illustrates a fundamental problem: **Despite the substantial resources we invest and spend on mental health, the treatment system falls short on results. A big reason for this failure is the fact that care is often not evidence-based,** in two key ways:

- **The treatment often doesn't fit the need.** Too often, we connect people to resources and treatment that do not get to the heart of the problem. For example, a disproportionate share of Medicaid dollars is devoted to families with complex needs that are affected by poverty, abuse, neglect, and mental health challenges. While children in these families who suffer from mental illness may receive treatment or support services, the services typically focus on the child and fail to use more specialized approaches that address the family as a whole.<sup>107</sup> On the other hand, specialized treatment options are often used where lighter touches, such as support groups or self-care, would be more effective instead.
- **Much of the care is not delivered optimally.** Examples of this abound:
  - Approximately half of all treatment for major depressive illness in the U.S. does not follow expert-recommended best practices.<sup>108,109,110</sup>
  - Almost three-quarters of youth insured by Medicaid who receive antipsychotics were prescribed these drugs “off-label”, that is, for conditions not approved by the Food and Drug Administration. While off-label use is common and not illegal, the use of these



medications for children in the absence of firm evidence of their efficacy has garnered significant concern and scrutiny.<sup>111</sup>

- A recent national study suggests that increased access to mental health treatment for youth over the last decade may contribute to the overuse of anti-depressant and stimulant medications.<sup>112</sup>

It is important to decrease inequities in access to proven effective medications that alleviate suffering in many people with mental illness. We must also guard against inappropriate prescribing of medications, and encourage the use of other treatment options when appropriate.

**The challenge before us is restructuring the way we deliver care. We need to create more “upstream” prevention options while using “downstream” treatment options more wisely.**

## **We need more information to be effective**

Despite the many data points included in this section, we still have many questions about where and how mental health threats take root, how to better match what we are doing with where we can make the biggest impact, and the comparative value and quality of treatment and intervention options.

We should rethink traditional methods for gathering information about mental health.<sup>113</sup> This could include partnering with local providers and community groups to both gather and use information and web-based crowdsourcing methods.

We should also strive to measure mental *health* itself through the use of sound data and effective measuring tools. Some countries, including the United Kingdom, are beginning to measure “well-being” and the positive attributes of mental health.<sup>114</sup> Similarly, it would be useful to capture not just neighborhood effects that pose threats to mental health, but also positive attributes that contribute to the resiliency of individuals and communities. If we know where mental health assets are located, we can do a better job of maximizing them. And if we have better data about crucial factors like user experience, access, impact, and cost effectiveness, we can make better decisions and smarter investments.

## Section 2

# A Foundation for Change

---

**6 Guiding Principles and  
54 Targeted Initiatives**



As detailed in the Executive Summary, we are taking a public health approach to securing mental health for all New Yorkers. Like other public health campaigns, our effort will be built around three objectives:

- **Identify and address root causes.** Threats to mental health include a range of things we can act on—from enhancing early developmental experience, resilience, and ongoing social supports to addressing issues such as discrimination, poverty, inadequate housing, social isolation, violence, and economic instability.
- **Focus on those who are at highest risk.** We will devote significant resources to work with groups that may be at higher risk for illness or face greater threats to mental health and would benefit from early intervention or prevention.
- **Provide treatment options that are easy to access and make a real difference.** We will provide high-quality services when and where people need them—services that also meet the larger needs of the community.

We began laying the groundwork in January 2015. Our early work focused on gathering information and advice from potential partners from across the five boroughs and beyond.

- We organized 25 focus groups that included treatment specialists, clergy, advocates, educators, researchers, and business leaders representing more than 250 organizations.
- We convened a Scientific Advisory Group comprised of experts from across the country.
- We met with hundreds of stakeholders at Town Halls in every borough.

The insights and advice shared at those meetings is reflected in this document, and distilled into the six principles that will guide our work in the years to come.



## Six Guiding Principles



### 1. Change the Culture

Make mental health everybody's business. It's time for New Yorkers to have an open conversation about mental health.



### 2. Act Early

Give New Yorkers more tools to weather challenges and capitalize on opportunities by investing in prevention and early intervention.



### 3. Close Treatment Gaps

Provide New Yorkers in every neighborhood—including those at greater risk—with equal access to care that works for them and their communities, when and where they need it.



### 4. Partner with Communities

Embrace the wisdom and strengths of local communities by collaborating with them to create effective and culturally competent solutions.



### 5. Use Data Better

Work with all stakeholders to address gaps, improve programs, and create a truly equitable and responsive mental health system by sharing and using information and data better.



### 6. Strengthen Government's Ability to Lead

Affirm City government's responsibility to coordinate an unprecedented effort to support the mental health of all New Yorkers.

Just as these principles were developed collectively, they must be implemented collectively. This Roadmap is an invitation for all New Yorkers to work with us to improve mental health in our city.

This section describes each of the six principles. At the broadest level, the principles have the potential to align how providers treat mental illness, what insurers pay for, how philanthropic foundations foster innovation, how educational institutions train the next generation of providers and decision-makers, how policy is developed, and how communities coordinate all of these elements. At the individual level, these principles can transform how we think about mental health, the type of mental health treatment we receive, and the investments we make in prevention.

## **54 targeted initiatives**

City government must play a central and active role in promoting mental health for New Yorkers. That means bringing services into City-run locations like schools, senior centers, and criminal justice institutions. It also means taking advantage of our scale as a city to advocate for changes at the state and federal level that reflect and support the wisdom and experience of our partners. In Fiscal Year (FY) 2015, the City's budget funded \$1.46 billion in mental health spending. In addition, NYC Health + Hospitals spent nearly \$1 billion to provide mental health services.









Credit: Mayoral Photography Office

Over the past year, the de Blasio Administration has built on this foundation while positioning City government to better focus these resources around the public health approach outlined in this Roadmap, committing \$548 million in new mental health and substance use services over the next four years (FY16-FY19). But still more needs to be done.

In our work around mental health and substance use, the de Blasio Administration has had strong partners in the New York City Council and Speaker Melissa Mark-Viverito. Council members have contributed to this plan, suggesting areas of focus and specific programs that are reflected in the Roadmap. These include investments in peer support services, an easy point of access to help New Yorkers navigate the behavioral health system, expanded resources in schools, and mechanisms for early intervention.

This roadmap includes 23 new initiatives. These new initiatives represent an additional commitment of \$305.1 million investment over four years. In addition to these initiatives and resource commitments, the City is making an historic investment in 15,000 apartments of supportive housing.

All of the initiatives in this Roadmap—both those being newly introduced here and those the de Blasio Administration has already announced—advance and exemplify our six guiding principles. They are designed to be models for action that will guide not only the City’s work, but also the work of other stakeholders, including consumers, insurers, providers, health foundations, educators, and community-based organizations.



## Change the Culture

**Make mental health everybody's business. It's time for New Yorkers to have an open conversation about mental health.**

- Engage every sector of the city in a conversation that reduces stigma and directs people to help.
- Provide a broad array of New Yorkers with information and training.
- Create public messaging to promote ways people can support their own mental health or the health of those they care about.
- Shift the action from punishment to healing when addressing behaviors in the community.

Changing the culture around mental health is a foundational building block of this Roadmap. Far too many of us still think of “depression” and “addiction” as dirty words—shameful afflictions that must be hidden at all costs. And far too many of us still don’t think about mental wellness the same way we think about physical wellness—as something that can be actively improved and strengthened as part of an everyday commitment to overall health.

### Spreading the word

The most obvious strategy for changing the way our society thinks about mental health is through a broad public media campaign designed to educate New Yorkers on steps they can take to improve their mental well-being and better understand mental illness. Our campaign will make the most of City government’s unmatched ability to reach New Yorkers to ensure that every community hears our message.

But messaging alone will not change the culture. We must also begin to infuse mental health work into civil society’s core functions, including education, health, and justice. No single effort will achieve this goal, but it is possible to create a snowball effect by launching a comprehensive array of initiatives that together showcase the value of investing in mental wellness.





## Criminal justice

In the criminal justice system, for example, our goal is to provide law enforcement professionals with new public health solutions to issues that were previously handled through punishment. This represents a win for everyone:

- Police officers and correction officials will have a broader array of options from which to choose;
- People with behavioral health issues who do not pose a public safety threat will be diverted to services instead of being arrested; and
- Communities will be safer.

This work is guided by an action plan developed by the Mayor’s Task Force on Behavioral Health and the Criminal Justice System, a group of more than 400 providers, court personnel, clinicians, law enforcement personnel, advocates, and people with lived experience. The action plan outlines a comprehensive blueprint to continue driving down crime while also reducing the number of people with behavioral health issues who cycle through the criminal justice system.

Keeping New Yorkers—and those who protect us—safe is always our top priority. We must keep dangerous criminals off our streets. And we know there are many people in our criminal justice system suffering from behavioral health disorders who belong in treatment, not jail.

The recommendations of the Task Force focus on ensuring that people who need to be in jail go to jail; but when appropriate, individuals with behavioral health disorders:

- Do not enter the criminal justice system in the first place;
- If they do enter, they are treated outside of a jail setting;
- If they are in jail, they receive treatment that is therapeutic rather than punitive in approach; and
- Upon release, they are connected to effective services.


The Task Force developed 24 interlocking public health and public safety strategies that address each point in the criminal justice system and the overlap among those points. A number of these strategies are included in the Roadmap.



We must also make sure that our first responders—police officers, firefighters, and emergency medical services personnel—have the support they need. Routine exposure to traumatic events puts first responders at greater risk for developing PTSD (post-traumatic stress disorder) when compared to other occupations. In addition, studies have shown that first responders are at an elevated risk for depression, chronic fatigue, and difficulties with alcohol.<sup>115</sup> The City offers a number of services for our bravest and finest, including:

- NYPD Psychological Services Section offers counseling and other mental health services to officers; and
- FDNY Counseling Service Unit provides mental health evaluations, direct treatment (including individual counseling, group therapy, family therapy, and substance use treatment) and appropriate referrals for all employees, firefighters, and EMS technicians.

Initiatives in this Roadmap should benefit our first responders, whose work frequently brings them into contact with those who are suffering from untreated or under-treated mental illness.



Credit: Mayoral Photography Office

## Veterans, service members, and their families

Veterans and service members face disproportionate risk of trauma-related mental illness. And despite their heroism, they must still contend with the stigma of mental illness, which prevents many from getting proper treatment after they return to civilian life.<sup>116,117</sup> Two-thirds of New York City veterans with a probable diagnosis of PTSD and/or major depression reported that they did not seek mental health treatment, mainly due to professional or personal stigma.<sup>118</sup>

As a city, we must work together to break down the shame that too often accompanies these invisible wounds. Our public education campaign will rally civilians to support veterans and their families; mobilize local and national mental health resources for service members, veterans, and their family members; and ultimately lead more service members and veterans to the help they need and deserve.



## Education

Our public schools educate 1.1 million children every year, but too many schools lack the resources necessary to provide students with a healthy and supportive environment. That's why we are reducing our reliance on traditional punitive disciplinary strategies like suspension, and are instead using research-based restorative approaches that do a better job of addressing the root causes of misbehavior. We are also investing in an effort to improve the climate in our schools, so all of our students feel comfortable speaking honestly with their teachers and counselors about any issue that might hinder not just their intellectual development, but also their emotional development. This will improve academic achievement and, ultimately, graduation rates.

**All of the initiatives outlined here will help both individuals and organizations think more broadly about the role they can play in a shared effort to make mental health everyone's business.**

On an individual level, that could mean encouraging New Yorkers to work with their employers to adopt strategies for improving mental well-being in the workplace,<sup>119</sup> sign up for a mental health first aid class, or simply take the time to talk to a neighbor who is going through a tough time. The bottom line is that we all have a role to play in changing the way we deal with this complex issue.

## CHANGE THE CULTURE INITIATIVES

### 1) Mental Health First Aid Training—NEW! (DOHMH)

The City will fund and facilitate training for 250,000 New Yorkers in Mental Health First Aid (MHFA) over the next five years. MHFA educates people on how to support others who may be suffering from a mental health condition, helps to reduce biases against mental illness and allows people to more comfortably engage with mental health issues.

MHFA is an in-person training that teaches individuals to:

- Have a greater knowledge of the signs, symptoms, and risk factors of mental illness and addictions;
- Identify multiple types of professional and self-help resources for individuals with a mental illness or addiction;
- Help an individual in distress become more confident about the help they provide; and
- Develop increased mental well-being themselves, and diminish any stigma and discomfort they have about mental illness.

To achieve our goal, the City will train and certify 500 individuals as MHFA instructors. In Years One and Two, we will prioritize training for tens of thousands of City employees and contractors who provide frontline services, including our police officers, firefighters, emergency medical professionals, and correction officers. The City will also offer trainings at no cost to faith-based leaders, grassroots neighborhood institutions, community-based organizations, and businesses. Together, this new team of instructors will play an important role in growing and sustaining our larger mental health effort.

### 2) Public Awareness Campaign—NEW!

(Mayor's Office [Public Engagement Unit], DOHMH)

A culture of stigma currently inhibits many people from seeking help. In addition to closing treatment gaps, we must take the lead on reframing the way people think and talk about mental health. We must also provide New Yorkers with clear and useful information on how to access services.

The City will launch a culturally competent public awareness campaign built around two overarching objectives:

- Reshaping the conversation around mental health, focusing on mental health promotion and early intervention; and
- Helping New Yorkers understand how to access services if they or someone they know are experiencing mental health issues.



Our approach will be fact-based, positive in tone, and provide a clear path to action. The materials we create will be inclusive and relevant to a broad population of New Yorkers. At the same time, we will create targeted messaging and outreach strategies aimed at the most at-risk populations.

## Media Campaign

To that end, we will share our message with New Yorkers in many different ways. To reach the widest audience, we will place paid media ads on television, in the subway, on bus shelters, and online. All of the materials will feature a clear and distinct message about mental health awareness that will reinforce our larger campaign.

First Lady Chirlane McCray walks over the Brooklyn Bridge as the Grand Marshall of the National Alliance on Mental Illness's NAMI Walks and Run NYC.

Credit: Demetrius Freeman/Mayoral Photography Office.

## Community Engagement

On the community level, we will partner with experts, community groups, cultural groups, health service providers, and elected officials in high-need neighborhoods to amplify our message.



### 3) Roadmap Website and Program Finder—NEW!

(NYC Digital, DOHMH)

Just as we must bring mental health promotion and treatment efforts to where people live, we must also bring information to where people look—and that place is increasingly online and on smartphones. The Roadmap includes two exciting new web-based, mobile-friendly tools:

- **Roadmap Webpage:** We have launched a website that brings the Roadmap online and includes a number of exciting features:
  - Information on what mental health looks like;
  - Easy-to-read guidance on how to get help for common mental health conditions;
  - An animation that brings the Roadmap to life;
  - Information on how to support the Roadmap; and
  - A mechanism for providing us with feedback.
- **Mental Health Program Finder:** We have developed and launched a prototype that will allow New Yorkers to quickly and easily find mental health and substance use services that meet their needs. The finder allows users to conduct a search that factors in four key variables:
  - Age;
  - Payment accepted (e.g., Medicare/Medicaid, no insurance, private insurance);
  - Type of service (mental health, substance use, or both); and
  - Optional demographic data (e.g., LGBT, veteran).

Users have the option to see results tailored to their location. All of the program listings includes contact information. This tool is a prototype and will be improved as we learn more about how New Yorkers use it. It represents an initial step in an ongoing effort to use digital tools to promote mental health in New York City.





#### 4) Improve School Climate (DOE)

School climate can have a notable impact not just on a student's ability to learn and socialize, but also on mental health. In February 2015, we announced a package of reforms that is being overseen by the City's School Climate Leadership Team, which is composed of principals, parents, students, and union representatives, as well as representatives from the Department of Education (DOE), the NYPD, the Mayor's Office, the Mayor's Office of Criminal Justice, the City Council, and community groups. The package includes a number of changes that will benefit student mental health:

- Decrease reliance on 911 calls to address DOE student behavioral issues. DOE created a new Chancellor's Regulation designed to provide guidance to schools on how to safely de-escalate behavioral crises using school staff and resources, while also reducing inappropriate reliance on 911 calls.
- Implement Restorative Approaches in schools. Since July 2013, DOE has provided training for more than 2,000 staff members on progressive discipline approaches aimed at developing a sense of social responsibility and shared accountability. Specifically, staff receives training in Restorative Approaches (Restorative Circles and Formal Conferencing), Conflict Resolution, Therapeutic Crisis Interventions in

Schools, and Life Space Crisis Intervention. All of these skills will help staff de-escalate conflicts and teach students how to manage their anger.

- **Implement strategies to support court-involved students.** In support of the Mayor's commitment to help young people in the criminal justice system stay in school and achieve their full potential, we will provide each student in detention with a DOE counselor. In collaboration with the Administration for Children's Services (ACS), Department of Correction (DOC), and community partners, these specialized professionals will provide counseling, transition planning, tracking, and support to students, their families and their home schools.
- **Expand training for school safety agents(SSAs) and police officers assigned to the School Safety Division.** School safety agents and the NYPD are partnering in innovative ways to make our schools safer:
  - All SSAs and police officers assigned to the School Safety Division have received training in Collaborative Problem Solving and Restorative Justice;
  - All SSAs are receiving Conflict Resolution training as part of the two-week expansion of the SSA Recruit training as well as ongoing refresher courses;
  - SSAs and police officers assigned to five school campuses are being trained in the use of warning cards, which can serve as an alternative to the issuance of a criminal summons for disorderly conduct or the unlawful possession of marijuana; and
  - Starting with the 2015-2016 school year, the City has placed School Climate Managers in each of the Borough Field Support Centers to help school staff promote a safe and supportive climate and culture. The School Climate Managers will examine issues faced by at-risk youth and design and promote innovative strategies to address them. School Climate Managers will offer on-the-ground support for school staff, particularly at high-need schools.

## 5) Addressing the Trauma of Crime Victims (NYPD)

The City will place Victim Advocates at all 77 NYPD precincts and Housing Bureau Police Service Areas (PSA). Seventy-one precincts and all nine Housing Bureau PSAs will have both a General Victim Advocate and a Domestic Victim Advocate. The remaining six precincts will have one Victim Advocate who will serve general victims and domestic violence victims.

Victims of crime are important partners in the NYPD's twin missions of 1) crime prevention and control and 2) building community trust. The goal of this program is to provide a more effective response to victims of crime at the time of the incident, and in the critical days, weeks, and months



following the crime. Each crime victim will have access to an advocate, who will be able to:

- Answer questions about the experience of victimization, the criminal justice process, and safety planning;
- Refer victims to resources;
- Assist in the preparation of paperwork for compensation purposes;
- Offer supportive and crisis counseling to crime victims;
- Engage in safety planning with victims;
- Advocate on the crime victim's behalf to third parties; and
- Engage in limited case management.

## **6) Police Crisis Intervention Team Program and Training (NYPD, DOHMH)**

NYPD and DOHMH are partnering to implement a NYC Crisis Intervention Team (CIT) Program. CIT includes three key components: police training, drop-off options for officers, and community involvement. A total of 5,500 officers will participate in a four-day training to help them recognize the behaviors and symptoms of mental illness and substance misuse. They will also learn techniques for engaging people in respectful, non-stigmatizing interactions that de-escalate crisis situations. This initiative is part of the Behavioral Health Task Force action plan.

## **7) Public Health Drop-Off Centers (DOHMH, NYPD)**

DOHMH will open two new Public Health Drop-Off Centers, which will provide NYPD with a new treatment-based option for people they encounter who show signs of mental illness and/or substance misuse and would benefit from diversion to an alternative to hospitalization or the criminal justice system. The Centers will operate 24/7/365 with a no-refusal policy for persons brought in by the police. Our goal is to create more Centers and ultimately provide citywide coverage. In selecting clients for the Centers, we will be careful to ensure that we are advancing mental health while protecting public safety.



## Act Early

### **Give New Yorkers more tools to weather challenges and capitalize on opportunities by investing in prevention and early intervention.**

- 
- Reach people when we can have the most impact.
  - Make it easy to identify and act on early signs of illness.
  - Use proven prevention and promotion measures—especially for children and parents.

Prevention and promotion must be at the core of any public health campaign. Broadly speaking, promotion efforts focus on helping people develop tools like resilience, strong parent attachments, and mindfulness.<sup>120</sup> These basic skills have the capacity to prevent mental illness and strengthen every aspect of our daily lives, including our mental health. That's why many of the initiatives in this Roadmap include mental health promotion elements.

Prevention efforts are designed to help people avoid illness before they get sick, or to treat problems early. We will focus on two key areas:

- Early childhood support; and
- Early diagnosis and linkages to care for vulnerable populations.

Acting early is about helping New Yorkers promote their emotional fitness—which means that more of us will develop positive coping skills, fewer of us will develop mental illness, and those who do will recover more quickly and completely.





**“As a child growing up, my parents were very bullying towards me, and I was a sensitive baby. They didn’t have time for me. They were so busy trying to keep a roof over their heads and keeping their jobs... I didn’t know how to fend for myself. I never said anything about what was done to me and so it was internalized. I wish somebody was there that could help me with my fears and could help me with what was happening to me. But there wasn’t anyone so I had to go through life figuring things out for myself.”**

— G.

## Childhood

If we want to stem the tide of mental illness, we must focus on childhood for the simple reason that half of all mental health conditions and substance use disorders start before the age of 14.<sup>121</sup> And some conditions that appear in childhood—such as conduct disorder—are associated with the development of other risks later in life—such as substance misuse.<sup>122</sup> It is therefore imperative that we identify challenges and intervene as early as possible, before small problems become large problems that inflict major damage on an individual and the people in her life.

A first step is helping caregivers and children build strong bonds with each other. The degree to which a young child feels safe seeking comfort from a parent and exploring the world freely,<sup>123</sup> which is known as “secure attachment,” is a strong predictor of lifetime mental health, especially when the child has been exposed to adverse events. When children have strong relationships with their parents, they are often more resilient in the face of adversity.

However, building this type of secure attachment is especially challenging when parents or caregivers are stressed, have mental health or substance misuse issues themselves, grew up in poorly attached relationships, are teenage or single parents with limited support, or live in demanding and stressful environments.

One proven response to this challenge is helping new and first time parents develop parenting styles that enhance attachment.<sup>124</sup> Many studies, including work by DOHMH, have shown that providing parents with peer coaching and other socio-emotional interventions can have a positive impact on outcomes and can be incorporated into familiar settings like community centers, schools, and doctor’s offices.<sup>125</sup>

There are many other methods that can be used to promote socio-emotional health in children to help them achieve lifelong mental health. A public health response, however, also recognizes that offering direct support will ideally occur alongside broader efforts to improve things like neighborhood public safety, access to childcare and family planning, and job security.



## Early diagnosis and linkages to care for vulnerable populations

Prompt recognition of the warning signs for a first episode of psychosis,<sup>126,127</sup> mood disorder,<sup>128</sup> and other illnesses can reduce their severity or odds of recurrence. Yet on average, treatment begins late, as much as a decade after the first symptoms appear.<sup>129</sup> Greater investment in prevention and early detection is essential. Greater vulnerability to poor mental health outcomes can be signaled by high absenteeism from school, violent behavior, or experiencing violence or bullying; recent unemployment; harmful patterns of substance use; living in areas with high unemployment or violence; any experience of trauma; early psychosis; and social isolation, which afflicts many elderly people.

We must increase the availability of screening and early support that promotes mental health, especially among those with heightened risks. Positive change is possible when City government and our partners commit to launching initiatives that have been proven to work.

## ACT EARLY INITIATIVES

### 1) Social-Emotional Learning in Early Care and Education —NEW! (DOE, ACS, DOHMH)

The City will embark on an expansion of Social-Emotional Learning (SEL) to all Pre-K for All classrooms and ACS EarlyLearn Centers. We will increase opportunities for children to realize their potential by building a foundation of social-emotional skills during a critical stage of development.

Early childhood is a unique window of opportunity for social-emotional learning and growth; 85% of brain growth in children occurs by the age of five.<sup>130, 131</sup> By building adults' capacity to support children's social and emotional development early on, children will be better equipped to handle various circumstances and seize opportunities throughout their lives.

Over the next three years, the City will train approximately 9,000 teachers, assistants and school leaders to support social-emotional competencies in the approximately 100,000 children ages birth-five. Children will get more support to be aware of and comfortable with their own emotions, including how to self-regulate and how to adapt to new situations. Challenging behaviors decrease and social skills improve when children develop a positive sense of self and understand their own emotions, handle conflicts, and develop relationships with others.<sup>132</sup> Parents and caregivers will learn



Credit: Mayoral Photography Office

techniques to reinforce these new skills at home. Promoting SEL in early childhood settings makes fiscal sense, with every dollar invested reaping as much as a tenfold return.<sup>133,134,135</sup>

For children younger than age five that have greater behavioral health needs, the City will also expand resources to support an additional 20,000 clinical visits and consultations for an estimated 3,500 children and their parents or caregivers annually.

## 2) Mental Health Clinics in Additional High-Need Schools—NEW! (DOHMH, DOE)

Building on the expansion of mental health services in the Community Schools, the City will assess the mental health service needs at an additional 52 public schools starting in the 2017 school year. These schools account for a disproportionate share of suspensions. The availability of on-site mental health services has been linked to higher GPA scores, reduced absenteeism, and improvements in graduation rates. Providing mental health services in a school also improves school environment and provides teachers, other school staff, and parents with additional resources to address the emotional

and behavioral needs of students. This effort will be modeled after the expansion of mental health services in Community Schools (see below).

### **3) Create Network of Mental Health Consultants Serving All Schools—NEW! (DOHMH, DOE)**

While different schools have different levels of need when it comes to mental health, every school should have access to professional support. Starting immediately, the City will hire 100 School Mental Health Consultants (SMHCs) who will work with every school citywide to ensure that staff and administrators have an outlet to connect students with the highest immediate needs to care.

The SMHCs will be Masters-level social workers or counselors. They will be charged with providing the following services:

- Conduct needs assessments that allow schools to identify priority areas and determine 1) how to best leverage existing resources from DOE, DOHMH, and other city partners; and 2) what additional resources are needed to support the mental health of their students;
- Provide support, training, and technical assistance so schools can successfully plan and implement new or enhanced programs and services—from using prevention and promotion methods that address many students at once to getting direct care to individual students in need; and
- Facilitate emergency response and linkages by forging connections with existing DOE resources and community-based partners. The SMHCs will also provide school support staff with guidance on clinical assessment and referral protocols to ensure appropriate and timely referrals to services and minimize emergency room visits.

### **4) Mental Health Training for School Staff—NEW! (DOHMH, DOE)**

When it comes to safeguarding the mental health of our students, our teachers and school staff have an unmatched level of trust and credibility in the eyes of both students and parents. In support of this Roadmap, we are launching three new mental health training efforts:

- Train selected staff of middle and high schools in Youth Mental Health First Aid (YMHF), a five-step action plan for assessing, identifying, and offering assistance for youth 12-18 years old in crisis;
- Train the school staff in Youth Suicide Prevention using an evidence-based suicide prevention model called Making Education Partners (MEP) that focuses on all school staff in suicide awareness and identification; and



- Offer At-Risk Training to all full-time staff of elementary, middle, and high schools. At-Risk Training is an online training that uses interactive online role play to educate teachers on how to recognize early signs and symptoms of psychological distress and connect students to resources within school setting.

### 5) Mental Health Services in All Community Schools (DOHMH, DOE)

Community Schools are neighborhood hubs where students receive high-quality academic instruction, families can access social services, and communities congregate to share resources and address their common challenges. In order to establish Community Schools as a trusted place where students can go for a wide variety of essential services, all 130 schools will offer mental health services.

Additionally, the City will open Mental Health Clinics at a number of Community Schools following an evaluation of student needs and available space in the buildings. This expansion will follow a model that uses mental health staff to not only treat individuals, but also to help the entire school staff play a role in providing more preventive interventions. This could include training staff to better identify and support at-risk students, de-escalate conflicts, or lead mindfulness and relaxation groups. Engaging more school leaders in the effort to carry out mental health promotion will ultimately help improve overall school climate. This model can then be shared with other schools across the city.

### 6) “Talk to Your Baby, Their Brain Depends On It” Campaign (NYC Children’s Cabinet, DOHMH)

“Talk To Your Baby, Their Brain Depends On It” is a major public awareness campaign that urges parents to talk, read, and sign to their babies from birth. Former Secretary of State Hillary Rodham Clinton, First Lady Chirlane McCray, and Deputy Mayor Richard Buery announced the initiative in April 2015. It is a collaboration between the New York City Children’s Cabinet and Too Small to Fail, which is a joint initiative of the Bill, Hillary & Chelsea Clinton Foundation and Next Generation aimed at helping parents, communities,

and businesses take meaningful actions to improve the health and well-being of children ages zero to three.

The initiative promotes parent bonding and early brain development among children ages zero to three. As First Lady McCray said, “When we talk, read, and sing to our babies, we are building their brains and strengthening their bond with us.” The initiative includes:

- Subway advertisements;
- Weekly text messages to the parents and caregivers of young children featuring coaching tips and information on language development, attachment-encouraging behavior, and socio-emotional health; and
- 200,000 Baby Book Bundles, to be distributed over the next two years to families with children ages zero to three through City agencies and the Reach Out and Read program. This is made possible by a \$1.5 million book donation from Scholastic Inc.

### 7) Expansion of Newborn Home Visiting Program (DOHMH)

The Newborn Home Visiting Program (NHVP) is expanding services to 1,600 additional mothers of newborns in all family shelters across New York City. An enhanced model is currently in development to meet the particular needs of families in shelters. NHVP supports the families of newborns in the first few weeks after birth. A public health professional makes an in-person visit and provides educational information and materials on a range of topics, including child development, secure attachment and bonding, safe sleep practices, and breastfeeding. The professional also connects families to community resources and can screen mothers for depression.

### 8) Mental Health Service Coordination in All Contracted Family Shelters (DHS)

The City will place Licensed Clinical Social Workers as client care coordinators in all 72 contracted Family Shelters. This initiative will provide 8,900 families with access to clinical mental health services, allowing them to access care at an especially vulnerable time in their lives.

### **9) Attachment and Biobehavioral Catch-up (ACS)**

Attachment and Biobehavioral Catch-up (ABC) is an attachment-focused, strengths-based therapeutic model that helps foster parents, birth parents, and other primary caregivers more effectively nurture and engage children between the ages of six months and three years. Weekly one-hour sessions are held in the home for 10 weeks and are facilitated by parent coaches who provide caregivers with “in the moment” guidance that is supported by video feedback. Coaches help primary caregivers provide a responsive and nurturing environment for their infant. The model has been shown to ameliorate the impact of trauma on very young children by helping them build strong attachments with caregivers and strengthen their ability to self-regulate and self-calm during times of stress.

The program will launch in Brownsville and East New York before expanding to high-need neighborhoods in all five boroughs. We eventually expect the initiative to include 47 coaches serving 1,800 child-caregiver pairs each year.

### **10) Trauma Services for Families with Young Children (ACS)**

ACS’s new trauma-focused services initiative will create clinically enhanced, community-based services that provide specialized counseling and other interventions to support mothers (and in some cases fathers) with very young children. The model will include clinical supports and wraparound services for parents who have themselves experienced trauma and depression. The initiative will serve at least 480 families per year.

### **11) Relationship Counseling for All Foster Care Teens (OCDV, ACS)**

The City will provide healthy relationship training to all New York City teens in foster care in order to help young people prevent, recognize, and respond to dating violence. This investment will provide 5,000 youth between the ages of 11 and 21 with healthy relationship training at 300 workshops annually. The training offers interactive workshops on dating violence and cyber abuse for adolescents, young adults, parents, and service providers. Workshops are facilitated by trained peer educators who encourage discussion and critical thinking.


### **12) Training on Intimate Partner Violence and Teen Dating Violence for Community School Staff (OCDV, DOE)**

The City is training staff at all 130 Community Schools on how to help students and families experiencing intimate partner violence or teen dating violence. Staff will learn how to connect people to our NYC Family Justice Center and NYC Healthy Relationship Training Academy.









## Close Treatment Gaps

**Provide New Yorkers in every neighborhood with access to proven programs when and where they need them, including those at greatest risk.**

- 
- Redesign care to be more reliable and accessible to all.
  - Encourage providers to emphasize prevention, promotion, and self-care in addition to treatment.
  - Use technology to broaden access.
  - Take steps to make care more cost-effective.
  - Ensure that care is improving communities.

As Section 1 makes clear, New York City faces substantial treatment gaps. Therefore, a key element of our vision for a thriving New York City involves expanding access to care. But availability of care is not the only gap in treatment that needs to be closed. We're also striving for care that is:

- High-quality;
- High-impact;
- Culturally competent;
- Linguistically diverse;
- Cost-effective;
- Matched to the city's most pressing needs;
- Maximizing the talents and resources of service providers;
- Aligned with our promotion and prevention efforts; and
- Engaging communities and expanding their capacity to be part of the solution.

Over time, by directing existing resources intelligently and purposefully, City government and its partners can be a catalyst to “re-engineer” care so that it bridges all of these gaps.





**“Working as a peer specialist at Goodwill has helped me tremendously; it was the only place where I didn’t have to make something up about my employment history because I was hospitalized so many times. I just said: ‘Yeah, I was in the hospital and I got better.’ So it helped me a lot, not only by helping others but I was able to talk about my story, about the recovery process and to see that it is possible to get better.”**

— M., Queens



**“I have resources. And I have a 16-year-old that had some mental illness. Even for someone with resources it was unbelievably difficult, and I’m in the field. I was clueless. It is a terrible, terrible disease. Mental health treatment is just not accessible.”**

— Primary Care Doctor, Queens

## Task-sharing, task shifting, and care pathways

Closing treatment gaps is not only a matter of expanding the quantity of clinical services for mental illness and substance use disorders and misuse. Because of significant mental health workforce shortages and an overall inconsistency of care even when specialists are available, we need new ways to organize those services and make sure they align with the goals listed above:

- Task-sharing, also known as task-shifting, is built around the idea that many types of care, prevention, and promotion initiatives can be provided, at least in part, by a range of non-specialists, including peers, family, co-workers, and neighborhood groups that are supported by more specialized providers.
- Care pathways are an agreed upon set of key steps for treating a condition. The goal is to keep the work on track and keep people focused on what works. In many cases, certain steps in a pathway can be provided by non-specialists through task-shifting.

For example, non-specialists, including trained peers or community health workers (CHWs),<sup>136</sup> could help spread access throughout the city by managing many of the steps in care. For example, by keeping people engaged in treatment, providing counseling in depression care, or using early support or self-care methods that can prevent depression in the first place. Their familiarity and credibility often allows CHWs to be more successful than professionals. The Collaborative Care approach, which has been shown to improve outcomes for depression and anxiety by 30-50% compared to usual care, similarly shifts defined care tasks across a team that can include nurses, physician assistants, social workers, peers or other CHWs, and a consulting psychiatrist.<sup>137,138</sup> This kind of task-sharing within the health care team could yield better outcomes for other conditions, such as early psychosis,<sup>139,140,141</sup> bipolar illness,<sup>142,143,144</sup> anxiety,<sup>145</sup> and alcohol misuse.<sup>146</sup>

Task-shifting and pathways can make care more rational, responsive, empathic, and effective. They can help us repair gaps in accessibility, quality, and retention. They can help us reach and retain people who would otherwise cycle in and out of care. And they can close the gap between treatment and prevention as shown in these examples:

- Maternal depression can be prevented by re-engineering access to simple supports and counseling for more at-risk pregnant women. Home visitation by counselors and/or nurses and the use of peers,

phone calls, or web-based counseling can help new mothers cope with emotional challenges. Research suggests that if New York City applied certain prevention interventions, nearly 3,000 fewer women would suffer from post-partum depression each year.<sup>147</sup>

- If New York City teachers were given the training and support they need to deliver tools such as the Good Behavior Game, a classroom activity that promotes impulse control and social and emotional growth, we could halve the likelihood of children having suicidal thoughts when they reach adolescence.<sup>148</sup> Early impulse control is a powerful predictor of lifetime mental health. People with the ability to regulate their emotions tend to have better long-term physical and mental health.
- Studies have shown that adolescent boys with a history of school absenteeism or fighting who engage in school-delivered skill groups based on principles of cognitive behavioral treatment (CBT)—where they learn to anticipate consequences and rehearse behavior—show less risk for violence and arrests.<sup>149,150</sup> CBT is a short-term, goal-focused approach to helping people become aware of patterns of thinking.
- When it comes to preventing suicide, we must change public policies around issues like gun access while creating reliable treatment pathways that address mental health conditions and other risk behaviors such as alcohol use.<sup>151</sup> Zero Suicide<sup>152</sup> is a national campaign founded on evidence that the health and behavioral health systems are a key resource when it comes to suicide prevention. Their efforts focus on strengthening and expanding established care pathways.<sup>153</sup>
- In Los Angeles, Community Partners in Care (CPIC) connected beauty shops, parks, fitness centers, faith-based organizations, and local non-profits in a task-sharing effort designed to improve depression outcomes. CPIC held more than 100 conferences and trainings that provided neighborhood residents with the tools and knowledge they needed to serve as community health workers. As trusted members of the community, these workers were well equipped to bring and keep people in care. By deeply embedding treatment and mental health promotion within established social and community networks, CPIC has succeeded not only in reducing depression, but also in lowering both the risks of homelessness as well as rates of hospitalizations for behavioral health conditions.<sup>154, 155</sup>
- Closing “treatment” gaps should include expanding harm reduction services, which substantially reduce the negative health consequences of potentially risky behaviors. For example, syringe exchange programs can reduce HIV transmission in injection drug users, provide individuals with valuable health-promoting and overdose-prevention services, and increase the likelihood of entry into treatment for substance use disorders.<sup>156</sup>



## Technology

Harnessing technology can also close treatment gaps. Web developers and health professionals have created promising mobile applications that provide self-administered mental health screening, monitoring of symptoms, and coaching on self-care.<sup>157</sup> While still evolving, these mobile and other web-based applications have opened up a wide variety of readily available ways for people to get help for illness, and gain skills and support for maintaining their mental health. These applications include:

- Social networks that provide supportive feedback;<sup>158</sup>
- New ways to access therapists and care, including through text messaging; and<sup>159,160</sup>
- Internet-supported educational and self-care guides for anxiety and depression.<sup>161,162</sup>



## Cost-benefit analyses

An essential element of closing these gaps is matching treatment to need, and optimizing its value. Cost-benefit analyses suggest that certain well-delivered, evidence-based treatments can yield savings, including reducing other kinds of health care or treatment costs. Many factors go into determining the best investments and priorities for care. A cost-benefit ratio can help discern where value lies, but that’s only part of the story. For example, the table below illustrates the estimated benefit-to-cost ratio for a number of interventions. This ratio indicates a high likelihood that the given treatments will save the dollar amount shown for each dollar spent.

However, while calculations like these do shed light on how to make the most of our mental health dollars, they don’t answer many important questions that factor into priorities such as how many or which people or problems a given intervention can reach. For example, an intervention with a high cost-benefit ratio that only benefits a few people or does not address the highest priority needs may not be a better buy.

Closing all these gaps—in availability, impact, and scale—is a big undertaking. It will require building additional capacity in the current system. And, it will also require a wide and coordinated array of responses, including using resources better, matching treatment to needs, implementing task sharing and new care pathways, designing care that also supports prevention, and developing new technologies. It will also mean recognizing the crucial role friends, family, and other supports play when it comes to treating illness and maintaining mental health. But mere recognition isn’t enough—we must also provide friends, peers, and family with the support and skills they can use.<sup>163,164,165</sup> By pursuing all of these strategies simultaneously, we increase our odds of success.

| Population Served        | Intervention Name                              | <sup>166,167,168</sup><br>Benefit to Cost Ratio |
|--------------------------|--|---|
| Children’s Mental Health | Cognitive Behavioral Therapy (CBT) for anxiety | \$7.56  |
| Children’s Mental Health | Parent Coaching for disruptive behavior        | \$1.74  |
| Substance Use Disorder   | Cognitive Behavior Coping Skills Therapy       | \$189.66  |
| Unhealthy Alcohol Use    | Brief Intervention in Primary Care             | \$27.43   |
| Adult Mental Health      | CBT for depression                             | \$112.16  |
| Adult Mental Health      | Collaborative Care for depression              | \$6.50  |
| Adult Criminal Justice   | Cognitive Behavioral Treatment                 | \$26.47   |
| Juvenile Justice         | Functional Family Therapy                      | \$11.21   |



## CLOSE TREATMENT GAPS INITIATIVES

### 1) Close Gaps on Maternal Depression—NEW!

(NYC Health + Hospitals, DOHMH)

Depression in mothers during and immediately following pregnancy is common and sometimes has a negative impact on both infant health and the mother's lifelong mental health. All told, there are well over 10,000 cases of maternal depression each year in New York City. Studies suggest that the majority of women do not get treatment for maternal depression, with blacks and Latinas having a lower likelihood of starting and continuing treatment.<sup>169, 170</sup>

This is unacceptable. Our goal is to ensure that every New York City mother who experiences depression before or after the birth of her child be screened and connected to treatment when appropriate.

As the first step toward this goal, NYC Health + Hospitals and Maimonides Medical Center—which on average deliver almost one-quarter of all births in New York City—have committed to universal screening and treatment for this condition within two years. They will reach and treat every pregnant and post-partum woman in their care who experiences maternal depression. This effort will be aided by a recent policy announcement: As of October 2015, New York State Medicaid reimburses physicians for screening mothers for maternal depression.

NYC Health + Hospitals and Maimonides, along with Greater New York Hospital Association, will also lead a citywide effort to work with other hospital systems across New York City to adopt the goal of universal screening and care for women experiencing maternal depression. Participating hospitals will work together to implement evidence-based practices and operational strategies that enhance system workflow, optimize care transitions, and promote better outcomes for mothers and infants.

### 2) NYC Support—NEW! (DOHMH)

People throughout New York City often complain about being forced to navigate a confusing and unresponsive mental health and substance use treatment system largely on their own. For the last few decades, one of the City's primary tools for addressing this concern has been a 24/7 phone-based crisis center. But New Yorkers need more than access to behavioral health services when in crisis—they also need a clear path to care before a crisis occurs.

By September 2016, the City will rise to this challenge with the creation of NYC Support, a more robust and accessible system that will serve as an easy point of entry to the City's behavioral health services. The City is stepping up to perform this function due to a general failure of the current

system to facilitate care for New Yorkers. Managed care plans are ramping up their efforts to provide New Yorkers with the information and care they need, and the City looks forward to working with plans and providers to leverage their infrastructure and strengths. But in the meantime, New Yorkers need help, which is why we are launching this initiative as quickly as possible.

### **Through NYC Support, we will:**

- Bolster the capacity of our phone-based crisis hotline;
- Add the ability to access resources via text messaging and the web;
- Significantly expand our services to include providing non-crisis connections to behavioral health services; and

No longer will New Yorkers be left alone to navigate what can be a confusing system on their journey to mental well-being.

### **Resource Referral and Appointment Scheduling:**

NYC Support commits the City to playing a much more proactive role in facilitating access to services and helping people enter care. We will do this by:

- Providing referrals and help New Yorkers schedule appointments with mental health providers based on their needs, insurance status, and geography, where possible;
- NYC support will provide proactive follow-up in the form of reminders and encouragement in the days before their first scheduled appointment, which can markedly reduce no-show rates for service appointments and hand-offs;<sup>171</sup>
- NYC Support will check in with clients via phone, web, or text messaging and provide brief counseling sessions as a bridge while they wait for their appointment, when necessary; and
- NYC Support will work in concert with 311 and feature an online service directory.

### **Crisis/Suicide Counseling:**

- NYC Support will include a 24/7 hotline that will provide crisis intervention, suicide prevention, and resource referral services. High-risk callers will receive more comprehensive follow-up services;
- NYC Support will provide phone-based and text-based crisis counseling;
- NYC Support will have the capacity to activate mobile crisis teams citywide;

## CASE STUDY: Mental health apps in action

Digital mental health apps present new opportunities to close treatment gaps by bringing self-help programs and other assistance directly to the public, both to complement in-person care and to otherwise engage or promote mental health for individuals who are not connected to care.

- Koko is a social network where people can post about problems in their life. Other users—who receive coaching on cognitive therapy through the site—are invited to provide helpful insights and advice. Apps like this could provide a novel means of encouraging participation in support groups, which have been known for years to reduce feelings of isolation, increase practical knowledge, and sustain coping efforts.
- What's My M3 allows users to complete a mental health self-assessment and receive a baseline assessment of symptoms. Every user is also directed to additional support, regardless of how he or she scores.

Regardless of their approach, the best apps are the products of collaboration between experienced treatment providers and skilled web developers.

In creating and monitoring this system, we will collect new data that will provide us with a clearer picture of the challenges New Yorkers face when it comes to making appointments and getting follow-up help, both from the system at large and from specific providers and plans. This knowledge will allow the City to provide more effective oversight and advocate for needed services.

### 3) Peer Specialist Training—NEW! (DOHMH)

Peers are a critical component of any plan to address the mental health challenges facing New Yorkers. Drawing from both lived experience and specialized training, Peer Support Specialists have a unique ability to engage people whose needs might not be fully recognized and understood by the traditional health care workforce. Research has shown that peer support facilitates sustained recovery and can reduce overall treatment costs.

As of January 2016, New York State is providing coverage for peer support services delivered by professionally certified Peer Specialists to adults enrolled in Health and Recovery Plans. Coverage for these services is expanding to include children beginning in January 2017.

To facilitate the expansion of these pivotal services that is being driven by these changes in State payment practices, the City will invest in the training of additional peer specialists. This training will equip individuals who have lived experience with mental illness and substance use to take on workforce positions in the health care system and obtain their NYS Peer Specialist Certification. The City will graduate 200 peer specialists from this program per year beginning in Fiscal Year 2017.

### 4) CUNY Mental Health Digital Platform—NEW! (CUNY, DOHMH)

The City will make high-quality, low-cost mental health services and self-care resources available to CUNY students through web-based and mobile-supported media. After launching pilot efforts at selected campuses and identifying the most effective mix of services, CUNY plans to expand these opportunities, ultimately reaching the total population of close to 300,000 degree-enrolled university students.

As described earlier, one in five CUNY students who responded to a survey met criteria for depression; of those students, only 10% received help from their college counseling or health center.<sup>172</sup> Bringing evidence-based treatment to students should

increase two- and four-year graduation rates and improve the overall health of the CUNY student body. Through a collaboration with CUNY School of Public Health and CUNY Health Services, the City will take the first steps toward providing access to tested and established web-based portals and apps to self-manage mental health. The campaign will begin in the 2016-2017 academic year.

### **5) Veterans Outreach Team Expansion—NEW! (MOVA)**

Nearly one-quarter of veterans in New York City have a probable diagnosis of post-traumatic stress disorder (PTSD) and/or major depression.<sup>173</sup> The effects of PTSD on veterans and their families can be profound. PTSD is associated with increased risk of suicide, depression, substance use disorders, intimate partner violence, unemployment, and persistently low quality of life.<sup>174</sup> In addition, trauma and PTSD are associated with high rates of co-morbidity and disability, including coronary artery disease, arthritis, asthma, and gastrointestinal problems.<sup>175, 176</sup>

While many services are available to those in need, more than 40% percent of veterans in New York City report being unaware of what help is available, or uncertain about how to navigate the systems that provide assistance. Additionally, 26% were unsure of how to get their questions about benefits answered.<sup>177</sup> This data suggests a great and immediate need to address gaps in information and coordination services for veterans in order to improve the efficacy and reach of existing systems of care.

The NYC Veterans Outreach Team will enhance access to veteran services, with an emphasis on prevention and early intervention. The City will invest \$500,000 to expand the Outreach team to provide additional navigation assistance and care coordination to veterans and their families. Additionally, for veterans in crisis the City will integrate the VA Suicide Hotline into the 311 information system so the public will have immediate access to the Veterans Crisis Line phone, chat, and text resources. By addressing barriers to obtaining medical, psychological, and social services, the City will help promote a community-based and accessible system of care for veterans and their families.

### **6) Veterans Mental Health Holistic Treatment Fund—NEW! (DOHMH)**

As with many other mental health conditions, there is no one-size-fits-all treatment for PTSD. Ideally, veterans will have access to a wide array of options, including traditional clinical treatment, holistic skill-based services, peer support, and programming that addresses the culture of silence.

New York City's behavioral health delivery system currently offers an array of traditional clinical treatment options for PTSD. However, new research

suggests that holistic services can provide lasting relief to veterans who choose not to engage in traditional psychotherapy, and also those who might need additional support to cope with symptoms such as chronic pain, anxiety, or insomnia.<sup>178</sup> As a City, we must ensure that the brave men and women who put their lives on the line to protect us have access to the most innovative and effective tools to alleviate their suffering.

To accomplish this goal, the City will create a Veterans Holistic Treatment Fund of \$1 million dollars that will provide grants to organizations that serve veterans and their families in order to bridge the gap between mind-body medicine and traditional clinical care. The grants will allow a variety of community-based settings to host evidence-based restorative practices. Data and lessons learned will be used to influence local and federal policy for trauma-related services.

## 7) Investing in NYC's Mental Health Workforce—NEW! (CUNY, DOHMH)

In order to create a mental health system that is culturally competent, reaches every community, and reflects our core principles, we must invest in reshaping and growing our mental health workforce. That means making sure clinicians have what they need to implement a public health approach, while also enlarging the entire workforce by providing mental health training and financing to support non-clinicians. Through such efforts, we will shrink treatment gaps, reduce disparities in treatment access and quality, and incorporate public health activities into mental health care. The City will convene a process to advance these goals, starting with a workforce summit in May 2016 that will join the stakeholders and decision-makers who must work together to innovate and expand the mental health workforce. They will focus on these four key areas:

- Identify and act on strategies that help health and mental health professionals, such as psychiatrists, nurses, and social workers implement and lead collaborative models and coach and support task-shifted roles;
  - 1) Implement and lead collaborative models;
  - 2) Coach and support task-shifted roles;
- Diversify the field by creating strategies to attract and recruit a workforce that is more ethnically and socio-economically representative;
- Develop standardized workforce data that can be collected and analyzed on a regular basis; and
- Facilitate the growth and optimized use of task-shifted roles and careers, such as community health workers and peer counselors. We



want to make sure these roles are being filled in every community. This effort will entail building our collective training capacity, creating certification protocols, agreeing on core competencies, and improving payment structures.

### **8) Expand Access to Buprenorphine in Primary Care Settings—NEW! (DOHMH)**

Buprenorphine is a life-saving medication used to treat opioid use disorder by stopping cravings and preventing withdrawal symptoms. Buprenorphine is available from general physicians in office-based primary care settings. Despite its many benefits, the availability of buprenorphine remains low, which leaves many individuals who suffer from opioid use disorders without the treatment they need. Starting in 2016, we will launch a new and ambitious initiative to add 1,000-1,500 new providers trained and authorized to prescribe buprenorphine over the next three years. This is in addition to a previously announced effort to implement a Nurse Care Manager model, adapted from a successful program in Massachusetts, that will increase buprenorphine treatment capacity in primary care.

### **9) Expand Access to Naloxone (DOHMH)**

Naloxone is a medication that reverses overdose from both opioid analgesics and heroin. It has been legal in New York State since 2006 for laypeople to be trained in recognizing overdose and administering naloxone. This simple first-aid activity is proven to reduce overdose mortality in communities where sufficient numbers of people are trained. Recent new funding will allow DOHMH to provide trained laypeople in those neighborhoods with the highest opioid-involved overdose deaths with enough naloxone to reach more than 7,000 New Yorkers.

### **10) NYC Safe (MOCJ, DOHMH, NYPD, DHS)**

Most people who suffer from mental illness are not violent. In fact, people with mental illness are more likely than the average person to be the victims of violence.<sup>179</sup> However, those people with mental illness who are violent have an outsized impact on the lives of their loved ones, their families, and the communities where they live. NYC Safe is an evidence-driven program designed to support the narrow population of New Yorkers with more complicated mental illness who pose a concern for violent behavior. NYC Safe changes the way the City intervenes to stop and respond to violence that may be committed by those living with mental illness by establishing a centralized oversight body that coordinates public safety and public health. Now the City can respond more rapidly and appropriately to prevent violence, and react more assertively when it happens. NYC Safe includes a series of interventions that together create a continuum of services and new oversights to help keep people who need care, in care. These interventions include seven new mobile teams,

increased resources for existing ACT teams, expansion of the City's ability to appropriately use AOT, and new joint NYPD-DOHMH response teams.

### **11) Reduce Violence and Address Treatment in the City's Jails (DOC)**

The City recently adopted and will continue to implement strategies to improve the care and safety of people with behavioral health needs within City jails. These strategies will rely on de-escalation and evidence-based staffing and programming. They include:

- Department of Correction Crisis Intervention Teams that work to decrease violence. The Teams are specially trained in de-escalation and symptom identification;
- Specialized mental health care units where inmates with serious mental illness can receive more intensive and frequent mental health care;
- Additional mental health training for 2,600 correction officers. This material has been incorporated into the training curriculum for new recruits;
- Specialized services for adolescents, including trauma-informed care;
- Reducing the officer-to-inmate ratio to 1:15 in adolescent units; and
- Expansion of substance use disorder treatment.

This initiative is part of the Behavioral Health Task Force action plan.

### **12) Mental Health Services for All Youth in Runaway and Homeless Youth Shelters (DYCD)**

For the first time, the City will add funds dedicated to enhancing mental health services at Runaway and Homeless Youth Drop-In Centers, Crisis Shelters, and Transitional Independent Living programs. In Fiscal Year 2015, residential programs served more than 2,200 youth under age 21, nearly 40% of whom report as LGBT. Mental health supports will be embedded into programs and could include evaluations, counseling, and direct clinical services.

### **13) Cognitive Behavioral Therapy Plus (ACS)**

ACS is implementing Partnering for Success (PfS) at 18 of their 23 contracted family foster care agencies. PfS is a framework to improve access to and delivery of behavioral health services for children in foster care and their families. The initiative promotes stronger collaboration between frontline workers in child welfare and mental health clinicians who serve foster children. The PfS infrastructure supports greater access to and availability of Cognitive Behavioral Therapy Plus (CBT+), which is a

suite of four evidence-based adaptations of cognitive behavioral therapy (CBT): CBT for Anxiety, CBT for Depression, CBT for Behavior Problems, and Trauma-Focused CBT.

The initiative includes training 200 mental health clinicians and more than 1,000 case planners to support the delivery of CBT+ and other behavioral health services to children and youth in foster care. The initiative also includes ongoing coaching and case consultations. Up to 40% of children aged six or older in family foster care will benefit from CBT+.

#### **14) Mental Health and Substance Use Programming for All Youth at Rikers Island (DOC, NYC Health + Hospitals)**

At Rikers Island, the City will provide psychiatric assessments and after-school therapeutic arts programming for all youth under 21, and substance misuse programming for 16- to 21-year-olds. This initiative is part of the Behavioral Health Task Force action plan. Youth who are involved with the criminal justice system are vulnerable to a range of negative outcomes, including substance misuse, mental illness, and victimization. Arts therapy programs in youth detention centers and jails have been shown to reduce recidivism, boost academic engagement, and improve self-esteem.<sup>180,181,182,183</sup>

#### **15) Mental Health Services in All Family Justice Centers (OCDV, NYC Health + Hospitals)**

The City will expand onsite mental health services at all five of the city's Family Justice Centers, which last year served more than 37,000 domestic violence survivors. The staff will provide direct care and also offer mental



health promotion support, skill-building opportunities, and mentoring to other Family Justice Center staff. The new program will be able to accommodate 1,000 clients per year.

### **16) Geriatric Mental Health in Senior Centers (DFTA)**

The NYC Department for the Aging (DFTA) will place a Licensed Clinical Social Worker or a professional with similar skills in up to 25 of our largest senior centers. This initiative will evaluate the efficacy of placing mental health services and professionals in senior centers in order to provide expert on-site assistance. The mental health professionals, who will also serve seniors from nearby centers, will reach a total of approximately 3,750 people annually. If the initiative is successful, we will consider scaling it to other centers.

### **17) Integrated Brief Intervention for Substance Misuse (DOHMH)**

Introduce substance use screening, brief intervention, and referral to treatment (SBIRT) services in all eight of the City's sexually transmitted disease (STD) clinics. From February 1, 2012 through April 30, 2015, more than half of all patients reporting to the City's STD clinics screened positive for substance misuse, which is much higher than the national average of 23%. SBIRT has been shown to effectively address both STD and risky alcohol use. Patients identified as high risk for substance misuse are offered up to 12 extended brief intervention (EBI) sessions with a social worker/mental health counselor or a referral to formal substance use disorder treatment.

### **18) Expand and Enhance Discharge Planning Services (DOC, NYC Health + Hospitals)**

People who leave our City jails represent a group with high levels of mental health and substance use needs. In addition, those who have previously been incarcerated have a higher likelihood of being re-arrested and re-incarcerated. Connecting people to care will not only improve their mental health, but can also help reduce the risk of re-incarceration and improve public safety overall. The City will:

- Expand Medicaid enrollment application submissions for more incarcerated people prior to discharge
- Expand existing jail discharge services to serve an additional 8,100 people who leave jail, through the Department of Correction's expanded I-CAN program and the Health and Hospital Corporation's new substance-use discharge planning program.

This initiative is part of the Behavioral Health Task Force action plan.



## Partner with Communities

**Embrace the wisdom and strength of local communities by collaborating with them to create effective and culturally competent solutions.**

- 
- Make communities sources of mental health.
  - Help local groups and institutions host interventions and mental health promotion activities.
  - Support community efforts to serve as a source of knowledge and planning.

The success of any public health campaign hinges on sharing leadership with communities, and that is especially true of our mental health effort.

### Share leadership with community members and organizations

Mental health is a deeply personal issue, and when people are ready to seek help they often turn to the people with whom they are closest, both emotionally and geographically. This could include family members, friends, faith leaders, neighborhood elders, or a friendly staff member at a local civic organization. These are the same people who are often our most important sources of support, well-being, and mental health.

If we want to improve the mental health of New Yorkers, then we must help both community organizations and individual community members connect with each other. We must provide them with the options and information they need to be of service when one of their neighbors is dealing with a mental illness, and recognize that strengthening social ties and creating vibrant communities is the foundation for mental health. We must speak their language, in every sense. And we must respect and enhance the central—and often driving—role they can play when it comes to designing, targeting, prioritizing, testing, and implementing mental health solutions.

City government is already putting this truth into action. We are partnering with a range of community stakeholders and organizations to provide the resources, training, and planning methods they need to both help individuals and also engage entire communities. This work recognizes that the stigma of mental health is real, and if we want to expand the range of treatment and promotion options, then we must also broaden the range of people who are able to act.





**“I talk to our community advisory board about this a lot. What they’ve said is there is a lack of trust in the health care system. They would like to take it on a more community basis, to the schools, to the religious leaders of the community. We need to involve our communities in what they think would work... But the reimbursement system doesn’t work that way.”**

— Hospital Administrator

## Address structural deficiencies

Community engagement must also extend beyond individuals and organizations and address the larger structural deficiencies that so often have a profound impact on mental health. Too many New Yorkers live in neighborhoods with concentrated poverty, job insecurity, violence, or unequal application of drug laws and other penalties, which prompt more frequent interactions with the criminal justice system and increase the likelihood of experiencing discrimination. These neighborhood effects and other stress factors increase the risk of onset of depressive symptoms, diagnosis of major depressive or post-traumatic disorder, misuse of substances, and anxiety.<sup>184</sup>

In other words, people in vulnerable neighborhoods are *made* more vulnerable by the conditions that surround them. In one survey, lower-income New Yorkers who reported mental health problems such as depression or anxiety viewed those problems as stemming from socio-economic factors, including unemployment, immigration experiences, lack of affordable housing, and poverty.<sup>185</sup> If we want to treat not just the symptoms but also the root causes of mental illness and threats to mental health, then we must implement structural interventions that reduce discrimination, fundamentally strengthen the entire fabric of a community, and enable local groups to advance solutions that contribute to these goals.<sup>186</sup> We must work from both the bottom up, and from the top down.



Credit: Mayoral Photography Office

## Policies to Address Structural Risk Factors



### Create an Active Labor Market for People Who Are Unemployed

Layoffs and unemployment lasting longer than one month are associated with increased suicide risk.<sup>187</sup> Individuals who are unemployed have more psychological problems (34%) than employed individuals (16%).<sup>188</sup>



### Create Affordable, Quality Housing

Housing instability, characterized by frequent moves, doubles the risk of depression in men and triples the risk of depression in women.<sup>189</sup> Poor housing quality—including structural problems, mold, and pest infestation—also increases the risk of depression in adults.<sup>190</sup>



### Support Family Leave

Mothers in California who took less than 12 weeks of maternity leave or less than 8 weeks of paid leave had increased depressive symptoms when surveyed nine months after childbirth.<sup>191</sup>



### Support Health Insurance Parity, Access, and Accountability

Individuals with Medicaid insurance are less likely to screen positive for depression and showed greater improvement in depressive symptoms compared to individuals with no health insurance.<sup>192</sup>




### Support Education

Educational attainment and success are among the strongest predictors of lifetime mental health.<sup>193,194</sup>




### Enhance the Environment and Use Land and Public Space Wisely

Public space, public art, parks, schools, and workplace design all have a direct impact on our mental health. Mental health, for example, is significantly related to how far someone lives from a park,<sup>195,196,197</sup> and public art and murals can promote social ties.<sup>198,199</sup>



## Lifetime Depression

Source: NYC Community Health Survey, 2013



Our success in this work will be judged according to two factors:

- **Community resilience** characterizes the extent to which a community as a whole can respond to the emotional challenges, traumas, or burdens it faces. A community's resilience is linked to its schools, organizations, economic fabric, social places, and physical space.
- **Collective efficacy** is the mutual support and social cohesion that exists among people living in a community.<sup>200</sup>

Both factors shape, but can also be shaped by, the presence of social supports, securely bonded families, and the value placed on emotional self-care in communities—all of which can be purposefully supported and nurtured.

In this interaction, community resilience and collective efficacy protect community members from threats to mental health, and are themselves bolstered by efforts that improve and promote the mental health of individuals. Mental health specialists can therefore play a crucial role in supporting this virtuous cycle by helping communities promote mental health activities. And government can also support policies that address income inequality and insecurity, discrimination, and social instability.

So when we observe how mental health varies across the city (see the variation in depression in map), we need to also look at neighborhood differences in many other factors: economic opportunity, urban design, neighborhood effects, and public safety. This variation also reflects differences in access to care, untreated or poorly treated illness, population distress, and opportunities for prevention or promotion. A public health response will address these multi-layered and interacting realities.

## CASE STUDY: Cure violence

New York City's Cure Violence (CV) program deploys specially-trained staff to work with at-risk young people in communities with high levels of gun violence. These Violence Interrupter and Outreach Worker staff are from the communities they serve and have first-hand life experience with violence and imprisonment, which gives them invaluable credibility when it comes to talking with these at-risk youth about the obstacles they face and ways to manage them. CV staff receives training on a goal-orientated, client-centered interviewing technique that was specially redesigned by them, which makes it a much more effective and culturally sensitive coaching tool.<sup>201</sup>

## PARTNER WITH COMMUNITIES INITIATIVES

### 1) NYC Mental Health Corps—NEW! (DOHMH)

Starting this year, we will begin creating a Corps of approximately 400 physicians and recently-graduated Masters and Doctoral-level clinicians to work in substance use programs, mental health clinics, and primary care practices in high-need communities throughout the city. When fully staffed, the Corps will provide approximately 400,000 additional hours of service in those communities where they are needed most. This number approaches the number of outpatient behavioral health visits made by NYC Health + Hospitals in 2013.<sup>202</sup>

We will work with communities to determine where Corps members can do the most good. Corps members will partner with community members and their clinical teammates to expand the use of evidence-based treatment and mental health promotion methods in the neighborhoods they serve. This will include using the Collaborative Care model with primary care patients dealing with depression, anxiety, and substance misuse. Many Corps members will be placed at primary care settings, which is where most New Yorkers receive their regular medical care. Not only will this make mental health services easier to access, it will also reduce the stigma of receiving mental health care by connecting it with physical primary care.

The Corps will also spur innovation among the mental health and substance use workforce. Corps members, who can put the hours they work toward meeting licensing requirements, will receive training, supervision, and coaching rooted in the principles laid out in this Roadmap. They will be a source of increased capacity, and a force for broader adoption of innovative treatment and mental health promotion practices.

### 2) Virtual Learning Center for Community-Based Organizations—NEW! (DOHMH)

During our meetings with clergy, community groups, and agency leaders, we received many requests for education and skill-building materials they can use to better meet the mental health needs of their congregations and clients. In response, the City will develop a free, universally available web-based Learning Center for community organizations. Our initial outreach will focus on faith-based and immigrant-serving organizations. The website will provide a skills training library that offers non-clinicians effective and executable task-shifting and prevention strategies. It will include videos, tools that test your skills, handouts of tips and information summaries, patient assessments, and links to other resources. The website will also be a forum to facilitate partnerships between community groups and providers.

### 3) “Friendly Visiting” to Combat Social Isolation Among Seniors—NEW! (DFTA)

Social isolation among the elderly is associated with a dramatically higher incidence of a variety of physical and mental health issues. Friendly Visiting is a light-touch approach for reaching substantial numbers of older people. DFTA will work with and fund 12 case management agencies to identify 1,200 homebound clients who are suffering from the ill effects of social isolation, including high rates of depression and anxiety, and connect them to trained volunteers. The volunteers will make regular home visits and telephone calls, where they will provide meaningful social contact and be on the lookout for possible issues requiring follow up. DFTA will engage a researcher to measure the impact of the program.

### 4) Early Years Collaborative—NEW!

(Mayor’s Office, DOHMH, ACS)

The Early Years Collaborative (EYC) is an example of how government can help communities across New York City be more effective planners and catalyze action. The aim of EYC is to improve the health and well-being of young children in New York City using methods that put local groups at the center of the idea testing process. Led by Mayor de Blasio’s Children’s Cabinet, EYC will connect staff from City agencies with community-based organizations (CBOs), starting with two neighborhoods: the South Bronx and Brownsville. The Cabinet selected these neighborhoods after identifying them as areas with significant City investments, strong networks of community-based organizations, and a large population of children between the ages of zero and three who need and deserve improved outcomes.

Together, City agencies and CBOs will promote three objectives that will make a big difference in the lives of young community residents and their families:

- 1) Healthy pregnancy
- 2) School readiness
- 3) Secure parent-child attachment, safety, and stability

The City agencies and CBOs selected for this initiative will work as a team to strengthen coordination, maximize existing resources, and adopt proven Quality Improvement methods that will build the community’s capacity to play a lead role in advancing these three objectives.



## CASE STUDY: Communities leading the way on mental health

**Communities That Care (CTC)** is a strategy for reducing youth violence, substance use, and crime. Community members come together to select evidence-based solutions to their most pressing mental health issues. The community then implements the solutions and uses an ongoing evaluation process to fine-tune them.<sup>203</sup>

For instance, the Five Town CTC program in Maine operates an after-school program and mentoring programs focused on math and literacy. Five Town CTC also conducts a free “Guiding Good Choices” workshop series for parents and caregivers that focuses on parenting skills. Between 2004 and 2014, adolescents in the Five Town community were less likely to drink alcohol, smoke marijuana, perpetrate violence, get suspended from school, shoplift, or participate in vandalism.<sup>204</sup>

CTC’s prevention-focused approach is also cost-effective. Every dollar invested in CTC returns \$5.30—thanks to reduced smoking-related mortality, better health, lower medical expenditures, and lower criminal justice system and crime victimization costs in the near and long term.<sup>205</sup>

**Brownsville Partnership for Mental Health** is a joint project of some 30 organizations that brings together residents, government agencies, community-based organizations, hospitals, and providers in order to build a web of mental health and wellness support for Brownsville families. The effort uses the Collective Impact model, which is a proven tool to help groups create effective change.

**Early Years Collaborative (EYC)** is a Scottish effort that brings together 40 cities and 2,000 individuals to test locally-identified efforts to expand early-child well-being interventions. Local groups are trained to use Quality Improvement methods to realize their goals. This effort partially inspired New York City’s EYC.

**Shared Art:** Since 2007, the Mural Arts Program and the Philadelphia Department of Behavioral Health and Intellectual Disability Services (DBHIDS) have collaborated with community-based organizations to co-create public art that functions as both an expression of community resilience and also as a vehicle for personal and community healing. So far, they have completed 18 arts projects.

**Parks and Paths:** When you strengthen the social and physical connections among neighborhoods, you also strengthen their collective mental health. Psychiatrist Mindy Thompson Fullilove recognized that the cliff-side parks of Northern Manhattan—specifically, Morningside Park, St. Nicholas Park, Jackie Robinson Park, and Highbridge Park—could serve to link the neighborhoods of Morningside Heights, Harlem, Washington Heights, and Inwood. She worked with area residents to create a hiking trail connecting the parks called the “Giraffe Path.” She was also a leader of the successful effort to reopen the High Bridge, which connects the Bronx and Manhattan.



The CBOs and City agencies will:

- Identify areas of focus within the three EYC goals that align with community priorities;
- Identify measurable, time-bound, and ambitious goals that cannot be achieved simply by working harder, but will instead require systems-level change to achieve;
- Collaboratively brainstorm and rapidly test tangible improvements to existing systems that will in turn lead to improved child outcomes; and
- Implement, test, and measure the effectiveness of these improvements/changes during 90-day action periods.

Through this process, the EYC will identify scalable changes/improvements that can be implemented more broadly within the neighborhood or across the city to move the needle on the EYC objectives. These improvements could include reshaping how and where the City allocates resources.

## 5) Connections to Care (C2C)

(Mayor's Fund to Advance NYC, DOHMH, CEO)

In July 2015, First Lady Chirlane McCray announced Connections to Care (C2C), a \$30-million public-private partnership that will help integrate mental health services into programs that already serve low-income communities. This initiative receives significant funding from the Corporation for National and Community Service, a signal of the federal government's support for our vision. C2C will target a number of high-need populations, including low-income expectant mothers and parents of young children; young adults who are out of school and out of work; and low-income adults who are unemployed or underemployed.

C2C showcases three key elements of our effort to Close Treatment Gaps:

- **Task-Sharing:** Staff at community-based organizations in low-income communities will partner with health providers to receive training on how to identify and take steps to promote mental health or address mental illness and substance misuse;
- **Extend Care Pathways:** Extending these skills to people who aren't mental health specialists will increase the reach of our mental health system; and
- **Put the Expertise of Our Provider Community to Work:** The training and ongoing coaching will be provided by organizations with expertise in mental health.

The City will also fund a study to better understand the impact of C2C on those who will receive services. It will track the experience of service provider organizations in order to promote real-time information sharing and best practices, and assess the sustainability of the program. Our ultimate goal is to expand this model throughout the city.

## 6) Mental Health Weekend for Faith-Based Communities— NEW! (DOHMH and CAU)

Clergy we spoke with also expressed great interest in partnering with the City to let their congregations know that mental illness is nothing to be ashamed of, that services are available for those in need, and that the City wants and needs their help to create an effective mental health system. We will therefore work with clergy members of different faiths to organize a citywide Faith-Based Mental Health Weekend. On the designated weekend, faith leaders across the City will be invited to preach on the topic of mental health.





### **7) Create Employment Opportunities for Individuals with Developmental Disabilities — (DOHMH and CAU)**

We will sponsor new programs in each borough to increase the number of individuals with developmental disabilities who have good jobs. The programs will be provided to those who are not eligible for state vocational services and will teach basic workplace skills, interpersonal skills, and specific job skills. They will also help participants excel in their work and get involved in their communities.



## Use Data Better

**Work with all stakeholders to address gaps, improve programs, and create a truly equitable and responsive mental health system by sharing and using information and data better.**

- Develop new measures and methods to understand mental health needs and priorities.
- Enable others to use data to test, adopt, and improve their practices.
- Identify, evaluate, and disseminate promising mental health strategies.



Data collection and analysis are a key part of any evidence-based decision-making process. When providers routinely use real-time data on individual care outcomes, it can markedly improve their ability to ensure that the patient is receiving the right care in the right order.<sup>206</sup> More broadly, there is still much that we don't know about the mental health of New Yorkers and the effectiveness of services. Coming up with useful answers will require the use of traditional surveillance instruments and epidemiologic studies, but also more innovative tools such as crowd-sourcing information to provide real-time data. City government will invest in both; our goal is to expand the traditional surveillance of mental health outcomes, especially for the youngest New Yorkers, and explore ways to harness





**“We have very little to measure quality of services in mental health. We really don’t have measurements of recovery for either kids or adults that are meaningful to the people around the table. Such as, are you doing well on your job? Are you doing well in your school? I think we need to think of quality outcomes. How are we going to better measure the success of what we have to offer to people?”**

— Community Advocate

technology and “big data” to improve mental health citywide. We will also support better uses of data to advance the Roadmap.

Better data can help to guide our City’s unmet mental health needs. It can enable us to visualize these needs disaggregated by geography or demographic profile, which will allow for better targeting. It can also help us track both the impact of treatment as well as gaps in coverage and quality. Investing in better surveys and research will enable providers to make meaningful comparisons of different approaches for mental health, including cost-benefit analyses. New technologies can also help create maps to visualize inequities, focus on bottlenecks, access services in real-time, connect residents to care, and troubleshoot problems in community mental health.

The de Blasio Administration’s first investment toward this goal will be a new Mental Health Innovation Lab. The Lab will:

- Scan, gather, synthesize, and disseminate knowledge of effective mental health strategies;
- Adopt new techniques and data sources that will allow us to better track, measure, and address population needs;
- Evaluate smart choices and make recommendations for new practices;
- Help test, evaluate, and support innovation and implementation; and
- Enable better use of information and best practices among community-based partners and providers, City agencies, and the Mental Health Council.

In all of our work to improve the use of data, we will be vigilant when it comes to protecting the privacy of New Yorkers.

The Innovation Lab will help others test new strategies and interventions in New York City through public-private and community-based partnerships that spread the use of evaluation and planning tools. This can enable more people and places to adapt evidence-based practices to the city’s unique needs, with an emphasis on efforts that close treatment gaps, diminish inequities, and expand mental health prevention and promotion.

Everyone in the mental health system—providers, clients, advocates, organization leaders and managers, and government—can play a role in using and contributing to the data needed to advocate and act for change, improve results, and inform decision-making.

## USE DATA BETTER INITIATIVES

### 1) Mental Health Innovation Lab—NEW! (DOHMH)

The mental health field is undergoing great changes, and providers of mental health services are in the middle of the tumult. The change is being spurred by action at the federal and state level, including the 2010 Mental Health Parity and Addiction Equity Act and ongoing efforts to redesign Medicaid. These payer-driven transitions offer opportunities for better primary care integration and quicker implementation of evidence-based practices by providers. However, in order to take full advantage of these opportunities, providers need support—and do not currently get enough.

In recognition of these needs, and to ensure that data is used to make real change, the City will establish a Mental Health Innovation Lab to provide necessary technical assistance and support to local service providers, including other City agencies.

The Lab will help drive the use of evidence-based best practices throughout the field and design better methods for getting the data we need, which will lead to more innovative and effective programs. The Lab will:

- Evaluate, disseminate, and advise on the use of evidence-based best practices;
- Provide hands-on support in the use of implementation science to help others close treatment gaps, promote prevention, and use data better;
- Provide better data to mental health stakeholders by sharing and developing innovative survey and screening methods for mental wellness as well as illness; information collection; new metrics that better capture the need for and impact of mental health and substance use services; and cost-benefit analyses;
- Produce reports and materials to help the City better advocate on behalf of providers who use high-quality, evidence-based methods while navigating these major transitions; and

- Work with the Mayor's Office of Labor Relations (OLR) to better understand city employees' behavioral health needs and support OLR in their work to promote mental well-being among the city's workforce.

The Lab will be based on existing and successful models, including those established by 1) the University of Chicago's Health Lab, which uses academic and big data strategies to identify new policy solutions, and 2) the Center for Addiction and Mental Health in Ontario, which developed a model to improve community-based mental health services. The Lab will also develop a network of academic partners who will join us in this work.

### 2) Evaluate Financial Sustainability of School-Based Mental Health Services (DOE, DOHMH)

Approximately 200 DOE schools currently have school-based mental health clinics, and in the year to come the City plans to locate additional school-based mental health clinics in Community Schools. These clinics provide students and families with easy access to high-quality mental health counseling and services. Some clinics also provide teachers and administrators with training and skills development throughout the year.

Whether a school-based mental health clinic is able to survive financially on insurance reimbursement (Medicaid and private) alone varies significantly. Many of the services that make clinics effective are not billable to insurance, including classroom observations, teacher consultations, and schoolyard interventions.

As a result, clinics are often unable to provide skills development to other staff throughout the school. Some rely on partners—such as academic medical centers or private foundations—to underwrite their work, which makes funding a year-to-year struggle. DOHMH and DOE will evaluate the various existing financial models in order to better understand how we might scale more comprehensive school-based mental health services.

### 3) Evaluate Existing Assertive Community Treatment (ACT) Teams (DOHMH)

Assertive Community Treatment provides the highest level of mental health care available to New Yorkers with serious mental illnesses who are stable enough to live in their communities. There are currently 44 ACT teams in New York City. To improve the effectiveness of all teams, the City is adding additional resources to these teams and is funding an evaluation to determine what interventions are successful.

### 4) Ensure the City Uses Jail and Diversion Programming Effectively (MOCJ, DOC)

The City uses a broad risk-based approach to inform decisions about which defendants should receive an expanded array of supervised release programs. This approach can improve public safety while providing more effective mental health treatment to people in the mental health system. Strategies/tools include:


- Expanded supervised release;
- Scientifically-validated risk assessment tool;
- Universal screening for physical and mental health problems;
- Reduced reliance on monetary bail;
- Crisis intervention teams;
- Dramatically reduced use of punitive segregation; and
- Strategy to significantly shorten case processing times.

This initiative is part of the Behavioral Health Task Force action plan.



### 5) Child Health Survey (DOHMH)

The Child Health, Emotional Wellness and Development Survey (CHEWDS) is a cross-sectional survey of more than 3,000 families that was undertaken by DOHMH for the first time in 2015 to collect reliable, representative, citywide data on the health, emotional wellness, and development of children ages 12 and younger living in New York City, including their service usage and needs. It will provide us with an accurate picture of the connections that exist between factors such as adverse events facing children and families, mental health threats to both children and their parents, and access to care.



## Strengthen Government's Ability to Lead

### **Affirm City government's responsibility to coordinate an unprecedented effort to support the mental health of all New Yorkers.**

- 
- Use government assets to promote mental health.
  - Use the City workforce to reach more people.
  - Agree upon shared aims across City agencies.
  - Coordinate resources and increase communication across agencies.
  - Set an ambitious agenda for action and advocacy beyond City government.

Every day, City agencies reach hundreds of thousands of New Yorkers, including many of the most vulnerable. And every day, City agencies work with stakeholders from the public, private, and non-profit sectors on policies with the potential to improve the lives of communities throughout the five boroughs. In order to achieve our goal of protecting the mental health of all New Yorkers and lead on this issue, City government must consider mental health when approaching our work.

As documented in this Roadmap, the City already devotes a significant amount of resources to mental health efforts. But the sum of these efforts is not yet greater than the whole, and that is because they are not yet aligned around a single shared strategy. In order to achieve our ambitious goals and create long-term systems change, we are undertaking an unprecedented effort to bring the de Blasio Administration, City Council, City agencies, community partners, and other branches of government together in pursuit of our shared objectives. This work will start at the very top, with Mayor de Blasio, First Lady McCray, and Deputy Mayor Richard Buery working with Commissioners in every sector to put the full force of the City behind the Roadmap.



Credit: Mayoral Photography Office

## Our work in this arena will center on three goals:

- 1) Connect and assist City agencies;
- 2) Help shape monumental changes in how we pay for mental health care;
- 3) Establish New York City as a leader on mental health; and

In everything we do, we will embrace our responsibility to lead—and to listen.

## STRENGTHEN GOVERNMENT'S ABILITY TO LEAD INITIATIVES

### Connect and assist City agencies

#### 1) Launch NYC Mental Health Council—NEW!

(City Hall, DOHMH)

City government has an unparalleled capacity to provide and promote prevention and treatment activities, while also advancing the range of policies needed to take on the structural issues at the root of so many mental health conditions. With this in mind, we are establishing a Mental Health Council comprised of more than 20 City agencies from every sector of government, including health, human services, law enforcement, education, youth development, labor relations, and parks. The Council will serve as a key vehicle for managing mental health initiatives, policy-making, and problem-solving across City government. It will also ensure that the City is effectively implementing these initiatives, especially those that involve multiple agencies, by tracking their progress and engaging in collaborative problem solving.

The Council will report directly to Mayor de Blasio and be led by First Lady Chirlane McCray and Deputy Mayor Richard Buery, ensuring that mental health remains at the forefront of City policy. DOHMH will provide technical leadership to the Council and the larger community. The Council will report publicly on the progress of the Roadmap, adding another layer of accountability.

A central element of the Council's work will be developing new ways for City employees to play a key role in the care pathway. A great example of this is our new effort to train early childhood educators on Social-Emotional Learning (see Act Early initiatives). Teachers are well-positioned to provide our children with the tools they need to protect their mental health, but we need to connect our teachers to the appropriate training and resources. And teachers are far from the only City workers whose potential is just waiting to be tapped—we must also enlist caseworkers, probation officers, parks employees, and so many more to join our mental health campaign. The Council will lead an effort to identify partnership opportunities, share best practices, and provide City agencies with the tools they need to help their employees and their programs contribute to our mental health effort.

As emphasized previously, if we want to make a real difference on mental health, we cannot shy away from addressing big issues like income inequality, racial discrimination, use of public space, and housing





Credit: Ed Reed/Mayoral Photography Office.

First Lady Chirlane McCray visits City Hall Senior Center

instability. The de Blasio Administration has already launched numerous multi-sector initiatives that address these issues head-on, but the City also needs an entity to analyze these efforts through a mental health lens and determine where additional work is required. The Council will take on this role and work with member agencies to create new shared policies to advance the Roadmap.

Specifically, within the first 150 days of the Roadmap's release, the Council will develop a set of specific agency goals, larger objectives the Council will pursue together, and a proposed federal and state legislative agenda to support the Roadmap goals.

## 2) Reshape the Community Services Board (DOHMH)

The Community Services Board is a City Charter-mandated body that advises DOHMH's mental health work. We will fundamentally enhance the role of the Board by inviting new members that represent a broad spectrum of communities, organizations, and viewpoints. Our goal is to engage stakeholders whose voices have previously gone unheard, including not just mental health experts and providers, but also people who have been through the system and their family members.

But this restructuring isn't only about bringing new people to the table—they will also take on new mission-critical responsibilities. Specifically, the Board will collaborate with the Mental Health Council to produce an annual Council Report updating New Yorkers on the progress of the Roadmap.

## CASE STUDY: Sweden

With its 2012-2016 Plan, Sweden launched “Don’t Wait,” a national campaign to improve mental health outcomes for children and young people through evidence-based prevention, promotion, and treatment options. The government launched a cross-agency “social investment fund” to support proven prevention strategies. Any gains that City agencies achieved by acting early went back into their budgets. The city of Norrköping, for example, pooled funding from social service and education agencies to improve outcomes for children in foster homes. Within five years, the cost savings achieved by the Swedish Department of Social Services was three times greater than the costs to implement the program.

## Help shape monumental changes in how we pay for mental health care

### 3) Continue working closely with the State on the transition to Medicaid managed care (Mayor’s Office, DOHMH)

#### A Time of Transition

We are living through a time of seismic change in how we pay for mental health and substance use treatment, both here in New York and nationally. This change brings with it the potential for new resources for providers to deliver better and more innovative care aligned with the six guiding principles in this Roadmap. However, turning this potential into better outcomes will require us to make better use of these resources and improve our monitoring capacity.

Of all the changes that are afoot, perhaps the most important is the shift in New York State’s Medicaid program to include behavioral health services in managed care. Starting in October 2015 and proceeding in phases, New York State is transitioning behavioral health services in its Medicaid program to a managed care model. The new model includes Health and Recovery Plans (HARPs) for adults with significant behavioral health needs and an expanded Children’s Behavioral Health Benefit that will serve specialized populations of children including children in foster care, medically fragile children, and children with serious emotional disorders. As a result of these changes, managed care insurance plans will increasingly play a significant role in managing and coordinating the care their members receive.

This transition to Medicaid managed care creates a single point of accountability—in the managed care plans—and with the right oversight and standards this is an opportunity to raise the level of care across the board. Given that Medicaid serves approximately 3 million New Yorkers, this is a substantial transformation in the way we pay for treatment, integrate fragmented services, and coordinate people’s behavioral health care. We are committed to partnering with Medicaid managed care plans to foster the next generation of behavioral health care by promoting and implementing many of the strategies presented in this Roadmap, including better coordination of care; integration of physical and behavioral health needs; use of appropriate, evidence-based interventions; mental health promotion and prevention efforts; and providing care through task-shifting.

However, significant questions remain. The transition of behavioral health Medicaid services from fee-for-service to managed care is an area of significant concern for providers in the City, including NYC Health + Hospitals. Managed behavioral health rates are largely determined based upon historical fee-for-service rates, which rarely cover actual costs of providing these services. (NYC Health + Hospitals estimates roughly 60% of

its behavioral health costs are covered by Medicaid rates.) Already, there is an insufficient supply of qualified professionals to meet patient demand, particularly for low-income patients. It is incumbent on the State to fund Medicaid behavioral health services at a sufficient, sustainable level. The new model needs to make it easier for all enrollees to get the care they need, when and where they need it. This is what New York City needs—and City government will be vigilant and vocal in making sure we get it.

## City Leadership

The City—through DOHMH—has already played a significant role in shaping the new system.

In light of the significant impact the transition is sure to have on New York City, the Governor and State Legislature authorized a joint oversight role of managed care plans for the City of New York. In partnership with the New York State Department of Health (DOH), Office of Mental Health (OMH), and Office of Alcoholism and Substance Abuse Services (OASAS), DOHMH has helped to:

- Draft the Request for Qualifications for Medicaid managed care plans;
- Draft the managed care model contract;
- Develop service manuals and designate Home- and Community-Based Service providers;
- Conduct on-site readiness reviews of managed care plans; and
- Develop consumer education material, among other efforts.

Additionally, a Quality Steering Committee (QSC) comprised of representatives from NYS DOH, OMH, OASAS, and NYC DOHMH will be established to coordinate monitoring and oversight of Behavioral Health in Medicaid Managed Care Plans that serve residents of New York City. To support this role, DOHMH is expanding its Medicaid data access and analytic capacity to regularly review data related to this transition. This will enable DOHMH to monitor issues such as access to care and service capacity, service quality and efficiency, and consumer outcomes, among others. The Regional Planning Consortium (RPC), a multi-stakeholder behavioral health advisory body convened by DOHMH, has also been established to promote cross-system community collaboration and to obtain real-time community-level information on challenges that arise in managed care.

The City is also monitoring another promising aspect of Medicaid redesign: Delivery System Reform Incentive Payment (DSRIP) Program. DSRIP is designed to support and accelerate the transition of the health care system from treating people when they are already sick to a system that promotes life-long health. To earn DSRIP payments, health care

providers must engage in delivery system transformation projects that improve care for low-income patients, reducing by 25% avoidable hospitalizations of Medicaid patients. Better access to high-quality community-based behavioral health care is essential to meet the goals and performance measures of DSRIP. All 11 Performing Provider Systems (PPS) in NYC have selected the Primary Care and Behavioral Health Integration project as one of their DSRIP transformation projects, presenting an opportunity for large-scale improvement in access to behavioral health care services as a routine part of primary care across the city. Under this DSRIP project, more of an individual's care can be delivered under one roof by known health care providers using evidence-based models.

In New York City, the amount of DSRIP payments is expected to be more than \$4.2 billion over five years. Most of these payments will be allocated to large hospital-led provider networks. Many stakeholders, including the City, will act to ensure that this significant funding is used to improve the behavioral health care services delivered to New Yorkers.

This is a pivotal moment where health care reform is moving beyond extending health care insurance coverage to transforming how health care services meet people's needs and promote health. Put simply, the success of the public health campaign we are undertaking, with its focus on promoting mental health, acting early, and closing treatment gaps, is closely tied to our ability to maximize the investment during this time of change to set a new paradigm for primary and preventive care that includes behavioral health services on an equal footing. Working in partnership with New York State, City government must—and will—use every tool and authority at our disposal to make sure the new system achieves real progress and results for New Yorkers.

## **Beyond Medicaid**

Of course, Medicaid isn't the only funding source that requires our attention. We are also responsible for helping those who are left out of the marketplace—specifically, people without insurance and undocumented immigrants. Earlier this year the de Blasio Administration announced the 2016 launch of a health care access program as part of a plan to improve immigrant access to health care services. The program is designed to provide uninsured immigrants and others with access to coordinated primary and preventive health care services, based on direct access models in other jurisdictions. The initial launch, targeted at enrolling approximately 1,000 participants, will enable the City to collect necessary data and evaluate the program structure to shape a successful citywide model for the future. This health access program will be closely aligned with the principles in this Roadmap. All primary health care providers participating in the health access program will be federally-qualified health centers, whose primary care model stresses behavioral health integration with behavioral health care providers on site. In addition,



the Mental Health Corps announced in this Roadmap will be placed in underserved communities, including immigrant communities, and at high-need FQHCs (Federally Qualified Health Center) and Gotham Clinics participating in the City's immigrant health access program.

Of course, Medicaid isn't the only funding source that requires our attention. We are also responsible for helping those who are left out of the marketplace—specifically, people without insurance and undocumented immigrants. Commercial insurers also have a significant role to play. Surveyed individuals with commercial insurance in New York City were even less likely than Medicaid insured individuals to report getting care.

Since its enactment in 2008, the Mental Health Parity and Addiction Equity Act (MHPAEA) has been changing the landscape regarding insurance coverage for mental health and substance use disorder treatment. The legislation was intended to end the discriminatory practices that were previously commonplace in insurance coverage where it was not unusual for mental health and substance use treatment to be covered at lower levels than other medical treatment or even completely excluded from coverage. Parity assures individuals, families, and providers that all behavioral health conditions are eligible for the same insurance coverage as any other medical condition, removing some of the financial barriers to accessing treatment.

Parity compliance is a complex issue and many compliance issues still remain today. Final protections under the law only came fully into effect on January 1, 2015. The City has an important interest in seeing the aims of the Parity Act reached for all New Yorkers. And we support the ongoing efforts of advocates to ensure that patients and providers have access to the information and tools they need to assert their rights under the MHPAEA.

Achieving the goals in this Roadmap will require the City and our partners to play an active and ongoing role in the reform process. We will therefore meet regularly with federal and state policymakers, the private hospital sector, commercial insurers, providers, and advocates to ensure that the needs of our city are met. Working collaboratively, we will seek to promote innovation, secure new resources, and set stringent accountability measures, some of which may require new legislation.

## Establish New York City as a leader on mental health

### 4) New Supportive Housing for Vulnerable New Yorkers—**NEW!** (HPD, DOHMH, HRA, DHS, ACS, MOVA)

For decades, New York City and State have collaborated to provide supportive housing to vulnerable New Yorkers, including homeless adults



with serious mental illness and young people exiting the foster care system. Supportive housing is a combination of affordable housing and support services designed to help individuals and families use housing as a platform for health and recovery. It has been found to reduce the use of costly services such as shelters, hospitals, and jails.

Today, however, the need for supportive housing far outweighs the availability. Right now, the number of New Yorkers who qualify for supportive housing is almost five times greater than the number of available units. The Corporation for Supportive Housing recently released a report estimating the current need in New York City at more than an additional 24,000 units of supportive housing.

While all previous supportive housing efforts in New York State have been joint ventures of the City and State governments, the people of New York who are most vulnerable need aggressive action now. That's why the City is committing to bring on 15,000 apartments of supportive housing over the next 15 years.

The new supportive housing will serve homeless families, homeless single veterans, homeless single adults, and street homeless individuals who are suffering from or in recovery for a variety of behavioral or medical conditions. It will also serve domestic violence survivors, young adults who have recently left foster care or who have been in foster care and are at risk of homelessness, medically frail individuals, and individuals receiving nursing home care.

### **5) Host the first Mayors Conference for Mental Health—NEW!** (Mayor's Office, DOHMH)

Just as New York City was at the forefront of efforts to curb smoking, reduce mother-to-child HIV transmission, and relegate lead poisoning to the history books, we are committed to inspiring others to take a public health approach to mental health.

In September 2015, the United Nations hosted a meeting of heads of state from around the world that endorsed a new global blueprint for social and economic policy called the Sustainable Development Goals (SDGs). The blueprint named mental health as a goal of international development for the very first time.

Building on this effort, the City of New York will host the first Mayors Conference for Mental Health in 2016. The Conference will bring cities together to share new ideas and promising mental health initiatives, including our own.

A word cloud featuring various terms related to mental health and community care. The words are arranged in a dense, overlapping manner. The most prominent words are 'community' (large, dark blue), 'think' (large, orange), and 'mental' (large, light green). Other significant words include 'idea' (yellow), 'focus' (dark blue), 'person' (yellow), 'work' (black), 'state' (grey), 'program' (pink), 'model' (dark blue), 'skill' (light blue), 'training' (light blue), 'family' (yellow), 'resource' (dark blue), 'system' (light green), 'new' (dark blue), 'government' (light blue), 'parent' (yellow), 'well' (pink), 'better' (red), and 'provider' (dark blue). The words are in various sizes and colors, creating a vibrant and dynamic visual.

public school organization  
people social service  
substance build population city  
opportunity service agency  
new york worker start care  
help department health  
treatment support talking behavioral

# Appendix

# Roadmap Feedback Group Participants

Participation in Mental Hygiene Roadmap feedback session(s) does not imply agreement with the findings and recommendations presented in this report.

|  |   |   |
|--|---|---|
| 1199-SEIU                                      | CAB   | Columbia University                                   |
| 32BJ Funds                                     | CAMBA   | Columbia University - Mailman School of Public Health |
| Addabbo Family Health Center                   | Catholic Charities Community Services   | Columbia University - Medical Center                  |
| Ades Integrated Health Strategies              | Catholic Charities Neighborhood Services  | Columbia University - School of Social Work           |
| Administration for Children's Services         | Catholic Charities of Brooklyn and Queens   | Columbia University - Teachers College                |
| Affinity Health Plan                           | Center for Alternatives and Employment Services (CASES)   | Commission on the Public's Health System              |
| Albert Einstein College of Medicine            | Center for Children's Initiatives   | Committee on Hispanic Children and Family             |
| American Express                               | Center for Community Alternatives   | Common Ground   |
| American Psychiatric Association               | Center for Court Innovation   | Community Healthcare Association of NYS (CHCANYS)     |
| American Psychiatric Nurses Association        | Center for Economic Opportunity   | Community Healthcare Network NYC                      |
| AmidaCare                                      | Center for Human Development and Family Services (CHDFS)  | Community Service Society of NY                       |
| Anthem Blue Cross Blue Shield                  | Center for Innovation through Data Intelligence, Office of the Deputy Mayor for Health and Human Services | COMPA   |
| Aon Hewitt                                     | Center for Urban Community Services   | Comunilife  |
| Apicha Community Health Center                 | CHC Richmond  | Con Edison  |
| Arab American Association                      | Child and Family Institute  | Concorde Baptist Church                               |
| Beacon Christian Community Health Center       | Child Center of New York  | Coney Island Hospital                                 |
| Bellevue Hospital Center                       | Children's Aid Society  | Cornell Weill Medical Center                          |
| Bellevue/NYU Program for Survivors of Torture  | Children's Arts and Science Workshops   | Cornell Weill Medical College                         |
| Bowery Residents' Committee                    | Children's Defense Fund Leave No Child Behind   | Correctional Association of NY                        |
| Brain & Behavior Research Foundation           | Citizens' Committee for Children  | Council of Family & Child Caring Agencies             |
| BrightPointHealth (Help/PSI)                   | City of New York - Office of Labor Relations  | Covenant House  |
| Bronx Health Link                              | CityMD  | CUNY Med  |
| Bronx Lebanon Hospital                         | Coalition for Asian American Children & Families  | CUNY/Creative Arts Team, Inc.                         |
| Brooklyn Community Services                    | Coalition of Behavioral Health Agencies   | Department for the Aging                              |
| Brooklyn Defender Services                     | Columbia Psychiatry   | Department of Consumer Affairs                        |
| Brooklyn Interfaith Advisory Group             |   | Department of Education                               |
| Brownsville Multi-Service Family Health Center |   | Department of Homeless Services                       |
| Buddhist Council of New York                   |   |   |



|   |  |   |
|---|--|---|
| Deutsche Bank   | Health Plus Amerigroup   | Legal Action Center   |
| Docs for Tots   | Healthfirst  | Lenox Hill Hospital   |
| Department of Health and Mental Hygiene                       | Helene Fuld College of Nursing   | LGBT Community Center   |
| DOHMH, Brooklyn District Public Health Office                 | Henry Street Settlement, Inc.  | LIFT - New York   |
| Drug Policy Alliance  | Hillside Hospital-North Shore-LIJ Health System                        | Maimonides Infants & Children's Hospital                          |
| Dynamic Transitions Psychological Counseling LLP              | Hispanic Family Services of New York                                   | Maimonides Medical Center   |
| Education & Assistance Corporation                            | Hofstra North Shore-LIJ School of Medicine                             | Maimonides Medical Center - Brooklyn Health Home                  |
| Elmhurst Hospital Center                                      | Homeless Services United   | Make It Happen Mental Health Counseling                           |
| Empire Blue Cross Blue Shield                                 | Housing Preservation and Development                                   | Mayor's Office for People with Disabilities                       |
| Exponents   | HousingWorks   | Mayor's Office of Veterans' Affairs                               |
| Federation of Mental Health Centers                           | Howie the Harp   | Mayor's Task Force on Behavioral Health and Criminal Justice      |
| Federation of Protestant Welfare Agencies                     | Human Resources Administration   | MDRC  |
| First Central Baptist Church                                  | Human Services Council   | Mental Health Association of NYC                                  |
| Flushing Hospital Medical Center                              | Hunter College - School of Public Health                               | Mentoring Partnerships of New York and Long Island                |
| Fortune Society   | Hunter College - Silberman School of Social Work                       | MetroPlus Health Plan   |
| Foundation for Child Development                              | I Will Listen Campaign   | Metropolitan Hospital Center - NYC Health + Hospitals             |
| Fountain House  | Icahn School of Medicine   | Montefiore Medical Center   |
| Gay Men's Health Crisis                                       | ICL  | Montefiore Medical Center - Wakefield Division                    |
| God's Battalion of Prayer Church                              | IDEAS  | Morris Heights Health Center                                      |
| Good Shepherd Services  | Immigrant Affairs  | Mount Sinai Adolescent Health Center                              |
| Gracie Square Hospital  | Institute for Family Health  | Mount Sinai Behavioral Health System                              |
| Greater New York Conference of Seventh Day Adventists         | InterAgency Council of Developmental Disabilities Agencies, Inc. (IAC) | Mount Sinai Beth Israel   |
| Greater New York Hospital Association                         | Interfaith Medical Center Inc.   | Mount Sinai Medical Center  |
| Group for Advancement of Psychiatry                           | Islamic Society of Bay Ridge   | National Alliance on Mental Illness                               |
| Harlem Center - Police Athletic League                        | Jacob A. Riis Neighborhood Settlement                                  | National Alliance on Mental Illness - Metro Family Advisory Board |
| Harlem Hospital Center  | Jamaica Hospital Medical Center  | National Alliance on Mental Illness - Metro Family Peer to Peer   |
| Harlem United   | Jewish Association Service for the Aged - GMHOS                        | National Alliance on Mental Illness - Parent Support              |
| Harm Reduction Coalition                                      | Jewish Board of Family and Children Services                           | National Association of Social Workers - NYC                      |
| Harris Rothenberg International                               | John Jay College of Criminal Justice, CUNY                             | National Center for Children in Poverty                           |
| Health & Hospitals Corporation                                | Kings County Hospital Center   |   |
| Health & Hospitals Corporation - Kings County Hospital Center | Kingsbrook Jewish Medical Center                                       |   |
| Health & Hospitals Corporation - Queens Hospital Center       | Langeloth Foundation   |   |
| Health Care for All New York                                  |  |   |

|  |   |  |
|--|---|--|
| National Development and Research Institutes                               | Ohel Bais Ezra / Lifetime Care Foundation                                 | The Bridge   |
| New York Academy of Medicine   | Osborne Association   | The Brookdale University Hospital and Medical Center                 |
| New York Center for Child Development                                      | Parent Advocate Program   | The Fund for Public Health NY  |
| New York Community Trust   | Pesach Tikvah Hope Development  | The Interfaith Center of New York                                    |
| New York Immigration Coalition   | Phipps Neighborhoods  | The Jed Foundation   |
| New York Presbyterian Hospital   | Primary Care Development Corporation                                      | The Mayor's Fund to Advance NYC                                      |
| New York State Psychiatric Association                                     | Primitive Christian Church  | The Medisys Health Network   |
| New York State Psychiatric Institute                                       | Prisoner Reentry Institute, John Jay College of Criminal Justice          | The Mental Health Association of New York City (MHA-NYC)             |
| Northeast Business Group on Health   | Private Practice Psychologist   | Touro College  |
| Northeastern Conference of Seventh Day Adventist Church                    | PSCH  | Turning Point for Women and Families                                 |
| Northern Manhattan Perinatal Partnership                                   | Public Health Solutions/Jamaica Southeast Queens Healthy Start            | Union Settlement Association   |
| Northside Center for Child Development                                     | Quality Healthcare Solutions  | United Hospital Fund   |
| NY Alcohol Policy Alliance   | Queens Consortium of Alcoholism & Substance Abuse                         | United Jewish Organization   |
| NY Association of Alcoholism and Substance Abuse                           | Queens Supreme Court Judge  | United Sikhs   |
| NYC Administration for Children's Services, Child Welfare Support Services | Robin Hood Foundation   | University Settlement  |
| NYC City Planning  | Safe Horizon  | Urban Health Plan  |
| NYC Housing Authority, Office of Public/Private Partnerships               | Samaritan Village   | Urban Justice Center   |
| NYS Psychiatric Institute  | SCO Family of Services  | VA NY Harbor Healthcare System                                       |
| NYU  | SEIU Benefit and Pension Funds  | Van Ameringen  |
| NYU - Center for the Study of Asian American Health (CSAAH)                | Service Program for Older People  | Vera Institute for Justice - Substance Use and Mental Health Program |
| NYU - Child Study Center   | Settlement Health and Medical Services                                    | Visiting Nurse Services New York                                     |
| NYU - College of Nursing   | Sisterlink  | Vocal-NY   |
| NYU - Langone Medical Center   | Sky Light Center  | Wagner College   |
| NYU - School of Medicine   | Small Business Services - NYC   | William F. Ryan Health Center  |
| NYU - Silver School of Social Work   | South Bronx Rising Together - Phipps Neighborhoods/Children's Aid Society | Woodhull Medical & Mental Health Center                              |
| NYU - Steinhardt School of Culture, Education and Human Development        | Spanish Family to Family Teacher  | YMCA of Greater NY   |
| NYU - Wagner Graduate School of Public Service                             | St. Barnabas Health Care System   | Youth Communication  |
| Office of Mental Health - FTNYS  | St. John's Episcopal  | Youth Represent  |
| Office of Mental Health - New York City Field Office                       | St. Luke's Roosevelt Hospital Center                                      |  |
| Office of the Mayor, City of NY  | St. Paul's Community Baptist Church                                       |  |
|  | Staten Island Mental Health Society                                       |  |
|  | Staten Island Partnership for Community Wellness                          |  |
|  | Supported Housing Network of NY   |  |

# Acknowledgments

## Scientific Advisory Group

Angela Diaz, The Mount Sinai Hospital

Mario Drummonds, Northern Manhattan Perinatal Partnership, Inc.

Susan Essock, Columbia University, Department of Psychiatry and New York State Psychiatric Institute

Arthur Evans, Philadelphia's Department of Behavioral Health and Intellectual Disability Services

Mindy Fullilove, New York State Psychiatric Institute and Mailman School of Public Health, Columbia University

Kimberly Eaton Hoagwood, New York University School of Medicine

Jeff Lieberman, Columbia University College of Physicians and Surgeons, New York State Psychiatric Institute

Ruth Shim, Lenox Hill Hospital, Hofstra North Shore- LIJ School of Medicine

Kenneth Wells, David Geffen School of Medicine and Professor of Health Services at the University of California, Los Angeles, School of Public Health and RAND

## Data Analysis

**Global Research Analytics for Population Health (GRAPH), Columbia University's Mailman School of Public Health:**

Sharifa Barracks

Jacquie Cheung

Abdulrahman M. El-Sayed

Emily S. Goldmann

Jeff Goldsmith

Peter Muennig

Ryan Quan

## Milliman Behavioral Healthcare:

Steve Melek

## Infographic Design

**Eugene S. Farley, Jr. Health Policy Center, University of Colorado School of Medicine:**

Benjamin F. Miller

Emma C. Gilchrist

Elizabeth Fowler

## DCF Advertising

## Writing

Ernest Beck

Ryan Dodge

Hannah Rosenzweig

## Production

**DCF Advertising:**

James DeAngelo

John Fortune

Amy Williams

Joy Yih

## NYC Mental Health Council Member Agencies

Administration for Children's Services

Department for the Aging

Department of Consumer Affairs

Department of Correction

Department of Education

Department of Health and Mental Hygiene

Department of Homeless Services

Department of Parks and Recreation

Department of Probation

Fire Department of New York

Fund for Public Health in New York

NYC Health + Hospitals

Housing Preservation and Development

Human Resources Administration

Mayor's Fund to Advance New York City

Mayor's Office to Combat Domestic Violence

Mayor's Office of Criminal Justice

Mayor's Office of People with Disabilities

Mayor's Office of Veterans Affairs

New York City Housing Authority

New York Police Department

Small Business Services

## Department of Health and Mental Hygiene

Mary Bassett – Commissioner

Oxiris Barbot – First Deputy Commissioner

Gary Belkin – Executive Deputy Commissioner, Division of Mental Hygiene

Nellie Afshar

Tejumade Ajaiyeoba

Bennett Allen  
Sonia Angell  
Denise Arieli-Barufka  
George L. Askew  
Kari Auer  
Zinzi Bailey  
Carolyn Bancroft  
Shirley Berger  
Tiffany Bess  
Raymond Chao  
Janice Chisholm  
Joanne Choi  
Alice Cini  
Gerald Cohen  
Karen Crowe  
Dominique Cuoco  
Nneka Lundy De La Cruz  
Donald Decker  
Cindy Driver  
Victoria Dushaj  
Andrew Fair  
Pauline Ferrante  
Sam Friedman  
Ana Garcia  
Amy Gedal Douglass  
Suzette Gordon  
Aviva B. Grasso  
Jocelyn Groden  
Debra Groger  
R. Charon Gwynn  
Yiwei Gu  
Elizabeth Hamby  
Myla Harrison  
Katy Huang

Daniel Kass  
Elizabeth Kilgore  
Steffie Kinglake  
Hillary Kunins  
Sungwoo Lim  
Natalia Linos  
Jian Liu  
Javier Lopez  
Lara Maldjian  
Moses Mansu  
Aletha Maybank  
Valerie Meausoone  
Thomas Merrill  
Sam Miller  
Kenneth Mort  
Aman Nakagawa  
Rajiv Narayan  
Gilbert A. Nick  
Christina Norman  
Hindia Omar-Miller  
Emiko Otsubo  
Denise Paone  
Diana Perez-Ramirez  
Sharon Perlman  
Kelli Peterman  
Rosa Pico  
Randolph Rajpersaud  
Jenna Riis  
Anastasia Roussos  
Sandy Rozza  
Crystal Sacaridiz  
Amanda Schneider  
Sarah Shih  
Anya Y. Spector

Elizabeth Thomas  
Lily Tom  
Cassiopeia Toner  
Meiling Viera  
John Volpe  
Carlton Whitmore  
Marlon Williams  
Ewa Wojas  
Ricky Wong  
Wei Xia  
Wai Ting Yu  
Diana Zalph  
Sacha Zilkha

## **Mayor's Fund to Advance New York City**

Chapman Perelman Foundation  
Cheryl Cohen Effron  
Steven Feldman  
Fountain House  
HBO  
Cynthia C. Wainwright

# Endnotes

- <sup>1</sup> There is surprisingly limited data on which to base very specific descriptions of mental illness in our communities. And as will be discussed in this report, formal definitions of “illness” and information we have about them only capture a part of how threats to mental health affect so much of our lives. This is one reason why this Roadmap will underscore the need for developing better information gathering methods to support a strong program for mental health. Existing studies indicate that somewhere near the range of 18-26% of adults each year experience a defined mental health disorder—a term which throughout this report is intended to also include substance use disorders. (1) The National Comorbidity Survey-Replication (NCS-R) estimates 26% of US adults have a mental health disorder in a given year, using a gold-standard survey method that uses a diagnostic checklist and assessed for several disorders including anxiety, mood, impulse control, and substance use disorders. (2) The National Survey on Drug Use and Health (NSDUH) estimates prevalence of mental health disorders based on extrapolating predictions from a similar diagnostic interview. Based on these predictions, approximately 19% of adults in New York State have a mental health disorder in a given year, not including substance use disorders. (3) Using a similar model, our own NYC data estimates the prevalence of mental health disorders—though excluding substance use disorders—at 21%. Given that (4) the NSDUH estimates 8% of New York State adults have a substance use disorder in a given year, the overall NYC prevalence of mental illness is potentially even higher than 21%. Sources: 1) Kessler RC, Chiu WT, Demler O, Walters EE. Prevalence, Severity, and Comorbidity of 12-Month DSM-IV Disorders in the National Comorbidity Survey Replication, *Archives of General Psychiatry*, (2005) 62: 617-627; 2) <http://www.samhsa.gov/data/sites/default/files/NSDUHsaeSpecificStates2013/NSDUHsaeNewYork2013.pdf>; 3) New York City Department of Health and Mental Hygiene. New York City Health and Nutrition Examination Survey (NYC HANES 2013–2014), Unpublished Raw Data, 2013. 4) <http://www.samhsa.gov/data/sites/default/files/NSDUHsaeSpecificStates2013/NSDUHsaeNewYork2013.pdf>
- <sup>2</sup> New York City Department of Health and Mental Hygiene. New York City Youth Risk Behavior Survey Unpublished Raw Data, 2013. <http://www.nyc.gov/html/doh/html/data/youth-risk-behavior.shtml>
- <sup>3</sup> Communication with Department of Homeless Services HS, Office of Deputy Commissioner of Adult Services, 2015.
- <sup>4</sup> New York State Department of Health Statewide Planning and Research Cooperative System (SPARCS) Unpublished Raw Data, 2012.
- <sup>5</sup> Zimmerman R, Li W, Lee E, Lasner-Frater L, Van Wye G, Kelley D, Kennedy J, Maduro G, Sun Y. Summary of Vital Statistics, 2013: Mortality. New York, NY: New York City Department of Health and Mental Hygiene, Office of Vital Statistics, 2015.
- <sup>6</sup> <http://council.nyc.gov/downloads/pdf/budget/2015/15/072%20Department%20of%20Correction.pdf>.
- <sup>7</sup> Zisook S, Shear, K. Grief and Bereavement: What Psychiatrists Need to Know: *World Psychiatry*, 8: 67-74, 2008.
- <sup>8</sup> Muenning, P., Goldsmith, J.A., El-Sayed A.M., Goldmann, E.S., Quan, R., Barracks S., Cheung J., Behavioral Health in New York City: The Burden, Cost, and Return on Investment. Unpublished Raw Data, 2015.
- <sup>9</sup> New York City Department of Health and Mental Hygiene. New York City Health and Nutrition Examination Survey (NYC HANES 2013–2014), Unpublished Raw Data, 2013.
- <sup>10</sup> Definition of SMI: Adults with Serious Mental Illness (SMI) currently or at some time during the past year had a diagnosable mental, behavioral or emotional disorder (excluding developmental and substance use disorders) that resulted in functional impairment that substantially interfered with or limited functioning in one or more major life activities. More specifically, SMI prevalence were determined using an algorithm from the National Survey on Drug Use and Health that included age, scores from the Kessler-6 (K6) scale (six items which assess emotional distress), and an abbreviated version of the World Health Organization Disability Assessment Schedule (WHODAS) (eight items which assess functional impairment).
- <sup>11</sup> New York City Department of Health and Mental Hygiene. Community Mental Health Survey Unpublished Raw Data, 2012.
- <sup>12</sup> World Health Organization. Mental Health: A State of Well-Being, 2014. [http://www.who.int/features/factfiles/mental\\_health/en/](http://www.who.int/features/factfiles/mental_health/en/)
- <sup>13</sup> World Health Organization. Risks to Mental Health: An Overview of Vulnerabilities and Risk Factors, 2012. [http://www.who.int/mental\\_health/mhgap/risks\\_to\\_mental\\_health\\_EN\\_27\\_08\\_12.pdf](http://www.who.int/mental_health/mhgap/risks_to_mental_health_EN_27_08_12.pdf)
- <sup>14</sup> New York City Department of Health and Mental Hygiene. Health Department Releases Highlights from the 2014 Community Health Survey, 2014. <http://www.nyc.gov/html/doh/html/pr2015/pr037-15.shtml>
- <sup>15</sup> New York City Department of Health and Mental Hygiene. Youth Risk Behavior Survey, 2001 and 2013.
- <sup>16</sup> New York City Department of Health and Mental Hygiene. Preventing Non-Communicable Diseases and Injuries: Innovative Solutions from New York City, 2011.
- <sup>17</sup> New York City Department of Health and Mental Hygiene. Health Department Data Shows Steady Decline In Teen Pregnancy Rate, 2013. <http://www.nyc.gov/html/doh/html/pr2013/pr012-13.shtml>
- <sup>18</sup> New York City Department of Health and Mental Hygiene. HIV Surveillance Annual Report, 2013. <http://www.nyc.gov/html/doh/downloads/pdf/dires/2013-hiv-surveillance-annual-report.pdf>
- <sup>19</sup> New York City Department of Health and Mental Hygiene. Report to the New York City Council on Progress in Preventing Childhood Lead Poisoning in New York City, 2014
- <sup>20</sup> New York City Department of Health and Mental Hygiene. New York City Youth Risk Behavior Survey Unpublished Raw Data, 2013.
- <sup>21</sup> New York City Department of Health and Mental Hygiene. New York City Health and Nutrition Examination Survey (2012-2013) Unpublished Raw Data, 2013.
- <sup>22</sup> New York City Department of Health and Mental Hygiene, Bureau of Maternal, Infant & Reproductive Health PRAMS, 2012. Unpublished Raw Data.
- <sup>23</sup> Muenning, P., Goldsmith, J.A., El-Sayed A.M., Goldmann, E.S., Quan, R., Barracks S., Cheung J., Behavioral Health in New York City: The Burden, Cost, and Return on Investment. Unpublished Raw Data, 2015.
- <sup>24</sup> Livingston J.D., Boyd J.E. Correlates and Consequences of Internalized Stigma for People Living with Mental Illness: A Systematic Review and Meta-analysis. *Social Science & Medicine* 71(12):2150-2161, 2010.
- <sup>25</sup> New York City Department of Health and Mental Hygiene. Vital Statistics Mortality Data Unpublished Raw Data, 2013.
- <sup>26</sup> Muenning, P., Goldsmith, J.A., El-Sayed A.M., Goldmann, E.S., Quan, R., Barracks S., Cheung J., Behavioral Health in New York City: The Burden, Cost, and Return on Investment. Unpublished Raw Data, 2015.
- <sup>27</sup> Druss, B. G., Zhao, L., Von Esenwein, S., Morroto, E. H., & Marcus, S. C. Understanding Excess Mortality in Persons with Mental Illness: 17-year Follow Up of a Nationally Representative US Survey. *Medical Care* 49(6), 599-60, 2011.
- <sup>28</sup> Mitchell AJ, Malone D, Doebbeling CC. Quality of Medical Care for People with and Without Comorbid Mental Illness and Substance Misuse: Systematic Review of Comparative Studies. *Br J Psychiatry* 194(6):491-9, 2009.
- <sup>29</sup> Marder SR, Essock SM, Miller AL, Buchanan RW, Casey DE, Davis JM, et al. Physical Health Monitoring of Patients with Schizophrenia. *Am J Psychiatry* 161(8):1334-49, 2004.
- <sup>30</sup> Sokal, J., Messias, E., Dickerson, F.B., Kreyenbuhl, J., Brown, C.H., Goldberg, R.W., & Dixon, L.B. Comorbidity of Medical Illnesses Among Adults with Serious Mental Illness Who Are Receiving Community Psychiatric Services. *The Journal of Nervous and Mental Disease*, 192(6), 421-427, 2004.
- <sup>31</sup> Hennekens, C.H., Hennekens, A.R., Hollar, D., & Casey, D.E. Schizophrenia and Increased Risks of Cardiovascular Disease. *American Heart Journal* 150(6), 1115-1121, 2005.
- <sup>32</sup> Clark, N.G. Consensus Development Conference on Antipsychotic Drugs and Obesity and Diabetes. *Diabetes Care*. 27(2), 596., 2004.
- <sup>33</sup> Norman C, Goldmann E, Staley B, Duchon R. Serious Mental Illness Among New York City Adults. *NYC Vital Signs* Volume 14, No. 2; 1-4, 2015.
- <sup>34</sup> Gilsanz, P. Walter, S; Tchetchen, E.J. et al. Changes in Depressive Symptoms and Incidence of First Stroke Among Middle-Aged and Older US Adults,” *J Am Heart Assoc*. 4: e001923, 2015.
- <sup>35</sup> Sources and methods for health care costs available upon request, with: Muenning, P., Goldsmith, J.A., El-Sayed A.M., Goldmann, E.S., Quan, R., Barracks S., Cheung J., Behavioral Health in New York City: The Burden, Cost and Return on Investment. Unpublished Raw Data, 2015.
- <sup>36</sup> Ibid.
- <sup>37</sup> Mayor of London. London Mental Health: The Invisible Costs of Mental Health, 2014.
- <sup>38</sup> New York City Department of Health and Mental Hygiene Bureau of Mental Health Medicaid Analysis Based on Salient NYS Medicaid System, Including Payment Cycles Through 1963, Unpublished Raw Data, 2015.
- <sup>39</sup> Milliman, Inc. Commercial Insurance and Medicare analysis. (2015). Unpublished raw data.
- <sup>40</sup> Chapman, D.P., Whitfield, C.L., Felitti V.J., Dube S.R., Edwards, V.J, Anda, R.F. Adverse Childhood Experiences and the Risk of Depressive Disorders in Adulthood. *Journal of Affective Disorders*. 82: 217-2252004, 2004.
- <sup>41</sup> Halfon, N. Wise, P.H. and Forrest, C.B. The Changing Nature of Children’s Health Development: New Challenges Require Major Policy Solutions *Health Affairs* 33, no.12:2116-2124 doi: 10.1377/hlthaff.2014.0944, 2014.
- <sup>42</sup> Shonkoff, J.P. Boyce, W.T. McEwen, B.S. et al. Neuroscience, Molecular Biology, and the Childhood Roots of Health Disparities: Building a New Framework for Health Promotion and Disease Prevention, *JAMA* 301(21): 2252-2259, 2009.
- <sup>43</sup> McLaughlin, K. A., Green, J. G., Gruber, M. J., Sampson, N. A., Zaslavsky, A. M., & Kessler, R. C. Childhood Adversities and First Onset of Psychiatric Disorders in a National Sample of Adolescents. *Archives of General Psychiatry* 69(11), 1151-1160. <http://doi.org/10.1001/archgenpsychiatry.2011.2277>, 2012.
- <sup>44</sup> Sharkey, P. The Acute Effect of Local Homicides on Children’s Cognitive Performance. *Proceedings of the National Academy of Sciences of the United States of America*



- 107(26), 11733–11738. doi:10.1073/pnas.1000690107, 2010.
- <sup>45</sup> Mersky, J. P., J. Topitzes, and A. J. Reynolds. Impacts of Adverse Childhood Experiences on Health, Mental Health, and Substance Use in Early Adulthood: A Cohort Study of an Urban, Minority Sample in the US. *Child Abuse & Neglect* 37:11: 917–925, 2013.
- <sup>46</sup> New York City Department of Health and Mental Hygiene Bureau of Early Intervention, Identifying and Referring Children with Developmental Delays to Early Intervention Services. City Health Information, 2008.
- <sup>47</sup> 2011/12 National Survey of Children's Health. NSCH 2011/12. Data Query from the Child and Adolescent Health Measurement Initiative, Data Resource Center for Child and Adolescent Health website. [www.childhealthdata.org](http://www.childhealthdata.org)
- <sup>48</sup> Hinterland, K., Sanderson, M., Eisenhower, D. Bullying Among New York City Youth. Epi Data Brief (37), 2013. <http://www.nyc.gov/html/doh/downloads/pdf/epi/databrief37.pdf>
- <sup>49</sup> Paus, T., Keshavan, M., Giedd, J.N. Why Do Many Psychiatric Disorders Emerge During Adolescence? *Nature Reviews Neuroscience* 9, 947–57, 2008.
- <sup>50</sup> U.S. Department of Health and Human Services. The Surgeon General's Call to Action to Prevent and Reduce Underage Drinking. U.S. Department of Health and Human Services, Office of the Surgeon General, 2007.
- <sup>51</sup> New York City Department of Health and Mental Hygiene. New York City Youth Risk Behavior Survey Unpublished Raw Data, 2013.
- <sup>52</sup> Ibid.
- <sup>53</sup> Margolin, G., Vickerman, K.A., Oliver, P.H., Gordis, E.B. Violence Exposure in Multiple Interpersonal Domains: Cumulative and Differential Effects. *Journal of Adolescent Health* 47: 198–205, 2010.
- <sup>54</sup> Duke, N. N., Pettingell, S. L., McMorris, B. J., and Borowsky, I. W. Adolescent Violence Perpetration: Associations with Multiple Types of Adverse Childhood Experiences. *Pediatrics* 124 (4), e778–e786, 2010.
- <sup>55</sup> New York City Department of Health and Mental Hygiene, 2015. <http://www.nyc.gov/html/doh/downloads/pdf/mental/underage-drinking-factsheet.pdf>
- <sup>56</sup> New York City Department of Health and Mental Hygiene. New York City Youth Risk Behavior Survey Unpublished Raw Data, 2013
- <sup>57</sup> Hinterland, K., Sanderson, M., Eisenhower, D. Bullying Among New York City Youth. Epi Data Brief(37), 2013. <http://www.nyc.gov/html/doh/downloads/pdf/epi/databrief37.pdf>.
- <sup>58</sup> Kessler, R.C., Berglund, P., Demler, O., Jin, R., Merikangas, K.R., Walters, E.E. Lifetime Prevalence and Age-of-Onset Distributions of DSM-IV Disorders in the National Comorbidity Survey Replication. *Arch Gen Psychiatry* 62:593–602, 2005.
- <sup>59</sup> Manzo, L., Jones, H., Freudenberg, N., Kwan, A., Tsui, E., Gagnon, M. The Psychological Well-Being of CUNY Students: Results from a Survey of CUNY Undergraduate Students Healthy CUNY Initiative, City University of New York, 2011. [http://www.gc.cuny.edu/CUNY\\_GC/media/CUNY-Graduate-Center/PDF/Centers/Center for Human Environments/cunypsychwellbeing.pdf](http://www.gc.cuny.edu/CUNY_GC/media/CUNY-Graduate-Center/PDF/Centers/Center for Human Environments/cunypsychwellbeing.pdf)
- <sup>60</sup> Dave, S., Petersen, I., Sherr, L., Nazareth I. Incidence of Maternal and Paternal Depression in Primary Care: A Cohort Study Using a Primary Care Database. *Arch Pediatr Adolesc Med* 164(11):1038–44, 2010.
- <sup>61</sup> Beardslee, W.R., Versage, E.M., Gladstone, T.R. Children of Affectively Ill Parents: A Review of the Past 10 Years. *J Am Acad Child Adolescent Psychiatry*, 37:1134–1141,1998.
- <sup>62</sup> New York City Department of Health and Mental Hygiene, Bureau of Maternal, Infant & Reproductive Health PRAMS, 2012. Unpublished Raw Data.
- <sup>63</sup> Pooler, J., Perry, D.F. & Ghandour, R.M. Prevalence and Risk Factors for Postpartum Depressive Symptoms Among Women Enrolled in WIC. *Maternal and Child Health Journal* 17:10 1969–1980, 2013. Gaynes, B. N., Gavin, N., Meltzer-Brody, S., Lohr, K.N., Swinson, T., Gartlehner, S., Brody S, Miller, W.C. Perinatal Depression: Prevalence, Screening Accuracy, and Screening Outcomes. Summary (Evidence Report/Technology Assessment No. 119. AHRQ Publication No. 05-E006-1). Rockville, MD: Agency for Healthcare Research and Quality, 2005. Retrieved from <http://archive.ahrq.gov/clinic/epcsums/peridepsum.htm> Chaudron LH, Szilagyi P, Tang W, Anson E, Talbot N, Wadkins H, Tu X, Wisner K. Accuracy of Depression Screening Tools for Identifying Postpartum Depression Among Urban Mothers *Pediatrics*. *Pediatrics*. 125: e609–e617, 2010.
- <sup>64</sup> McDaniel M and Lowenstein C. Depression in Low Income Mothers of Young Children: Are They Getting the Treatment They Need. Urban Institute, 2013. <http://www.urban.org/sites/default/files/alfresco/publication-pdfs/412804-Depression-in-Low-Income-Mothers-of-Young-Children-Are-They-Getting-the-Treatment-They-Need-.PDF>
- <sup>65</sup> LeStrat Y, Dubertret C, Le Foll B. Prevalence and correlates of major depressive episode in Pregnant and Postpartum Women in the United States. *Journal of Affective Disorders*. 135(1-3):128–38, 2011. doi: 10.1016/j.jad.2011.07.004. Epub 2011 Jul 29.
- <sup>66</sup> New York City Department of Health and Mental Hygiene, Bureau of Early Intervention, Identifying and Referring Children with Developmental Delays to Early Intervention Services. City Health Information, 2008.
- <sup>67</sup> New York City Department of Health and Mental Hygiene, Bureau of Maternal, Infant & Reproductive Health PRAMS, 2012 Unpublished Raw Data.
- <sup>68</sup> Siegenthaler, M. Munder, T., Egger, M. Effect of Preventive Interventions in Mentally Ill Parents on the Mental Health of the Offspring: Systematic Review and Meta-analysis. *Journal of the American Academy of Child and Adolescent Psychiatry* 51, 1. 2012.
- <sup>69</sup> Tanielian, T. & Jaycox, L. (Eds.). *Invisible Wounds of War: Psychological and Cognitive Injuries, Their Consequences, and Services to Assist Recovery*. Santa Monica, CA: RAND Corporation, 2008.
- <sup>70</sup> Dixon L, Lucksted A, Stewart B, et al: Outcomes of the Peer-Taught 12-week Family-to-Family Education Program for Severe Mental Illness. *Acta Psychiatrica Scandinavica* 109:207–215, 2004.
- <sup>71</sup> Pickett-Schenk SA, Cook JA, Steigman P, et al: Psychological Well-Being and Relationship Outcomes in a Randomized Study of Family Led Education. *Archives of General Psychiatry* 63:1043–1050, 2006.
- <sup>72</sup> Brister, T, Cavaleri, M.A., Olin, S., Shen, S., Burns, B.J., Hoagwood, K.E. An Evaluation of the NAMI Basics Program. *Journal of Child and Family Studies* 21:439–442, 2012.
- <sup>73</sup> Kessler Foundation, National Organization on Disabilities and Harris Interactive: 2010 Gap Survey of Americans with Disabilities, 2010. [www.2010disabilitysurveys.org/index.html](http://www.2010disabilitysurveys.org/index.html)
- <sup>74</sup> Bond, G.R., Becker, D.R., Drake, R.E., Rapp, C.A., Meisler, N., Lehman, A.F., Bell, M.D., & Blyler, C.R., Implementing Supported Employment as an Evidence-based Practice, *Psychiatric Services*, 2001.
- <sup>75</sup> Butterworth, J., Hall, A., Smith, F., Migliore, A., Winsor, J., Timmons, J., & Domin, D. State Data: The National Report on Employment Services and Outcomes. Boston, MA: Institute for Community Inclusion, University of Massachusetts Boston.
- <sup>76</sup> Smith, F.A., & Bhattarai, S. Persons Served in Community Mental Health Programs and Employment. Institute for Community Inclusion, 2011.
- <sup>77</sup> Office of Disability Employment Policy, Bureau of Labor Statistics, U.S. Department of Labor, Current Population Survey, 2010. [www.bls.gov/cps](http://www.bls.gov/cps)
- <sup>78</sup> <http://council.nyc.gov/downloads/pdf/budget/2015/15/072%20Department%20of%20Correction.pdf>.
- <sup>79</sup> Communication with Department of Homeless Services HS, Office of Deputy Commissioner of Adult Services, 2015.
- <sup>80</sup> New York City Department of Health and Mental Hygiene. Community Health Survey, Unpublished Data, 2008.
- <sup>81</sup> Centers for Disease Control. National Intimate Partner and Sexual Violence Survey, 2010. [http://www.cdc.gov/violenceprevention/pdf/nisvs\\_report2010-a.pdf](http://www.cdc.gov/violenceprevention/pdf/nisvs_report2010-a.pdf)
- <sup>82</sup> Bruce, M.L., McAvay, G.J., Raue, P.J., Brown, E.L., Meyers, B.S., Keohane, D.J., Jagoda, D.R., and Weber, C. Major Depression in Elderly Home Health Care Patients. *American Journal of Psychiatry* 159: 1367–1374, 2002.
- <sup>83</sup> Zisook S, Shear, K. Grief and Bereavement: What Psychiatrists Need to Know: *World Psychiatry*, 8: 67–74, 2008.
- <sup>84</sup> National Center for Health Statistics. Health, United States, 2012: With Special Feature on Emergency Care. Hyattsville, MD., 2013.
- <sup>85</sup> Groerger, J., Penne, M., Pemberton, M., Folsom, R. Substance Abuse Treatment Need Among Older Adults in 2020: The Impact of the Aging Baby-Boom Cohort, *Drug and Alcohol Dependence* 69 (2): 127–135, 2003.
- <sup>86</sup> Yamaki K, Hsieh K, Heller T. Health Profile of Aging Family Caregivers Supporting Adults with Intellectual and Developmental Disabilities at Home. *Intellect Dev Disabil* 47(6):425–35, 2009.
- <sup>87</sup> Lifespan of Greater Rochester, Inc., Weill Cornell Medical Center of Cornell University, and New York City Department for the Aging. Under the Radar: New York State Elder Abuse Prevalence Study Self-Reported Prevalence and Documented Case Surveys, 2011.
- <sup>88</sup> New York City Department of Health and Mental Hygiene. Community Mental Health Survey Unpublished Raw Data, 2012.
- <sup>89</sup> New York City Department of Health and Mental Hygiene. Child Health Survey, 2009.
- <sup>90</sup> Coyle C, Stayton C, Ha J, Norman C, Sadler P, Driver C, Heller D, Paone D, Singh T, Olson C. Suicide and Self-inflicted Injuries in New York City. *NYC Vital Signs* 11(1):1–4, 2012.
- <sup>91</sup> Williams DR, Gonzalez HM, Neighbors H, Nesse R, Abelson JM, Sweetman J, Jackson JS. Prevalence and Distribution of Major Depressive Disorder in African Americans, Caribbean Blacks, and Non-Hispanic Whites. *Archives of General Psychiatry*, 2007.
- <sup>92</sup> Breslau J, Kendler KS, Su M, Gaxiola-Aguilar S, Kessler RC. Lifetime Risk and Persistence of Psychiatric Disorders Across Ethnic Groups in the United States. *Psychol Med* 35(3):317–27, 2005.
- <sup>93</sup> Gara MA, Vega WA, Arndt S, Escamilla M, Fleck DE, Lawson WB, et al. Influence of Patient Race and Ethnicity on Clinical Assessment in Patients with Affective Disorders. *Arch Gen Psychiatry* 69(6):593–600, 2012.
- <sup>94</sup> Metzl, JM. *Power Psychosis: How Schizophrenia Became a Black Disease* (New York: Beacon Press), 2011.
- <sup>95</sup> Stockdale, Susan E. et al. Racial and Ethnic Disparities in Detection and Treatment of Depression and Anxiety Among Psychiatric and Primary Health Care Visits, 1995–2005. *Medical Care* 46.7 668–677, 2008.

- <sup>96</sup> Wassertheil-Smolter, S, et al. Depression, Anxiety, Antidepressant Use, and Cardiovascular Disease Among Hispanic Men and Women of Different National Backgrounds: Results from the Hispanic Community Health Study/Study of Latinos. *Annals of Epidemiology* 24.11822-830, 2014.
- <sup>97</sup> New York City Department of Health and Mental Hygiene. Community Health Survey Unpublished Data, combined 2009-2010, 2012.
- <sup>98</sup> U.S. Department of Health and Human Services. Mental Health: Culture, Race, and Ethnicity—A Supplement to Mental Health: A Report of the Surgeon General. Substance Abuse and Mental Health Services Administration, Center for Mental Health Services, 2001.
- <sup>99</sup> Ibid.
- <sup>100</sup> Hankerson SH, Fenton MC, Geier TJ, Keyes KM, Weissman MM, Hasin DS. Racial Differences in Symptoms, Comorbidity, and Treatment for Major Depressive Disorder Among Black and White Adults. *J Natl Med Assoc* Jul;103(7):576-84, 2011.
- <sup>101</sup> New York State Department of Health Statewide Planning and Research Cooperative System, Unpublished Raw Data, 2013.
- <sup>102</sup> New York City Department of Health and Mental Hygiene, Bureau of Mental Health Medicaid Analysis Based on Salient NYS Medicaid System, Including Payment Cycles through 1963 Unpublished Raw Data, 2015.
- <sup>103</sup> Milliman, Inc. Commercial Insurance and Medicare Analysis. (2015). Unpublished raw data.
- <sup>104</sup> Unutzer, J., Depressive Symptoms and the Cost of Health Services in HMO Patients Aged 65 Years and Older. *JAMA* 1997.277;20, 1997.
- <sup>105</sup> Katon WJ, Lin E, Russo J, Unutzer J Increased Medical Costs of a Population-based Sample of Depressed Elderly Patients. *Arch Gen Psychiatry* 60(9):897-903, 2003.
- <sup>106</sup> Mental Health Continuity of Care Report NYS Office of Mental Health, BHO Performance Metrics Portal, 2014. <https://www.omh.ny.gov/omhweb/statistics/bho-message.html>
- <sup>107</sup> A number of evidence-based, home-based clinical care interventions (Multisystemic Therapy (MST), Functional Family Therapy (FFT)) that crucially address both child and their family, improve outcomes and reduce utilization of high-intensity services over time. While costly, these alternatives are eventually far less expensive than treating these complex needs in a fragmented, ineffective way. For example, in New York State these families represent 5% of families but carry 50% of Medicaid costs because they receive disconnected hospital, emergency room, or other care rather than those methods best matched to meet their needs.
- <sup>108</sup> Young AS, Klap R, Sherbourne CD, Wells KB. The Quality of Care for Depressive and Anxiety Disorders in the United States. *Arch Gen Psychiatry* 58(1):55-61, 2001.
- <sup>109</sup> Kessler RC, Berglund P, Demler O, Jin R, Koretz D, Merikangas KR, Rush AJ, Walters EE, Wang PS; National Comorbidity Survey Replication. The Epidemiology of Major Depressive Disorder: Results from the National Comorbidity Survey Replication (NCS-R). *JAMA* 289(23):3095-3105, 2003.
- <sup>110</sup> González HM, Vega WA, Williams DR, Tarraf W, West BT, Neighbors HW. Depression Care in the United States: Too Little for Too Few. *Arch Gen Psychiatry*. 2010;67(1):37-46. doi:10.1001/archgenpsychiatry.168, 2009.
- <sup>111</sup> Crystal, S., Olfson, M., Huang, C., Pincus, H., Gerhard, T. Broadened Use Of Atypical Antipsychotics: Safety, Effectiveness, And Policy Challenges. *Health Affairs* 28, no., 2009.
- <sup>112</sup> Olfson M, Druss BG, Marcus SC. Trends in Mental Health Care among Children and Adolescents. *New England Journal of Medicine* 372(21):2029-2038, 2015.
- <sup>113</sup> OECD Guidelines on Measuring Subjective Well-being. OECD Publishing, DOI: <http://dx.doi.org/10.1787/9789264191655-en> , 2013.
- <sup>114</sup> Ibid.
- <sup>115</sup> Haugen, Evces, Weiss. "Treating Posttraumatic Stress Disorder in First Responders: A Systematic Review." *Clinical Psychology Review* 32 (2012) 370-380. Accessed at [http://www.researchgate.net/publication/224914497\\_Treating\\_Posttraumatic\\_Stress\\_Disorder\\_in\\_First\\_Responders\\_A\\_Systematic\\_Review\\_on\\_11/5/15](http://www.researchgate.net/publication/224914497_Treating_Posttraumatic_Stress_Disorder_in_First_Responders_A_Systematic_Review_on_11/5/15)
- <sup>116</sup> Spelman JF, Hunt SC, Seal, KH, Burgo-Black AL. Post deployment care for returning combat veterans. *Journal of General Internal Medicine*. 2012; 27:1200-1209.
- <sup>117</sup> Blais RK, Renshaw KD. Stigma and demographic correlates of help-seeking intentions in returning service members. *Journal of Trauma and Stress*. 2013;26:77-85.
- <sup>118</sup> New York State Health Foundation. "The Needs of New York State's Returning Veterans and Their Families. <http://nyshealthfoundation.org/uploads/resources/new-york-state-returning-veterans-issue-brief-january-2011.pdf> Issue Brief January 2011. Accessed 11/16/15
- <sup>119</sup> Partnership for Workplace Mental Health, 2015. [www.workplacementalhealth.org](http://www.workplacementalhealth.org)
- <sup>120</sup> The Mindfulness Initiative. Mindful Nation UK. [Report by the Mindfulness All-Party Parliamentary Group], 2015. [http://www.themindfulnessinitiative.org.uk/images/reports/Mindfulness-APPG-Report\\_Mindful-Nation-UK\\_Oct2015.pdf](http://www.themindfulnessinitiative.org.uk/images/reports/Mindfulness-APPG-Report_Mindful-Nation-UK_Oct2015.pdf).
- <sup>121</sup> Kessler RC, Berglund PA, Demler O, Jin R, Walters EE. Lifetime Prevalence and Age-of-Onset Distributions of DSM-IV Disorders in the National Comorbidity Survey Replication (NCS-R). *Archives of General Psychiatry*. 62(6):593-602, 2005.
- <sup>122</sup> National Institute of Mental Health. Mental Illness Exacts Heavy Toll, Beginning in Youth, 2005. <http://www.nimh.nih.gov/news/science-news/2005/mental-illness-exacts-heavy-toll-beginning-in-youth.shtml>
- <sup>123</sup> Benoit, D. Infant-Parent Attachment: Definition, Types, Antecedents, Measurement and Outcome. *Pediatrics & Child Health*, 9(8), 541-545, 2004.
- <sup>124</sup> Wald, M.S. Beyond Child Protection: Helping All Families Provide Adequate Parenting," in McCartney, K. Yoshikawa, H. Forcier, L.B. eds. Improving the Odds for America's Children Future Directions in Policy and Practice, pp. 135-147, 2014.
- <sup>125</sup> NYC Project LAUNCH Evaluation-End of Project Report, 2015
- <sup>126</sup> Marshall M, et al. Association Between Duration of Untreated Psychosis and Outcome in Cohorts of First-Episode Patients: A Systematic Review. *Archives of General Psychiatry* 62:975-983, 2005
- <sup>127</sup> Perkins D, Gu H, Boteva K, Lieberman J. Relationship Between Duration of Untreated Psychosis and Outcome in First-Episode Schizophrenia: A Critical Review and Meta-Analysis. *American Journal of Psychiatry* 162:1785-1804, 2005.
- <sup>128</sup> Post, R. M., Leverich, G. S., Kupka, R. W., Keck Jr, P. E., McElroy, S. L., Altshuler, L. L., Nolen, W. A. Early-Onset Bipolar Disorder and Treatment Delay are Risk Factors for Poor Outcome in Adulthood. *Journal of Clinical Psychiatry*, 71(7), 864, 2010.
- <sup>129</sup> Wang PS, Berglund P, Olfson M, Pincus HA, Wells KB, Kessler RC. Failure and Delay in Initial Treatment Contact After First Onset of Mental Disorders in the National Comorbidity Survey Replication. *Arch Gen Psychiatry* 2005;62(6):603-13 <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1361014/>
- <sup>130</sup> Shore, R. (1997). Rethinking the brain: New insights into early development. New York: Families and Work Institute.
- <sup>131</sup> Shonkoff, J., & Phillips, D.A. (2000). From neurons to neighborhoods: The science of early childhood development. Washington DC: National Academy of Sciences Presses.
- <sup>132</sup> Durlack, Weissberg et al. "the Impact of Enhancing Students' Social and Emotional Learning: A Meta-Analysis of School-Based Universal Interventions." *Child Development* 82(1): 402-432, 2011.
- <sup>133</sup> Department of Health, London. Mental Health Promotion and Prevention: The Economic Case. Knapp, M., McDaid, D., Paronage, M. (Eds.), 2011.
- <sup>134</sup> Curbey, TW, Brown, CA, Bassett, HH, Denham, SA, Associations Between Preschoolers' Social-Emotional Competence and Preliteracy Skills, *Infant and Child Development* 24(5): 549-570, 2015.
- <sup>135</sup> Belfield, C. Bowden, B. Klapp, A. Levin, H. Shand, R. Zander, S. The Economic Value of Social and Emotional Learning, 2015. <http://cbcse.org/wordpress/wp-content/uploads/2015/02/SEL-Revised.pdf>
- <sup>136</sup> Centers for Disease Control, Policy Evidence Assessment Report: Community Health Worker Policy Components, [http://www.cdc.gov/dhdp/pubs/docs/chw\\_evidence\\_assessment\\_report.pdf](http://www.cdc.gov/dhdp/pubs/docs/chw_evidence_assessment_report.pdf)
- <sup>137</sup> Archer J, Bower P, Gilbody S, Lovell K, Richards D, Gask L, Dickens C, Coventry P. Collaborative Care for Depression and Anxiety Problems. *Cochrane Database of Systematic Reviews* Issue 10. Art. No.: CD006525. DOI: 10.1002/14651858.CD006525.pub2, 2012.
- <sup>138</sup> Wennerstrom A, Vannoy SD, Allen CE, Meyers D, O'Toole E, Wells KB, Springgate BF. Community-base Participatory Development of a Community Health Workers Mental Health Outreach Role to Extend Collaborative Care in Post-Katrina New Orleans. *Ethnicity and Disease* 21(301):S1-45-51, 2011.
- <sup>139</sup> Srihari VH, Tek C, Kucukgoncu S, Phutane VH, Breitborde NJK, Pollard J, et al. First-Episode Services for Psychotic Disorders in the U.S. Public Sector: A Pragmatic Randomized Controlled Trial. *Psychiatr Serv*. doi: 0.1176/appi.ps.201400236. 66(7), 705-712, 2015.
- <sup>140</sup> Kane JM, Robinson DG, Schooler NR, Mueser KT, Penn DL, Rosenheck RA, et al. Comprehensive Versus Usual Care for First Episode Psychosis: Two-Year Outcomes from the NIMH RAISE Early Treatment Program. *American Journal of Psychiatry*. 201 (in press).
- <sup>141</sup> Marshall M, Rathbone J. Early Interventions for Psychosis. *Cochrane Database Systematic Reviews* 18:CD004718, 2006.
- <sup>142</sup> Van der Voort TY, van Meijel B, Goossens PJ, Renes J, Beekman AT, Kupka RW. Collaborative Care for Patients with Bipolar Disorder: a Randomised Controlled Trial. *BMC Psychiatry*. 11:133. doi:10.1186/1471-244X-11-133, 2011.
- <sup>143</sup> Tjirtje Y G van der Voort, Berno van Meijel, et al: Collaborative Care for Patients with Bipolar Disorder: Randomised Controlled Trial, *British Journal of Psychiatry*, 206: 393-400, 2015.
- <sup>144</sup> Reilly S, Planner C, Gask L, Hann M, Knowles S, Druss B, Lester H. Collaborative Care Approaches for People with Severe Mental Illness. *Cochrane Database of Systematic Reviews* Issue 11. Art. No.: CD009531. DOI: 10.1002/14651858.CD009531.pub2, 2013.
- <sup>145</sup> Roy-Byrne P, Craske MG, Sullivan G, Rose RD, Edlund MJ, Lang AJ, Bystritsky A, Welch SS, Chavira DA, Golinelli D, Campbell-Sills, L, Sherbourne CD, Stein MB. Delivery of Evidence-based Treatment for Multiple Anxiety Disorders in Primary Care: a Randomized Controlled Trial. *Journal of the American Medical Association*. 303(19), 2010.
- <sup>146</sup> Jonas, D. Garbutt, J. Amick, H. Brown, J. Brownley, K. Council, C. Viera, A. Wilkins, T. Schwartz, C. Richmond, E. Yeatts, J. Swinson Evans, T. Wood, S. Harris, R. Behavioral Counseling After Screening for Alcohol Misuse in Primary Care: A Systematic Review and Meta-analysis for the U.S. Preventive Services Task Force. *Annals of Internal Medicine* 157:645-654, 2012.
- <sup>147</sup> Muennig, P., Goldsmith, J.A., El-Sayed A.M., Goldmann, E.S., Quan, R., Barracks S., Cheung J., Behavioral Health in New York City: The Burden, Cost, and Return on Investment. Unpublished Raw Data, 2015.
- <sup>148</sup> Ibid.
- <sup>149</sup> Heller, Shah, Guryan, Ludwig, Mullainathan, Pollack. Thinking Fast and Slow? Some Field Experiments to Reduce Crime and Dropout in Chicago, Working Paper, 2015.

- <sup>150</sup> Heller, S Pollack, H.A., Ander, R. Ludwig J. Preventing Youth Violence and Dropout: A Randomized Field Experiment. <http://www.nber.org/papers/w19014>, 2013.
- <sup>151</sup> World Health Organization. Preventing Suicide: A Global Imperative, 2014. [http://www.who.int/mental\\_health/suicide-prevention/en/](http://www.who.int/mental_health/suicide-prevention/en/)
- <sup>152</sup> Zero Suicide in Health and Behavioral Health Care, 2015. <http://zerosuicide.sprc.org/>
- <sup>153</sup> National Action Alliance for Suicide Prevention. What is Zero Suicide? 2015.[http://actionallianceforsuicideprevention.org/sites/actionallianceforsuicideprevention.org/files/zero\\_suicide\\_final6.pdf](http://actionallianceforsuicideprevention.org/sites/actionallianceforsuicideprevention.org/files/zero_suicide_final6.pdf)
- <sup>154</sup> Wells KB, Jones L, Chung B, et al. Community-Partnered Cluster-Randomized Comparative Effectiveness Trial of Community Engagement and Planning or Resources for Services to Address Depression Disparities. *Journal of General Internal Medicine* 28:1268-78, 2013.
- <sup>155</sup> Miranda J, Ong MK, Jones L, et al. Community-Partnered Evaluation of Depression Services for Clients of Community-Based Agencies in Under-Resourced Communities in Los Angeles. *Journal of General Internal Medicine* 28:1279-87, 2013.
- <sup>156</sup> Wodak A, Cooney A. Effectiveness of Sterile Needle and Syringe Programming in Reducing HIV/AIDS Among Injecting Drug users. World Health Organization, 2004. [http://www.who.int/hiv/pub/prev\\_care/en/effectivenesssterileneedle.pdf](http://www.who.int/hiv/pub/prev_care/en/effectivenesssterileneedle.pdf).
- <sup>157</sup> Leigh, S. & Flatt, S. App-Based Psychological Interventions: Friend or Foe? Evidence-Based Mental Health Online First, 2015.
- <sup>158</sup> Morris, R.R., Schueller, S.M., Picard, R.W. Efficacy of a Web-Based, Crowd Sourced Peer-to-Peer Cognitive Reappraisal Platform for Depression: Randomized Controlled Trial. *Journal of Medical Internet Research*, 2015,17, 3.
- <sup>159</sup> Kessler, D., Lewis, G., Kaur, S., Wiles, N., King, M., Weich, S., Sharp, D.J., Araya, R., Hollinghurst, S., Peters, T.J. Therapist-delivered Internet Psychotherapy for Depression in Primary Care: a Randomized Controlled Trial. *Lancet* 374: 628-34, 2009.
- <sup>160</sup> Hedman, E. Therapist Guided Internet Delivered Cognitive Behavioural Therapy. *The British Medical Journal* 2014;348:g1977
- <sup>161</sup> Donker, T., Griffiths, K.M., Cuijpers, P., Christensen, H. Psychoeducation for Depression, Anxiety, and Psychological Distress: a Meta-analysis. *BMC Medicine* 7,79, 2009.
- <sup>162</sup> Cuijpers P, Donker T, van Straten A, Li J, Andersson G. Is Guided Self-Help as Effective as Face-to-Face Psychotherapy for Depression and Anxiety Disorders? A Systematic Review and Meta-Analysis of Comparative Outcome Studies. *Psychological Medicine* 40(12):1943-57, 2010.
- <sup>163</sup> Dixon L, Lucksted A, Stewart B, et al. Outcomes of the Peer-Taught 12-week Family-to-Family Education Program for Severe Mental Illness. *Acta Psychiatrica Scandinavica* 109:207-215, 2004.
- <sup>164</sup> Pickett-Schenk SA, Cook JA, Steigman P, et al: Psychological Well-Being and Relationship Outcomes in a Randomized Study of Family Led Education. *Archives of General Psychiatry* 63:1043-1050, 2006.
- <sup>165</sup> Brister T, Cavalieri MA, Olin S, Shen S, Burns BJ, Hoagwood KE. An Evaluation of the NAMI Basics Program. *Journal of Child and Family Studies* 21:439-442, 2012.
- <sup>166</sup> Lee, S., Aos, S., & Pennucci, A. What Works and What Does Not? Benefit-Cost Findings from WSIPP. Olympia: Washington State Institute for Public Policy. Doc. No. 15-02-4101, 2015. Interventions were selected from published data that indicated that: 1) The chance that benefits will exceed costs should be higher than 90%. 2) Highest benefit to cost ratio as compared to other interventions that were reviewed for this population.
- <sup>167</sup> Knapp, M, McDaid, D, & Parsonage M. *Mental Health Promotion and Prevention: The Economic Case*. Department of Health, London, 2011.
- <sup>168</sup> Jacob, V., Chattopadhyay, S. K., Sipe, T. A., Thota, A. B., Byard, G. J., Chapman, D. P., & Community Preventive Services Task Force. Economics of collaborative care for management of depressive disorders: a community guide systematic review. *American journal of preventive medicine*. 42(5), 539-549, 2012.
- <sup>169</sup> Horowitz, JA. and Cousin, A. Postpartum Depression Treatment Rates for At-Risk Women. *Nursing Research* 55(28), S23-27, 2006.
- <sup>170</sup> Kozhimannil, Backes K et al. Racial and Ethnic Disparities in Postpartum Depression Care Among Low-Income Women. *Psychiatric Services* 619-625, 2015.
- <sup>171</sup> Mitchell, A. J., & Selmes, T. Why don't patients attend their appointments? Maintaining engagement with psychiatric services. *Advances in Psychiatric Treatment*, 13, 423-434, 2007.
- <sup>172</sup> CUNY. The Psychological Well-Being of CUNY Students: Results from a Survey of CUNY Undergraduate Students, 2011. [http://www.gc.cuny.edu/CUNY\\_GC/media/CUNY-Graduate-Center/PDF/Centers/Center%20for%20Human%20Environments/cunypsychwellbeing.pdf](http://www.gc.cuny.edu/CUNY_GC/media/CUNY-Graduate-Center/PDF/Centers/Center%20for%20Human%20Environments/cunypsychwellbeing.pdf)
- <sup>173</sup> New York State Health Foundation. "The Needs of New York State's Returning Veterans and Their Families. <http://nyshealthfoundation.org/uploads/resources/new-york-state-returning-veterans-issue-brief-january-2011.pdf> Issue Brief January 2011. Accessed 11/16/15
- <sup>174</sup> Davidson JRT. Recognition and Treatment of Post-Traumatic Stress Disorder. *JAMA*. 2001; 286(5) 584-588.
- <sup>175</sup> Boscarino JA. Diseases among Men 20 Years after Exposure to Severe Stress: Implications for clinical research and medical care. *Psychosomatic Medicine*. 1997; 59(6):605-614.
- <sup>176</sup> Boscarino JA. Post-traumatic Stress Disorder and mortality among US Army Veterans 30 Years after Military Service. *Annals of Epidemiology*. 2006; 16(4): 248-256.
- <sup>177</sup> New York State Health Foundation. "The Needs of New York State's Returning Veterans and Their Families. <http://nyshealthfoundation.org/uploads/resources/new-york-state-returning-veterans-issue-brief-january-2011.pdf> Issue Brief January 2011. Accessed 11/16/15
- <sup>178</sup> Kearney and Simpson. Broadening the Approach to Posttraumatic Stress Disorder and the Consequences of Trauma. *JAMA*. 2015; 314(5):453-455.
- <sup>179</sup> Teplin LA, McClelland GM, Abram KM, Weiner DA. Crime Victimization in Adults With Severe Mental Illness: Comparison With the National Crime Victimization Survey. *Archives of General Psychiatry*. 62(8):911-921. doi:10.1001/archpsyc.62.8.911, 2005.
- <sup>180</sup> US Department of Justice, Office of Juvenile Justice and Delinquency Prevention, The YouthARTS Development Project, *Juvenile Justice Bulletin*, 2001. <https://www.ncjrs.gov/pdffiles1/ojjdp/186668.pdf>
- <sup>181</sup> Ezell, M. and Levy, M. An Evaluation of an Arts Program for Incarcerated Juvenile Offenders, *JCE*, 54,3.
- <sup>182</sup> Carnegie Hall Weill Music Institute and New York City Administration for Children's Services. *Our Voices Count: the Potential Impact of Strength-Based Music Programs in Juvenile Justice Settings*, 2003. [http://www.carnegiehall.org/uploadedFiles/Resources\\_and\\_Components/PDF/WMI/NeA\\_report\\_Our\\_Voices\\_Count.pdf](http://www.carnegiehall.org/uploadedFiles/Resources_and_Components/PDF/WMI/NeA_report_Our_Voices_Count.pdf)
- <sup>183</sup> Koiv, K. and Kaudne, L. Impact of Integrated Arts Therapy: an Intervention Program for Young Female Offenders in Correctional Institution. *Psychology* 6, 1-9, 2015.
- <sup>184</sup> Bailey, Z D., and Williams,D.R. "Stress, Health, and Disparities." *Neurobiology of Brain Disorders: Biological Basis of Neurological and Psychiatric Disorders*. Elsevier, 2014.
- <sup>185</sup> Scherer, M., Freij, M., Chantarat, T., Benjamin, E., Realmuto, L., Abbott, S., Green, D. Fass, S., Philippou, C., Weiss, L. Perspectives on Depression and Accessibility of Services in Low Income Communities in New York City: Results from a Community Needs Assessment, 2014.
- <sup>186</sup> <http://www.brookings.edu/blogs/social-mobility-memos/posts/2015/11/05-stress-worry-support-inequality-cities-graham?cid=00900015020089101US0001-11071>
- <sup>187</sup> Classen, T. J., & Dunn, R. A. The Effect of Job Loss and Unemployment Duration on Suicide Risk in the United States: a New Look Using Mass-Layoffs and Unemployment Duration. *Health Economics*, 21(3), 338-350, doi:10.1002/hec.1719, 2012.
- <sup>188</sup> Paul, M. & Moser, K. Unemployment Impairs Mental health: Meta-analyses. *Journal of Vocational Behavior* 74, 3, 264-282, 2009.
- <sup>189</sup> Davey-Rothwell, M. A., German, D., & Latkin, C. A. Residential Transience and Depression: Does the Relationship Exist for Men and Women? *Journal of Urban Health: Bulletin of the New York Academy of Medicine*, 85(5), 707-716. doi:10.1007/s11524-008-9294-7, 2008.
- <sup>190</sup> Shenassa, E. D., Daskalakis, C., Liebhaber, A., Braubach, M., & Brown, M. Dampness and Mold in the Home and Depression: An Examination of Mold-Related Illness and Perceived Control of One's Home as Possible Depression Pathways. *American Journal of Public Health* 97(10), 1893-1899. doi:10.2105/AJPH.2006.093773, 2007.
- <sup>191</sup> Chatterji, P., Markowitz, S. Family Leave After Childbirth and the Mental Health of New Mothers. *J Ment Health Policy Econ* 15:61-76, 2012.
- <sup>192</sup> Baicker K, Taubman SL, Allen HL, Bernstein M, Gruber JH, Newhouse JP, et al. The Oregon Experiment — Effects of Medicaid on Clinical Outcomes. *New England Journal of Medicine* 368(18):1713-1722, 2013.
- <sup>193</sup> Aloise-Young, P.A., & Chavez, E.L. Not All School Dropouts are the Same: Ethnic Differences in the Relation Between Reason for Leaving School and Adolescent Substance Use. *Psychology in the Schools* 39, 539-547, 2002.
- <sup>194</sup> Esch P, Bocquet V, Pull C, Couffignal S, Lehnert T, Graas M, Fond-Harmant L, Anseau M. The Downward Spiral of Mental Disorders and Educational Attainment: A Systematic Review on Early School Leaving. *BMC Psychiatry*. 14:237, 2014.
- <sup>195</sup> Van Kempen, R., H. Posthumus & G. Bolt Urban Restructuring, Displaced Households and Neighbourhood Change: Results from Three Dutch Cities. Paper for the seminar on Understanding Dynamic Neighbourhoods, Manchester, 2010.
- <sup>196</sup> Irvine, K. N., Waber, S. L., Devine-Wright, P., & Gaston, K. J. Understanding Urban Green Space as a Health Resource: A Qualitative Comparison of Visit Motivation and Derived Effects Among Park Users in Sheffield, UK. *International Journal of Environmental Research and Public Health* 10, 417-442, 2013.
- <sup>197</sup> Sturm, R., & Cohen, D. Proximity to Urban Parks and Mental Health. *The Journal of Mental Health Policy and Economics*, 17(1), 19-24, 2014.
- <sup>198</sup> Matlin, S. L., Evans, A.C. and Tebes, J.K., *Beauty, Connection, Healing, and Behavioral Health: The Role of Public Art in Promoting Wellness*. J. Golden & Mural Arts Associates (Eds.), 2014.
- <sup>199</sup> Chung, B., Jones, L., Jones, A., Corbett, C. E., Booker, T., Wells, K. B., & Collins, B. Using Community Arts Events to Enhance Collective Efficacy and Community Engagement to Address Depression in an African American Community. *American Journal of Public Health* 99(2), 237-244, 2009.
- <sup>200</sup> Neighborhoods that are characterized by higher levels of collective efficacy — a sense of interconnectedness between community members coupled with a willingness to work together for the benefit of the greater good — tend to have lower levels of violence and better mental health outcomes (Ahern J, Galea S. Collective Efficacy and Major Depression in Urban Neighborhoods. *American Journal of Epidemiology* 173(12):1453-1462, 2011; Odgers, C. L., et al. The Protective Effects of Neighborhood Collective Efficacy on British Children Growing Up in Deprivation: a Developmental Analysis. *Developmental Psychology* 45,4, 2009.
- <sup>201</sup> New York City Office of the Mayor de Blasio Administration, City Council Expand Citywide Initiative to Reduce Gun Violence, Launch Gun Violence Crisis

Management System, 2014. <http://www1.nyc.gov/office-of-the-mayor/news/401-14/de-blasio-administration-city-council-expand-citywide-initiative-reduce-gun-violence-launch/#/0>

<sup>202</sup> NYC Health and Hospitals Corporation. (2014). HHC Report to the Community. Accessed at <http://www.nyc.gov/html/hhc/downloads/pdf/publication/2014-hhc-report-to-the-community.pdf> on 11/4/15.

<sup>203</sup> Shapiro VB, Oesterle S, Hawkins JD. Relating Coalition Capacity to the Adoption of Science-Based Prevention in Communities: Evidence from a Randomized Trial of Communities That Care. *American Journal of Community Psychology*. 55(1):1-12, 2015.

<sup>204</sup> Communities that Care. Ten Year Charts, 2015.

<sup>205</sup> Kuklinski MR, Briney JS, Hawkins JD, Catalano RF. Cost-Benefit Analysis of Communities that Care Outcomes at Eighth Grade. *Prev Sci* 13(2):150-61, 2012.

<sup>206</sup> Guo T, Xiang YT, Xiao L, et al: Measurement-based care versus standard care for major depression: a randomized controlled trial with blind raters. *Am J Psychiatry* 172:1004–1013, 2015.

<sup>207</sup> **Sources:** The maps incorporate data from DOHMH and the U.S. Department of Health and Human Services' Substance Abuse and Mental Health Services Administration (SAMHSA). The facilities include DOHMH direct-contracted licensed outpatient programs and New York State Office of Mental Health (OMH)-licensed outpatient programs with satellites, including Article 28, Article 31, and New York State Office of Alcoholism and Substance Abuse Services (OASAS)-licensed substance use treatment and syringe exchange programs. All of SAMHSA's data is updated annually via their National Survey of Substance Abuse Treatment Services (N-SSATS) and National Mental Health Services Survey (N-MHSS). New facilities that complete an abbreviated survey and meet all the qualifications are added monthly. The DOHMH direct contract data is updated when a facility enters or ends its contract.

**Methodology:** The Mayor's Office of Correspondence merged the data sets and cross-referenced the facilities in order to identify and remove duplicate entries. The NYC Center for Innovation through Data Intelligence (CIDI) then took the full data set and created this collection of maps using NYC Department of City Planning's Neighborhood Tabulation Areas to determine neighborhood names.

**Key:** The maps categorize providers by their primary focus: mental health facilities, substance use facilities, facilities with substance use and mental health services, or general health services. General health services providers also offer primary care services, in addition to mental health and/or substance use treatment options. These facilities are included on the map only when the facility also offers mental health or substance use treatment and to specify that it offers comprehensive care.


# Mapping the Need

The following maps illustrate the location of mental health and substance use facilities in New York City. They also serve to highlight the variation across neighborhoods when it comes to accessing care.


These maps only include licensed or public contracted clinics. They do not include independent practices or private providers.<sup>207</sup>



# New York City




# Bronx




# Brooklyn

- Substance Use
- Mental Health
- Mix of Substance Use and Mental Health
- General Health




# Queens




# Manhattan

- Substance Use
- Mental Health
- Mix of Substance Use and Mental Health
- General Health





# Staten Island



# Do You Need Help?





# Information on Common Mental Health Issues





# Help for Young People



## Trauma in Young Children

When children are repeatedly exposed to stressful events, it can have a big impact on their ability to manage emotions in a healthy way.

Luckily, a soothing and sensitive caregiver who knows how to set limits with love can make a huge difference in the life of a traumatized child.

### Be alert to possible signs of trauma in your young child:

- Difficulty sleeping, eating, or toileting
- Frequent and severe tantrums
- Delay in achieving milestones
- Difficulty with transitions


### What can contribute to trauma?

- Has your home life changed in any significant way? This could include moving, new people in the home, or people leaving the home.
- Are there behavior problems with the child at home, school, or in the neighborhood?
- Has anything sad, bad, or scary happened to the child recently, or to you?

### It's okay to ask for help!

- You can always talk to your pediatrician about your child's behavior or any changes in your life.
- Get help for yourself! You are the most important person in your child's life.

You can also find help by calling 1-800 LifeNet. It is a free, confidential helpline, available 24/7. For English call 1-800-543-3638, Spanish: 1-877-298-3373, Chinese: 1-877-990-8585, TTY: 1-212-982-5284. Ask for a Family Resource Center near you.



**If you are in immediate danger of harming yourself or someone else, call 911.**

## Teens and Depression

According to a 2013 survey, 27% of New York City public high school students reported feeling sad or hopeless almost every day for two or more weeks. And yet only 18% of these students received help from a counselor.

Everyone feels sad, irritable, or down sometimes. But if these feelings go on for a few weeks and you're having a hard time dealing with them, you may suffer from depression.

### You may be depressed if you:

- Feel sad, irritable, or angry most of the time
- Feel hopeless or helpless
- Feel like nothing is fun anymore and don't enjoy things you used to
- Have trouble concentrating, making decisions, or thinking clearly
- Have no energy
- Feel worthless or bad about yourself
- Have no appetite, or overeat
- Avoid friends or doing anything social
- Have trouble falling asleep, wake up during the night, or sleep longer than usual
- Have thoughts about ending your life

### Consider talking to someone

There are treatments for depression that work. You might find it helpful to talk to a counselor or a doctor, who can help you decide if medication could help.

### There are things you can try on your own

- Eat well
- Get moving
- Relax in some green space
- Keep a feelings journal
- Skip the drugs and alcohol

### What to do when depressed?

If you think that you may be depressed, talk to your doctor or seek help from a mental health professional.

You can also find help by calling 1-800 LifeNet. It is a free, confidential helpline, available 24/7. For English call 1-800-543-3638, Spanish: 1-877-298-3373, Chinese: 1-877-990-8585, TTY: 1-212-982-5284.

**If you are in immediate danger of harming yourself or someone else, call 911.**



# Help for Adults

## Depression

Depression is more than just being sad from time to time. It is a potentially serious medical condition that can affect anyone.

It is important to understand that depression is treatable. People can recover with help from medication, talk therapy, lifestyle changes, and learning new coping skills. Unfortunately, many people who are depressed do not seek help because they feel ashamed and stigmatized.

### How can you tell if you are depressed?

Many people with depression are not aware of their illness. That's why it is important to know the symptoms. You may be depressed if you:

- Feel persistently sad and tired
- Feel hopeless or worthless
- Lose interest in things you used to enjoy
- Have problems with sleeping and your appetite
- Have trouble concentrating, remembering, or making decisions
- Have thoughts of death or suicide

If you think you may be depressed, talk to your doctor or seek help from a mental health professional.

You can also find help by calling 1-800 LifeNet. It is a free, confidential helpline, available 24/7. For English call 1-800-543-3638, Spanish: 1-877-298-3373, Chinese: 1-877-990-8585, TTY: 1-212-982-5284.

## Anxiety


It's normal to worry and feel anxious from time to time, especially when life is stressful. However, when anxiety becomes overwhelming and impacts your ability to function, it may be a sign of generalized anxiety disorder, or GAD.

Anyone can develop GAD. Seeking help is important because living with GAD can be very challenging. Luckily, GAD is treatable. Most people recover through a combination of medication, talk therapy, lifestyle changes, and learning new coping skills.

### How can you tell if you have GAD?

The symptoms vary, but you may have GAD if you:

- Persistently experience worry that is out of proportion to its cause
- Feel irritable, restless, and on edge
- Find it hard to relax
- Struggle with concentration (your mind "goes blank"), remembering things, and making decisions
- Have problems with sleeping and eating
- Tire easily
- Sweat excessively
- Feel nauseous
- Experience headaches, muscle tension, and shaking
- Experience a pounding or racing heart
- Experience chest pain and tightness that feels like having a heart attack
- Experience choking sensations and shortness of breath
- Experience dizziness



**If you are in immediate danger of harming yourself or someone else, call 911.**

### What to do when anxiety and worry become overwhelming?

It is important to seek professional help for GAD early on. Your symptoms are unlikely to go away on their own, and there's a good chance they will worsen over time.

If you think that you may suffer from GAD, talk to your doctor or seek help from a mental health professional.

You can also find help by calling 1-800 LifeNet. It is a free, confidential helpline, available 24/7. For English call 1-800-543-3638, Spanish: 1-877-298-3373, Chinese: 1-877-990-8585, TTY: 1-212-982-5284.



**If you are in immediate danger of harming yourself or someone else, call 911.**

## Alcohol and Substance Use

Problematic alcohol and substance use is common. Among New Yorkers age 12 or older, 26% reported binge drinking in the past month, and 10% reported using illicit drugs, not including marijuana.

Substance use disorders can have many negative consequences, including physical or mental health problems and failing to meet responsibilities at work, school, or home. Changes to the brain associated with drug or alcohol dependence can make a person crave the substance, despite all of the damage it is causing.

It is important to understand that substance use disorders are treatable. People can recover with help from treatment, lifestyle changes, and learning new coping skills. Unfortunately, many people do not seek help because they feel ashamed and stigmatized.

Treatment options vary, and include counseling and the use of medications such as methadone or buprenorphine. Treatment works best when it is tailored to the individual and takes into account not only substance use, but also other social, emotional, and health issues. Like other chronic diseases, substance use can recur. Relapse is not a sign of personal failure but of the need to adjust treatment and provide additional support.

### How can you tell if you need help?

- You need alcohol and/or drugs to feel well. This can indicate a substance use disorder.
- Friends and family tell you to cut down on your use
- You miss work or other commitments because of your alcohol and/or drug use
- You experience negative consequences such as the loss of a relationship, a job, or housing due to your alcohol and/or drug use

If you or a loved one's alcohol and/or substance use is becoming a problem, talk to a medical or behavioral health professional.

You can also find help by calling 1-800 LifeNet. It is a free, confidential helpline, available 24/7. For English call 1-800-543-3638, Spanish: 1-877-298-3373, Chinese: 1-877-990-8585, TTY: 1-212-982-5284.

## Trauma and Mental Health

Most people will experience some form of traumatic event during their lifetime. This could be personal events such as abuse, the death of a loved one, job loss, or divorce. It could also include larger-scale events such as fire, neighborhood violence, natural disasters, or a terrorist attack.

For almost all of us, traumatic events tend to cause some degree of distress, fear, and anxiety. But with the support of family and friends, most people manage to effectively cope with trauma.

However, some people may develop mental health conditions as a result of their experience. The most common such conditions are post-traumatic stress disorder (PTSD), depression, generalized anxiety disorder (GAD), and substance use disorders. People who have experienced multiple traumatic events and those with existing mental health conditions are at higher risk.

It is important to understand that these conditions are treatable. People can recover with help from medication, talk therapy, lifestyle changes, and learning new coping skills. Unfortunately, many people who suffer from depression feel ashamed and stigmatized because of their condition, and as a result of it, do not seek help.

### How can you tell if you need help?

If four weeks or more have passed since the traumatic events and you are experiencing any of the following conditions, you may need help:

- You are still reliving the event and having frequent nightmares
- You feel unable to perform basic daily activities
- You are unable to enjoy life the way you used to
- You still feel fearful and upset
- You continue to have intense, distressing feelings
- You try to cope in ways that cause additional problems, such as smoking or increased use of alcohol or drugs

### What should I do when coping is difficult?

If you think you need help coping, talk to your doctor or seek help from a mental health professional.

You can also find help by calling 1-800 LifeNet. It is a free, confidential helpline, available 24/7. For English call 1-800-543-3638, Spanish: 1-877-298-3373, Chinese: 1-877-990-8585, TTY: 1-212-982-5284.

